



जिल्ला दररेट निर्धारण समिति

भक्तपुर

--	--	--

ज्याला, ढुवानी तथा निर्माण सामग्रीहरूको दररेट
आ.व. २०८३/०८४

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

१ श्रमिकको ज्यालादर सम्बन्धी



क्र.सं.	श्रमिकहरूको विवरण	ज्याला दर प्रतिदिन (रु.) आ.व.	रु. आ.व.			टिप्पणी
			०८१/८२	०८२/८३	०८३/८४	
1	अवश श्रमिक (ज्यामी)	जवान	920	935	1000	नेपाल राष्ट्र बैंकबाट प्रकाशित ज्याला दर सूचकांक (Salary and Wage Index by Nepal Standard Industrial Classification (NSIC)) को आधारमा ६.९७% बृद्धि गरी तल्लिकको ५ रुपैयाँमा Roundoff गरिएको।
2	दल डकमी, सिकमी, नकमी, पिक्कार, बडकमी, प्लम्बर, बुझा र काठ बुझा कटने साधारण मूर्तिकार, पिक्कार, आर्टिस्ट आदि।	"	1225	1245	1330	
3	अर्धदल डकमी, सिकमी, नकमी, पिक्कार, प्लम्बर, इलेक्ट्रिशियन, आराधना, जुमियर सुपरभाइजर, नदी निरीक्षक आदि।	"	1020	1040	1110	
4	दल सफा गर्ने कामदार	"	1225	1245	1330	
5	हेभी इन्विन्पेन्ट झोजर, एक्स्याभेटर, रोभर, पेडर अपरेटर आदि	"	1325	1350	1440	
6	मेकानिक्स, हेभी मेकानिक्स ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याब असिस्टेन्ट आदि	"	970	985	1050	
7	भरिया (४० के.जी. तौलसम्म)	"	920	935	1000	
8	साइकल स्टान्डिङ ट्रेनिङ, एमोनिया प्रिन्टिङ फोरमेन, सामाजिक परिचालक, सँदेन खानी सम्बन्धी काम गर्ने कामदार आदि	"	920	935	1000	
9	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, क्लस्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरिटी गार्ड, नाइट वाचमेन, रोड सेन्थ वर्कर, हेल्पर मेकानिक्स, ऑफिस असिस्टेन्ट, सभै हेल्पर, वेल्डर सहायक, रत्न, गणक पेन म्यान, ट्रेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.ई.ई. उत्तीर्ण वा सो सरह) आदि	"	830	845	900	
10	मापी, सहायक परिचालक, स्वीपर, मेहतर, घोडी, बल हेराल, चौकीदार आदि	"	765	780	830	
11	काठ बुझा डिग्री लगायत परम्परागत कार्य गर्ने कालिगड मिल्सी	"	1835	1865	1990	
12	जेखिमरूप शोचमा कार्य कार्य गर्नुपर्ने लेबर	"	1530	1555	1660	

नोट :-

माथि उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदिको आफ्नो सम्बन्धारीबाट ज्यालादर तय गर्न सकिनेछ।

माथि उल्लेख नभएका अन्य सबै पद/श्रेणीका ज्यालादारी कर्मचारी/कामदारहरूको हकमा सम्बन्धित पद/श्रेणीको लागी नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तालबमानलाई तीसरे भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर रकम मान्नु पर्नेछ।

Handwritten signatures and stamps are present below the table. A prominent stamp on the right side reads: **बिलोद कुमार खड्का** (Bilod Kumar Khadka), **प्रमुख जिल्ला अधिकारी** (Chief District Officer).



१ ढुवानी सम्बन्धी

सि. नं.	ढुवानी सम्बन्धि विवरण	एक टनको ढुवानीको लागि लागू दर	ढुवानी दर (रु)			टिप्पणी
			आ.ब.			
			०८१/८२	०८२/८३	०८३/८४	
१.०	सजिलो सामान (जस्तै: मिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, छाधान, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	33.60	33.60	36.96	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	46.83	46.83	51.51	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	37.49	37.49	41.23	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	50.72	50.72	55.79	
१.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	18.27	18.27	20.10	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रति के.जी./प्रति कि.मी.	3.50	3.50	3.85	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बनेको ग्यासिन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधि, काठ, कृषिजन्य, फलफूलको बिरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	47.93	47.93	52.73	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	55.13	55.13	60.64	
२.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	55.13	55.13	60.64	
२.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	60.06	60.06	66.07	
२.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने । (२० कि.मी.भन्दा बढी)	टन/कि.मी.	27.46	27.46	30.20	
२.६	भरियाबाट (पैदल) सामान ढुवानी	के.जी./कि.मी.	4.50	4.50	4.95	

क्र. नं.	दुबानी सम्बन्धि विवरण	इकाई	दुबानी दर (रु)			वैकिकत
			आ. व.			
			०८१/८२	०८२/८३	०८३/८४	
३	अति असजिलो सामान जस्तै: (जी.आई. पाइप, काँडेदार, फलामे छड, इलेक्ट्रोमेकानिकल सामान, ३.८ मिटरसम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि.एस.सी. पोल, आदि)					
3.1	टुक्याट पिच बाटोमा दुबानी गर्ने	टन/कि.मी.	67.25	67.25	73.98	
3.2	टुक्याट कच्ची बाटोमा दुबानी गर्ने	टन/कि.मी.	81.01	81.01	89.11	
3.3	ट्याक्टर/मिनी टुक्याट पिच बाटोमा दुबानी गर्ने	टन/कि.मी.	74.39	74.39	81.83	
3.4	ट्याक्टर/मिनी टुक्याट कच्ची बाटोमा दुबानी गर्ने	टन/कि.मी.	88.20	88.20	97.02	
3.5	टुक्याट/मिनी टुक्याट पिच बाटोमा दुबानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	36.59	36.59	40.25	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	11.00	11.00	12.10	
४.२	असजिलो सामान	प्रति क्वी.	13.50	13.50	14.85	
४.३	अति-असजिलो सामान	प्रति क्वी.	16.00	16.00	17.60	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	11.00	11.00	12.10	
५.२	असजिलो सामान	प्रति क्वी.	13.50	13.50	14.85	
५.३	अति-असजिलो सामान	प्रति क्वी.	16.00	16.00	17.60	
६	ह्युम पाइपको दुबानी भाडादर (पाइप मूल्यको आधारमा)					
६.१	पहिलो १० (दश) कि.मी. सम्म	पाइपको मूल्यको प्रतिशत	8.00	8.00	8.80	
६.२	१० (दश) कि.मी. देखिमाथि २० (बीस) कि.मी. सम्म	पाइपको मूल्यको प्रतिशत	13.00	13.00	14.30	
६.३	२० (बीस) कि.मी. देखि माथि	पाइपको मूल्यको प्रतिशत	18.00	18.00	19.80	/


नोट: माथि निर्णय नं. २ मा उल्लेख गभएको दुबानी दरको हकमा सेवा दिने/लिने संघसंस्था, कम्पनी, व्यक्ति आदिको आफ्नी समझदारीबाट दुबानी दर तय गर्न सकिनेछ।



३ : भेशिन, औजार तथा उपकरणको भाडादर सम्बन्धी:

मेशिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोटर, ग्रेडर आदि यान्त्रिक उपकरणको भाडादर (रेट) सडक विभाग, हेभी इक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर अनुसार नै हुन सिफारिस गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

















बिनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



नेपाल सरकार

४: घर र जग्गा भाडा तथा शक्तिपूर्ति/मुसाम्मा निर्धारण दर सम्बन्धमा:

सि.न.	घरको बनावट विवरण	इकाई	आ.व. २०८१/०८२ को दर रु.	आ.व. २०८२/०८३ को दर रु.	आ.व. २०८३/०८४ को दर रु.	वर्गीकरण
1	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	1506.00	1506.00	1506.00	
2	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	1936.00	1936.00	1936.00	
3	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	2154.00	2154.00	2154.00	
4	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	2266.00	2266.00	2266.00	
5	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	2210.00	2210.00	2210.00	
6	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	2405.00	2405.00	2405.00	
7	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	2503.00	2503.00	2503.00	
8	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	2423.00	2423.00	2423.00	
9	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	2510.00	2510.00	2510.00	
10	आर.सि.सि. फ्रेम स्टक्चर भवन ।	व.फि.	2650.00	2650.00	2650.00	
11	कतैकतको भवन भई छाना जस्ता, भिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	2319.00	2319.00	2319.00	

नोट: भवनको बनावट र फिनिशिंग तथा सामान/उपकरण जडान बारे वर्गीकरण

- भवनको भित्र Wall Putty गरी इमलान पेन्टिङ गरेको ।
- भवनको बाहिर Weather Coat painting भएको ।
- Lift जडान भएको ।
- विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
- प्यासेज, भन्थाइमा मार्बल/पार्सेटिङ भएको ।
- शौचालयमा टायल, फ्लोर र सि.पि. फिटिङ उच्चस्तरीय प्रयोग भएको ।
- अग्नी निपन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।
- बेसमेण्टमा (Basement) पार्किङ सुविधा भएको ।

बिनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



स.न.	घरको बनावट विवरण	स.न. २०६९/०७०	आ.व. २०६९/०७०	आ.व. २०६९/०७०	कैफियत
		को दर रु.	को दर रु.	को दर रु.	

भ. रा. foundation भएको ।

उल्लेखित सधै सुविधा भएको भए 'क' वर्ग, र उल्लेखित माथै कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्वया 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।

इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायर र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR १५% कायम गर्ने र मुख्य सडकसँग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायर र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम १५% कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरू :

- १) मनोहरा पुल (जडिबुटी)-ठिमी-सूर्यविनायक जगातीसम्म (अरनिको लोकमार्ग) सडक ।
- २) सल्लाघारी-सूर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।
- ३) सल्लाघारी-भक्तपुर अस्पताल-दरबार स्वायत्त सडक ।
- ४) भक्तपुर क्याम्पस-भावाँचो-तीमडी-सुकुलढोका-दवाबय-ध्यामाभिह सडक ।
- ५) जगाती-कमलविनायक सडक ।
- ६) दक्षिण बाराही मन्दिर-शंखधर चौक-पुरानोबाटो बाहाखा बजार-पोडे चार ढोकाटोसम्म सडक ।
- ७) जडिबुटी - बाहाखा बजार- सल्लाघारी सडक ।
- ८) दरबार स्वायत्त-तीमडी-सूर्य विनायक बस स्टप-सूर्य विनायक गणेश थान सडक ।
- ९) सल्लाघारी-ध्यासी-कमलविनायक सडक ।

दृष्टव्यः आ.व. २०७०/०७१ लाई यत आ.व.को दररेट लिइने र नेपाल सरकार महति विकास मन्त्रालय अवन डिभिजन कार्यालयबाट रेट निर्धारण भएको छण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

(Signatures)



१. बायो-इन्जिनियरिङ एवं सोर्सिङ सम्बन्धित अन्य मालसामान सम्बन्धी दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
1	हेज ८ इन्च पोली	गोटा	66.00	66.00	66.00
2	कापेट दुबो	ब.फि	40.00	40.00	40.00
3	कापेट दुबोको लागि टाप्ने कार्यको ज्याला	ब.फि	26.00	26.00	26.00
4	निचानो (जरा मल्ला)	गोटा	14.00	14.00	14.00
5	स्थानीय स्तरमा उत्पादित विरुवा फलफूल बाहेक	गोटा	7.00	7.00	7.00
6	गोठे माल तयारी	के.जी	5.00	5.00	5.00
7	झर्मे भाँसको विरुवा	गोटा	14.00	14.00	14.00
8	मोलाटी विरुवा	गोटा	2.00	2.00	2.00
9	बुटको डोरी	के.जी	330.00	330.00	330.00
10	मरिचल डोरी	के.जी	158.00	158.00	158.00
11	नाइलन डोरी	के.जी	330.00	330.00	330.00
12	सीठ सल्ला नेपाली	गोटा	92.00	92.00	92.00
13	सीठ सल्ला अमेरिकन	गोटा	158.00	158.00	158.00
14	दुनो साइजको बाँसको विरुवा बीउबाट उत्पादित	गोटा	264.00	264.00	264.00
वन कार्यालयबाट सम्पादन गरिने कार्यहरू					
1	पोलिमिथन टयुब ४ प्वाँस भएको २०० गेजको विभिन्न साइज	के.जी	420.00	420.00	420.00
2	दुला विरुवा रोपन ४ फिटसम्म	प्रति विरुवा	168.00	168.00	168.00
3	दुला विरुवा रोपन ४-६ फिटसम्म	प्रति विरुवा	186.00	186.00	186.00
4	अम्ला विरुवा रोपन ६-८ फिटसम्म	प्रति विरुवा	288.00	288.00	288.00
5	गोर्लिया काठ लोड	ब्यू.फि	36.00	36.00	36.00
6	गोर्लिया काठ अनलोड	ब्यू.फि	24.00	24.00	24.00
7	दाउरा संकलन, दुबानी चट्ट निर्माण (२० फि. * ५ फि. ८ ५ फि.)	चट्टा			
8	दाउरा लोड	चट्टा	४८००८-	४८००८-	४८००८-
9	दाउरा अनलोड	चट्टा	२४००८-	२४००८-	२४००८-
10	सकलन कटान, मुछान	चट्टा	५४८-	५४८-	५४८-
12	अनलोडिङ	चट्टा	१६८८-	१६८८-	१६८८-
13	चट्टा निर्माण	चट्टा	२४००८-	२४००८-	२४००८-
14	टुटा उखेली घाटपट्टी स्थल १०० मी. सम्म सैजाने कार्य	गोटा	३४८-	३४८-	३४८-
15	वन सुपारी	प्रति विरुवा	३६८-	३६८-	३६८-
शहरी बुझारोपन कार्य					
1	४ फिट सम्मको विरुवा	प्रति विरुवा	१०४६८-	१०४६८-	१०४६८-
2	५ फिट सम्मको विरुवा	प्रति विरुवा	१२००८-	१२००८-	१२००८-
3	६ फिट सम्मको विरुवा	प्रति विरुवा	१८४८८-	१८४८८-	१८४८८-
4	८ फिट सम्मको विरुवा	प्रति विरुवा	२२४४८-	२२४४८-	२२४४८-
४ फिटसम्मको विरुवाको मुख्य					
1	कपुर, विस	प्रति विरुवा	924.00	924.00	924.00
2	रुद्राल	प्रति विरुवा	1140.00	1140.00	1140.00
3	कच्ची कोटल वस	प्रति विरुवा	792.00	792.00	792.00
4	जवाकारण्डा मोल्डमोहोर	प्रति विरुवा	792.00	792.00	792.00
5	असार	प्रति विरुवा	792.00	792.00	792.00
6	पेपु	प्रति विरुवा	528.00	528.00	528.00
7	मज्जी	प्रति विरुवा	528.00	528.00	528.00

बिनोद कुमार
अधिकारी



५: बायो-इन्जिनियरिङ प्रज्ञा संस्थान सम्बन्धित अन्य माससामान सम्बन्धी दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दररेट			कीफियत
			आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४	
8	धुपी, टिमुर, पारिजात	प्रति चिरुवा	594.00	594.00	594.00	
9	धसमधेली	प्रति चिरुवा	792.00	792.00	792.00	
10	काइचो	प्रति चिरुवा	792.00	792.00	792.00	
11	रजकमल	प्रति चिरुवा	1584.00	1584.00	1584.00	
12	समो	प्रति चिरुवा	1320.00	1320.00	1320.00	
13	बर	प्रति चिरुवा	1584.00	1584.00	1584.00	
14	चिपल	प्रति चिरुवा	1584.00	1584.00	1584.00	
15	१ फिटसम्मको कर्चिर चिरुवा	प्रति चिरुवा	1440.00	1440.00	1440.00	
16	१ फिटसम्मको तिकोमा चिरुवा	प्रति चिरुवा	1440.00	1440.00	1440.00	
17	३ फिटसम्मको पापको चिरुवा	प्रति चिरुवा	1560.00	1560.00	1560.00	
बायो इन्जिनियरिङ सम्बन्धी काम						
घाँसको बीउ						
1	जई	कि.ग्रा	90.00	90.00	90.00	
2	भेष	कि.ग्रा	180.00	180.00	180.00	
3	नेपाथर	सेट	4.00	4.00	4.00	
4	चर्मिस	कि.ग्रा	210.00	210.00	210.00	
5	घाँसको चिउ र औषधि जिल्लाभित्र दुवानी गर्दा	कि.ग्रा	1.00	1.00	1.00	
6	घाँसको चिउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	1.00	1.00	1.00	
7	माटो भने छापी धोर	मोटो	14.00	14.00	14.00	
8	बाम काटेको सिमो घाना	घाना	420.00	420.00	420.00	
9	बामको कटिग स्टम्प चिरुवा १५ महिने नर्सरीमा राखेको। १५ फिट देखि २ फिट लामो	प्रति कटिग	66.00	66.00	66.00	
Vegetation/Shrubs Cuttings/Slip/Plants/etc.						
1	अप्रिसो (राइजोम)	प्रति चिरुवा	8.00	8.00	8.00	
2	अलेपी गानो	प्रति चिरुवा	13.00	13.00	13.00	
3	अलेपी चिरुवा	प्रति चिरुवा	10.00	10.00	10.00	
4	हाइड्रड कटिङ्ग (बैस) पेन्सिल साइज	प्रति चिरुवा	6.00	6.00	6.00	
5	नेपाथर कटिङ्ग	प्रति चिरुवा	2.00	2.00	2.00	

१. आ.व. २०८३/०८४ को लागि जग्गिको सोकमार्गको दायि बामि कि.मी. सम्मको लागि निर्माण सामग्रीहरूको दर (रेट)



सिभिल कार्यहरू (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.व. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
1	विभिन्न किसिमको ईँटा				
	chinese premium	हजार	24000.00	24000.00	24741.00
	क) मेशिनबाट उत्पादित ईँटा (छानेको)	हजार	21000.00	21000.00	21848.00
	ख) मेशिनबाट उत्पादित ईँटा (१-नं.)	"	17500.00	17500.00	18040.00
	ग) मेशिनबाट उत्पादित ईँटा (२-नं.)	"	15000.00	15000.00	15463.00
	घ) मेशिनबाट उत्पादित ईँटा (कालो.)	"	12000.00	12000.00	12370.00
	BBT Brick	"	16500.00	16500.00	17009.00
	ग) चिमनी भट्टाको ईँटा	"	14500.00	14500.00	14948.00
	घ) तराई को १ नं. ईँटा	"	17160.00	17160.00	17690.00
	(ड) सिमेन्ट को ईँटा				
	BK108N	"	15450.00	15450.00	15927.00
	BK118As	"	16274.00	16274.00	16776.00
	घ_ टुक्रा ईँटा	घ. मि.	2625.00	2625.00	2706.00
	छ_ Concrete block				
	size (40*15*20) cm	गोटा	42.00	42.00	43.00
	size (40*10*20) cm	गोटा	36.75	36.75	37.00
	Cellular light weight concrete (CLC) block				
	Size 24*8*4	गोटा	174.00	174.00	179.00
	Size 24*8*6	"	322.00	322.00	331.00
2	क्ले टायलहरू				
2.1	छानामा छाउने				
	क) मेशिनबाट उत्पादित टायल	गोटा	21.00	21.00	21.00
	ख) चिमनी भट्टाको टायल	"	18.90	18.90	19.00
	ग) मेशिनबाट उत्पादित धुरी	"	36.75	36.75	37.00
	घ) चिमनी भट्टाको धुरी	"	29.40	29.40	30.00
2.2	भुईँमा/ कौसीमा छाप्ने टायल:				
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	12.60	12.60	12.00
	ख) चिमनी भट्टाको क्ले टायल	"	12.60	12.60	12.00
3	ढुंगाको काम (Stone work)				
3.1	Rubble Stone				
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	79.31	79.31	81.00
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	79.31	79.31	81.00
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	72.10	72.10	74.00
	(घ) कौसी खोला (चेहर) को एकनास गोला ढुङ्गा (River round Pavel)	"	113.30	113.30	116.00
3.2	छाप्ने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	85.00	85.00	87.00
	ख) १ 1/2" सम्म बाक्लो " " "	"	100.00	100.00	103.00
	ग) २" सम्म बाक्लो ढुङ्गा " " "	व.फि.	117.00	117.00	120.00

9

विवाद कसार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	घ) २ १/२" सम्म बाक्लो ढुङ्गा	"	127.00	127.00	130.00
	ङ) २ १/२" - ३" सम्म बाक्लो ढुङ्गा	"	155.00	155.00	159.00
	च) २ १/२" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"	320.00	320.00	329.00
4	विभिन्न प्रकारको बालुवा				
	(क) बालुवा (Washing plant)	घ.फि.	90.64	90.64	93.00
	(ख) खानीको बालुवा (Quarry sand)	घ.फि.	88.00	88.00	90.00
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	88.58	88.58	91.00
	(घ) भवनको भुँई कोठामा पुर्ने, सोलिडको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	69.01	69.01	71.00
5	क्रशरबाट उत्पादित रोडा				
	(क) ६-१० मी. मी. साइजका	घ.फि.	97.52	97.52	100.00
	(ख) १०-२० मी. मी. साइजका	घ.फि.	104.94	104.94	108.00
	(ग) २०-४० मी. मी. साइजको	घ.फि.	101.76	101.76	104.00
	(घ) ६ मि.मि. down	घ.फि.	89.04	89.04	91.00
6	फुटालेको ढुङ्गाको गिट्टी				
	क) सबै साइजको गिट्टी	"	95.40	95.40	98.00
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	72.08	72.08	74.00
	ख) मेलम्ची खोलाको ग्राभेल	"	66.78	66.78	68.00
	ग) टिकाभैरव को ग्राभेल	"	67.84	67.84	69.00
	घ) भकुण्डेवेसी, रोशी खोलाको ग्राभेल	"	75.26	75.26	77.00
	ङ) खोला/खानीको स्थानीय ग्राभेल	"	57.24	57.24	59.00
	(च) Granular sub base material (Crusher run material size 63mm down) ग्राभेल	"	79.45	79.45	81.00
	(छ) Base-course को लागि मिक्स सोलिड (WBM) गर्ने कार्य ।	घ.फि.	87.98	87.98	90.00
	(ज) ढुगाको धुलो (Stone dust)	घ.फि.	43.46	43.46	44.00
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles				
	क) ४०- ८० मी.मी	घ.फि.	105.00	105.00	108.00
	ख) २०- ४० मी.मी	"	105.00	105.00	108.00
	ग) १०- २० मी.मी	"	105.00	105.00	108.00
	घ) ५- १० मी.मी	"	105.00	105.00	108.00
9	सडक कालो पत्र गर्ने कामको सामग्रीहरू				
	८०/१०० ग्रेडको बिटुमीन	के.जी	115.00	115.00	
	VG-10	के.जी	115.00	108.40	
	VG-30	के.जी	119.00	110.70	
	CRMB-DIGO 55 Bitumen	"	89.00	89.00	
	Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	93.20	97.30	
	छिटो जम्ने (RS 65%)	"	98.60	102.90	
	छिटो जम्ने (RS 70%)	"	103.90	108.50	
	मध्यम जम्ने (MS 60%)	"	94.30	98.40	

Bitumen Product
को दरेट नेपाल
Bitumen & Barrel
Udyog Limited



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८२/८३	२०८२/८३	२०८२/८३
	मध्यम जम्मे (MS 65%)		98.10	102.40	(NBBIJL) लगायत अन्य वितरकबाट दरेटलाई कर्याम गर्ने
	हिलो जम्मे (SS60%)		95.90	100.10	
	Slurry Seal with 60% bitumen		100.00	104.40	
	Hi - seal Redymix		112.00	112.00	
	Polymer Bitumen		125.00	125.00	
	iv) सडक कालोपत्रे गर्दा बिटुमीन नउत्फीनको लागी प्रयोग गर्ने सामान Anti stripping agent		370.00	370.00	
	v) कालोपत्रे सडक Pot hole टान्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री		35.00	35.00	
	vi) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	198.00	198.00	204.00
	b) Most Grade	"	219.00	219.00	225.00
	c) Glass beads	"	180.00	180.00	185.00
10	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
10.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	700.00	700.00	700.00
10.2	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	600.00	600.00	600.00
10.3	सिमेन्ट (५० के.जी.) OPC	"	700.00	700.00	700.00
10.4	सेतो सिमेन्ट (40kg/bag)	"	1230.00	1230.00	1230.00
10.50	लोड अनलोड चार्ज	"	13.00	13.00	13.00
11	Ready made Premix Concrete (Supplying laying all complete work)				
11.1					
	M 10	घ. मि	13650.00	13650.00	14071.00
	M 15	घ. मि	14700.00	14700.00	15154.00
	M 20	"	15225.00	15225.00	15695.00
	M 25	"	16275.00	16275.00	16777.00
	M 30	"	17115.00	17115.00	17643.00
	M 35	"	18382.00	18382.00	18950.00
	M 40	"	19950.00	19950.00	20566.00
	M 45	"	21450.00	21450.00	22112.00
12	फलामको डण्डीहरू :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	100.00	100.00	100.00
	b) 10-20 mm dia	"	99.00	99.00	99.00
	c) 25-28 mm dia	"	100.00	100.00	100.00
	(d) 32 mm dia	"	100.00	100.00	100.00
	(ख) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	94.00	94.00	94.00
	b) 10-20 mm dia	"	91.00	91.00	91.00
	c) 25-28 mm dia	"	91.00	91.00	91.00
	(d) 32 mm dia	"	94.00	94.00	94.00

विनोद खड्का
प्रमुख जिल्ला अभियन्ता



सि.नं.	निर्माण सामग्रीहरूको विवरण भक्तपुर	एकाई	मु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	101.00	101.00	101.00
	(घ) Binding Wire (ढण्डी बाँधेतार)	"	106.00	106.00	106.00
13	विभिन्न किसिमका काठहरू				
13.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	6090.00	6090.00	6227.00
	(ख) ८' देखि १२' सम्मको सालकाठ	"	6562.00	6562.00	6710.00
	(ग) १२ फिट देखि माथिको साल काठ	"	6930.00	6930.00	7086.00
	(घ) साज काठ	"	3518.84	3518.84	3598.00
	(ङ) जामुन काठ	"	2258.36	2258.36	2309.00
	(च) सल्लाको काठ	"	1628.12	1628.12	1664.00
	(छ) सिसौ काठ	"	3676.40	3676.40	3759.00
	(ज) जंगली सिसौ काठ	"	5535.61	5535.61	5660.00
	झ) उतीस को काठ	"	656.50	656.50	671.00
	(ञ) स्वर्गीय काठ (कमा प्रयोजनको लागि Mixed wood)	घ. फि			
	(ट) काठ दाउरा	के. जी	19.00	19.00	19.00
13.2	कुटिएको काठको काम तयारी				
	i) भन्साइको रैलिङ तथा बाटोनी आदिमा कुटिएको स्वर्गीय सीसो काठको हुस्का (2'-6"x3"x3")	घोटा	1090.80	1090.80	1115.00
	ii) भन्साइको रैलिङ तथा बाटोनी आदिमा कुटिएको जंगली स्पेसल सीसो काठको हुस्का (2'-6"x3"x3")	"	1323.50	1323.50	1353.00
	iii) भन्साइको रैलिङ तथा बाटोनी आदिमा कुटिएको सीसो काठको हेण्ड रेल (3"x4")	र.फि	714.27	714.27	730.00
	iv) भन्साइको रैलिङको धुम्ने छान्दमा कुटिएको सीसो काठको गोली हेण्ड रेल (3"x4")	घोटा	2363.40	2363.40	2416.00
	v) देवी देवताको मुर्ति कुटिएको ४' देखि १' लामो । ३"x ८" सात काठमा टुटान बनाउने काम	"	13635.00	13635.00	13943.00
	vi) देवी देवताको मुर्ति कुटिएको ५' देखि ७' लामो । ३"x ८" सात काठमा टुटान बनाउने काम	"	22725.00	22725.00	23238.00
	vii) विभिन्न बृहत् तथा देवी देवताको मुर्ति कुटिएको साल काठको भ्याल होल्ड बनाउने काम (छापाको छाटाई ४० मि.मि. देखि १० मि.मि. सम्म)	ब.फि	3181.50	3181.50	3253.00
	viii) घोडाको आकृति गरि कुटिएको ४"x १" साइजको ३' देखि ४' लामो साल काठको तयारी टुटान बनाउने काम ।	घोटा	7352.80	7352.80	7518.00
	ix) सामान्य प्रकारको कुटिएको सालको काठको आधी भ्याल तयारी	घ.फि	1363.50	1363.50	1394.00
	x) मध्यम प्रकारको कुटिएको सालको काठको आधी भ्याल तयारी	"	1636.20	1636.20	1673.00
	xi) विशेष प्रकारको कुटिएको सालको काठको आधी भ्याल तयारी नक सहीत	"	2272.50	2272.50	2323.00
	विशेष प्रकारको कुटिएको सालको काठको आधी भ्याल तयारी नक तम्पेको	"	1999.80	1999.80	2044.00
	xii) ३"x १.५" साइजको सालको काठको कुटिएको पत्ती तयारी गर्ने काम	र.फि	363.60	363.60	371.00
	xiii) कुटिएको विभिन्न बृहत् राखी बनाएको साल काठको ४"x १"को कर्नेस निम आदि तयारी गर्ने काम	"	1636.20	1636.20	1673.00

12



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.भ.क. (VAT) काहेक (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
	xiv) ४"X १"को साल काठको नाग बुझा पट्टि गरी अडान गर्ने कार्य	1727.10	1727.10	1766.00
14	Wooden Parquet Flooring			
	i)Shisam wood 150mm*30mm*8mm	२२०.००	२२०.००	२२४.००
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	५९९.००	५९९.००	६१२.००
15	विभिन्न मोटाईको प्लाइवुडहरू			
15.1	Commercial			
	(क) ३ मी.मी	३६.००	३६.००	३६.००
	३.५ मी.मी	२६.००	२६.००	२६.००
	(ख) ४ मी.मी	२८.००	२८.००	२८.००
	(ग) ६ मी.मी	५३.००	५३.००	५४.००
	(घ) ८ मी.मी	५७.००	५७.००	५८.००
	(ङ) १२ मी.मी	८०.००	८०.००	८१.००
	(च) १९ मी.मी B/B	११२.००	११२.००	११४.००
	छ) १८ मी.मी PLY	११५.००	११५.००	११७.००
15.2	P/F. Water Proof			
	क) ४ मी.मी	५२.००	५२.००	५३.००
	ख) ६ मी.मी	६५.००	६५.००	६६.००
	ग) ८ मी.मी	६७.००	६७.००	६८.००
	घ) ९ मी.मी	८९.००	८९.००	९१.००
	(ङ/१२ मी.मी	९९.००	९९.००	१०१.००
	च) १९ मी.मी PLY	११३.००	११३.००	११५.००
	छ) १९ मी.मी B/B	१३९.००	१३९.००	१४२.००
15.3	Natural Teak Plywood			
	One side lamination			
	(क) ३ मी.मी	५१.००	५१.००	५२.००
	(ख) ४ मी.मी (Group Match of in 5 pcs)	७४.००	७४.००	७५.००
	४ मी.मी (Regular)	६४.००	६४.००	६५.००
	४ मी.मी (Crown)	४६.००	४६.००	४७.००
	४ मी.मी (Beri)	५२.००	५२.००	५३.००
	४ मी.मी (Whitest line)	४२.००	४२.००	४२.००
	४ मी.मी (Beach)	४९.००	४९.००	५०.००
	४ मी.मी (Recon 18 No.)	३९.००	३९.००	३९.००
	(ग) ६ मी.मी			
15.4	DECORATIVE (THICKER)			
	6 OST	१३५.००	१३५.००	१३८.००
	6 BST	१७२.००	१७२.००	१७५.००
	9 OST	१५०.००	१५०.००	१५३.००
	9 BST	१८६.००	१८६.००	१९०.००
	12 OST	१६४.००	१६४.००	१६७.००
	12 BST	२०१.००	२०१.००	२०५.००
	19 B/B OST	१७७.००	१७७.००	१८१.००
	19 B/B BST	२१५.००	२१५.००	२१९.००
	18 OST	२०१.००	२०१.००	२०५.००
	18 BST	२३८.००	२३८.००	२४३.००
16	Ready made Door			
16.1	38 mm th. Readymade solid core door shutter			

विश्वेश्वर प्रसाद शर्मा
प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Plain	व.फि	244.00	244.00	249.00
	One side teak	"	275.00	275.00	281.00
	Both side teak	"	308.00	308.00	314.00
	One side teak waterProof	"	300.00	300.00	306.00
	Both side teak waterProof	"	332.00	332.00	
16.2	30 to 32 mm th. Readymade solid core door shutter				
	Plain	व.फि	199.00	199.00	203.00
	One side teak	"	223.00	223.00	228.00
	Both side teak	"	250.00	250.00	255.00
	One side teak waterProof	"	244.00	244.00	249.00
	Both side teak waterProof	"	270.00	270.00	276.00
16.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	190.00	190.00	194.00
	Readymade door shutter Recon, Special (1 side teak)	"	257.00	257.00	262.00
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	"	217.00	217.00	221.00
	Readymade door shutter Recon, Special (1 side teak)	"	292.00	292.00	298.00
16.4	Wooden Listy				
	1/2" wide	र.फि.	15.00	15.00	15.00
	3/4" wide	"	18.00	18.00	18.00
	1.5" wide	"	29.00	29.00	29.00
	Decorative	"	40.00	40.00	40.00
16.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	भोटा	431.00	431.00	440.00
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431.00	431.00	440.00
	Board 9 mm	"	2524.00	2524.00	2581.00
	Roofing Board 6mm (1.5mX.6m)	"	695.00	695.00	710.00
	Fiber mess tape (for 90mm/roll)	"	340.00	340.00	347.00
	PU sasuage rod	"	2039.00	2039.00	2085.00
17	Prelaminated Particle Board				
17.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	39.00	39.00	39.00
	(ख) १२ मी. मी.	"	44.00	44.00	44.00
	(ग) १८ मी.मी.	"	56.00	56.00	57.00
	(घ) २५ मी.मी	"	76.00	76.00	77.00
17.2	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	80.00	80.00	81.00
	(ख) १२ मी. मी.	"	88.00	88.00	89.00
	(ग) १८ मी.मी.	"	104.00	104.00	106.00

Handwritten signatures and marks at the bottom of the page.



सि.नं.	निर्माण सामग्रीहरूको विवरण		गु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	(घ) २५ मी.मी		140.00	140.00	143.00
17.3	Both side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी.मी	ब.फि	88.00	88.00	89.00
	(ख) १२ मी.मी	"	102.00	102.00	104.00
	(ग) १८ मी.मी	"	116.00	116.00	118.00
	(घ) २५ मी.मी	"	150.00	150.00	153.00
17.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी.मी	ब.फि	29.00	29.00	29.00
	(ख) १२ मी.मी	"	33.00	33.00	33.00
	(ग) १८ मी.मी	"	49.00	49.00	50.00
	(घ) २५ मी.मी	"	63.00	63.00	64.00
17.5	One side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	ब.फि	43.00	43.00	43.00
	(ख) ६ मी.मी	"	60.00	60.00	61.00
	(ग) ९ मी.मी	"	70.00	70.00	71.00
	(घ) १२ मी.मी	"	78.00	78.00	79.00
	(ङ) १८ मी.मी	"	91.00	91.00	93.00
	(च) २५ मी.मी	"	114.00	114.00	116.00
17.6	Both side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	ब.फि	48.00	48.00	49.00
	(ख) ६ मी.मी	"	64.00	64.00	65.00
	(ग) ९ मी.मी	"	77.00	77.00	78.00
17.7	One side lamination Melaminated faced (Interiors Grade)MDF				
	(क) ३ मी.मी	ब.फि	48.00	48.00	49.00
	(ख) ४ मी.मी	"	55.00	55.00	56.00
	(ग) ६ मी.मी	"	68.00	68.00	69.00
	(घ) ९ मी.मी	"	88.00	88.00	89.00
	(ङ.) १२ मी.मी	"	99.00	99.00	101.00
	(च) १८ मी.मी	"	127.00	127.00	129.00
	(छ) २५ मी.मी	"	176.00	176.00	179.00
17.8	Both side lamination Melaminated faced (Interiors Grade)MDF Century & equivalent				
	(क) ३ मी.मी	ब.फि	55.00	55.00	56.00
	(ख) ४ मी.मी	"	62.00	62.00	63.00
	(ग) ६ मी.मी	"	76.00	76.00	77.00
	(घ) ९ मी.मी	"	95.00	95.00	97.00
	(ङ.) १२ मी.मी	"	105.00	105.00	107.00
	(च) १८ मी.मी	"	133.00	133.00	136.00
	(छ) २५ मी.मी	"	180.00	180.00	184.00
17.9	Alstone Hybrid Board (WPC Board) Century & equivalent				
	(क) ६ मी.मी (१२२० X २४४०)	ब.फि	175.00	175.00	178.00

विनोद कुमार खड्का
प्रमुख जिला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.अ.क. (VAT) बारीक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	(ख) १२ मी .मी	"	280.00	280.00	286.00
	(ग) १८ मी .मी	"	423.00	423.00	432.00
18	Other HardBoard/ Sunmica & Formaica)				
18.1	(क) सनमाईका (4' x 8')	पाना	500.00	500.00	511.00
	(ख) फोरमाईका	व.फि	80.00	80.00	81.00
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	48.00	48.00	49.00
18.2	Alstone Hybrid Board				
	(क) ६ मी .मी size (1220*2440) mm	व.फि	170.00	170.00	173.00
	(ख) १२ मी .मी size (1221*2440) mm	"	315.00	315.00	322.00
	(ग) १८ मी .मी size (1222*2440) mm	"	435.00	435.00	444.00
19	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate				
	i) Iron Square Pipe	के.जी	80.21	80.21	
	ii) विभिन्न साइजको MS Angle	"	92.00	92.00	
	iii) विभिन्न साइजको Channel	"	94.00	94.00	
	iv) विभिन्न साइजको I-Beam	"	96.00	96.00	
	v) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	88.00	88.00	
20	G.I. Wire				
	i) 8 gauge				
	a) light class	के.जी	102.00	102.00	105.00
	b) medium class	"	111.00	111.00	114.00
	c) heavy duty	"	112.00	112.00	115.00
	d) Comercial wire	"	102.00	102.00	105.00
	ii) 10 gauge				
	a) light class	के.जी	102.00	102.00	105.00
	b) medium class	"	105.00	105.00	108.00
	c) heavy duty	"	112.00	112.00	115.00
	d) Comercial wire	"	102.00	102.00	105.00
	iii) 12 gauge				
	a) light class	के.जी	103.00	103.00	106.00
	b) medium class	"	107.00	107.00	110.00
	c) heavy duty	"	114.00	114.00	117.00
	d) Comercial wire	"	103.00	103.00	106.00
21	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेबियन बाकस तयारी				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	m2			
	१.५x१x०.५/०	गोटा	1639.00	1639.00	1689.00
	२x१x०.५/०	"	2235.00	2235.00	2304.00
	३x१x०.५/०	"	3278.00	3278.00	3379.00
	४x१x०.५/०	"	4321.00	4321.00	4454.00
	१.५x१x१/०	"	2384.00	2384.00	2457.00

Handwritten signatures and marks at the bottom of the page.



सि.नं.	निर्माण सामग्रीहरूको विवरण		गु.प्र.ज. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	२x१x१/१		3278.00	3278.00	3379.00
	३x१x१/२		4768.00	4768.00	4915.00
	४x१x१/३		6258.00	6258.00	6451.00
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2			
	१.५x१x०.५०	गोटा	1381.00	1381.00	1423.00
	२x१x०.५०	"	1883.00	1883.00	1941.00
	३x१x०.५०	"	2761.00	2761.00	2846.00
	४x१x०.५०	"	3640.00	3640.00	3752.00
	१.५x१x१	"	2008.00	2008.00	2070.00
	२x१x१	"	2761.00	2761.00	2846.00
	३x१x१	"	4016.00	4016.00	4140.00
	४x१x१	"	5271.00	5271.00	5433.00
	ग) MJG/10x12/3.0/3.9/2.4/ZN				
	३x२x०.५०	गोटा	5662.00	5662.00	5836.00
	४x२x०.५०	"	7450.00	7450.00	7680.00
	५x२x०.५०	"	9238.00	9238.00	9523.00
	६x२x०.५०	"	11026.00	11026.00	11366.00
	३x२x१	"	7748.00	7748.00	7987.00
	४x२x१	"	10132.00	10132.00	10445.00
	५x२x१	"	12516.00	12516.00	12902.00
	६x२x१	"	14900.00	14900.00	15360.00
	घ) MJG/10x12/2.7/3.4/2.2/ZN				
	३x२x०.५०	गोटा	4769.00	4769.00	4916.00
	४x२x०.५०	"	6275.00	6275.00	6468.00
	५x२x०.५०	"	7781.00	7781.00	8021.00
	६x२x०.५०	"	9287.00	9287.00	9573.00
	३x२x१	"	6526.00	6526.00	6727.00
	४x२x१	"	8534.00	8534.00	8797.00
	५x२x१	"	10542.00	10542.00	10867.00
	६x२x१	"	12550.00	12550.00	12937.00
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	m2			
	३x२x०.१७	गोटा	4012.00	4012.00	4135.00
	४x२x०.१७	"	5198.00	5198.00	5358.00
	५x२x०.१७	"	6362.00	6362.00	6558.00
	६x२x०.१७	"	7568.00	7568.00	7801.00
	३x२x०.२३	"	4366.00	4366.00	4500.00
	४x२x०.२३	"	5655.00	5655.00	5829.00
	५x२x०.२३	"	6986.00	6986.00	7201.00
	६x२x०.२३	"	8212.00	8212.00	8465.00
	३x२x०.३०	"	4741.00	4741.00	4887.00
	४x२x०.३०	"	6112.00	6112.00	6300.00
	५x२x०.३०	"	7546.00	7546.00	7779.00
	६x२x०.३०	"	8940.00	8940.00	9216.00
	Note:				
	BG= Box Gabion				



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	JG= Jumbo Gabion				
	RM= Reno Mattress				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
22	Barbed Wire (कडितार)				
	12 guage commercial, Medium duty	के.जी	107.00	107.00	110.00
	U-hook for barbed wire fencing	गोटा	0.82	0.82	0.00
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	811.00	811.00	836.00
	1.5"x1.5" 12 guage	"	759.00	759.00	782.00
	2"x2" 10 guage	"	602.00	602.00	620.00
	3"x3" 10 guage	"	492.00	492.00	507.00
	4"x4" 10 guage	"	391.00	391.00	403.00
23	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	वर्गदल	4781.00	4781.00	4928.00
	0.22 mm (30 guage Medium)	"	5239.00	5239.00	5400.00
	0.24 mm (30 guage Heavy)	"	5592.00	5592.00	5764.00
	0.26 mm (28 guage light)	"	5890.00	5890.00	6072.00
	0.28 mm (28 guage Medium)	"	6277.00	6277.00	6470.00
	0.31 mm (28 guage Heavy)	"	6860.00	6860.00	7071.00
	0.35 mm (26 guage light)	"	7603.00	7603.00	7837.00
	0.38 mm (26 guage Medium)	"	7979.00	7979.00	8225.00
	0.41 mm (26 guage Heavy)	"	8743.00	8743.00	9013.00
	0.45 mm (24 guage light)	"	9485.00	9485.00	9778.00
	0.50 mm (24 guage Medium)	"	10469.00	10469.00	10792.00
	0.52 mm (24 guage Heavy)	"	10841.00	10841.00	11175.00
	0.75 mm	"	15513.00	15513.00	15992.00
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	वर्गदल	6085.00	6085.00	6273.00
	0.22 mm (30 guage Medium)	"	6504.00	6504.00	6704.00
	0.24 mm (30 guage Heavy)	"	6913.00	6913.00	7126.00
	0.26 mm (28 guage light)	"	7321.00	7321.00	7547.00
	0.28 mm (28 guage Medium)	"	7702.00	7702.00	7939.00
	0.31 mm (28 guage Heavy)	"	8353.00	8353.00	8611.00
	0.35 mm (26 guage light)	"	9264.00	9264.00	9550.00
	0.38 mm (26 guage Medium)	"	9728.00	9728.00	10028.00
	0.41 mm (26 guage Heavy)	"	10651.00	10651.00	10980.00
	0.45 mm (24 guage light)	"	11427.00	11427.00	11780.00
	0.50 mm (24 guage Medium)	"	12421.00	12421.00	12804.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) पाटक (रु.)	२०८१/८२	२०८२/८३	२०८३/८४
	0.52 mm (24 guage Heavy)		12843.00	12843.00	13239.00
	0.55 mm (24 guage Medium)		13822.00	13822.00	14249.00
	0.75 mm		18026.00	18026.00	18593.00
	(ग) ग्याल्वनाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
	0.2 mm (30 guage light)	चण्डल	4781.00	4781.00	4928.00
	0.22 mm (30 guage Medium)	"	5181.00	5181.00	5341.00
	0.24 mm (30 guage Heavy)	"	5536.00	5536.00	5707.00
	0.26 mm (28 guage light)	"	5821.00	5821.00	6000.00
	0.28 mm (28 guage Medium)	"	6209.00	6209.00	6400.00
	0.31 mm (28 guage Heavy)	"	6792.00	6792.00	7001.00
	0.35 mm (26 guage light)	"	7545.00	7545.00	7778.00
	0.38 mm (26 guage Medium)	"	7921.00	7921.00	8165.00
	0.41 mm (26 guage Heavy)	"	8675.00	8675.00	8943.00
	0.45 mm (24 guage light)	"	9417.00	9417.00	9707.00
	0.50 mm (24 guage Medium)	"	10364.00	10364.00	10684.00
	0.52 mm (24 guage Heavy)	"	10731.00	10731.00	11062.00
	0.75 mm	"	15502.00	15502.00	15981.00
	(घ) जस्ता पाता को ढुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	चण्डल	1632.00	1632.00	1682.00
	0.22 mm	"	1779.00	1779.00	1833.00
	0.24 mm	"	1893.00	1893.00	1951.00
	0.26 mm	"	1985.00	1985.00	2046.00
	0.28 mm	"	2122.00	2122.00	2187.00
	0.31 mm	"	2305.00	2305.00	2376.00
	0.35 mm	"	2556.00	2556.00	2634.00
	0.38 mm	"	2681.00	2681.00	2763.00
	0.41 mm	"	2933.00	2933.00	3023.00
	(ङ) ४ फिट * ८ फिट को जि.जाई. प्लेन सिट				
	1.1 mm	पिस	3310.00	3310.00	3412.00
	0.90 mm	"	2739.00	2739.00	2823.00
	0.80 mm	"	2476.00	2476.00	2552.00
	0.75 mm	"	2327.00	2327.00	2398.00
	0.70 mm	"	2167.00	2167.00	2233.00
	0.62 mm	"	1939.00	1939.00	1998.00
	0.55 mm	"	1745.00	1745.00	1798.00
	0.50 mm	"	1586.00	1586.00	1635.00
	0.48 mm	"	1528.00	1528.00	1575.00
	0.45 mm	"	1448.00	1448.00	1492.00
	0.40 mm	"	1299.00	1299.00	1339.00
	0.37 mm	"	1209.00	1209.00	1246.00
	0.35 mm	"	1152.00	1152.00	1187.00
	0.30 mm	"	1015.00	1015.00	1040.00

विनोद कुमार खड्का
प्रमुख जिल्ला कार्यालयी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	0.28 mm	"	957.00	957.00	986.00
	घाँस फिट * ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm	पिस	3012.00	3012.00	3105.00
	0.80 mm	"	2727.00	2727.00	2811.00
	0.75 mm	"	2601.00	2601.00	2681.00
	0.70 mm	"	2476.00	2476.00	2552.00
	0.62 mm	"	2225.00	2225.00	2293.00
	0.55 mm	"	2008.00	2008.00	2070.00
	0.50 mm	"	1847.00	1847.00	1904.00
	0.48 mm	"	1757.00	1757.00	1811.00
	0.45 mm	"	1700.00	1700.00	1752.00
	0.40 mm	"	1551.00	1551.00	1598.00
	0.37 mm	"	1437.00	1437.00	1481.00
	0.35 mm	"	1379.00	1379.00	1421.00
	0.30 mm	"	1220.00	1220.00	1257.00
	0.28 mm	"	1161.00	1161.00	1196.00
	GI EXPANDED METAL MESH				
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	159.00	159.00	163.00
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	212.00	212.00	218.00
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	133.00	133.00	137.00
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	177.00	177.00	182.00
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	124.00	124.00	127.00
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	166.00	166.00	171.00
24	UPVC Roofing Sheet (3mm thick)				
24.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1581.00	1581.00	1629.00
24.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1260.00	1260.00	1298.00
24.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	2021.00	2021.00	2083.00
24.4	Ridge cover Tile Profile 0.78 R.m.	"	2021.00	2021.00	2083.00
24.5	UPVC Clip	गोटा	27.00	27.00	27.00
24.6	self tapping screw 3"	"	32.00	32.00	32.00
24.7	self tapping screw 2.5"	"	21.00	21.00	21.00
24.8	self tapping screw 2"	"	11.00	11.00	11.00
24.9	self tapping screw 1.5"	"	9.00	9.00	9.00
25	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.मि.	30.00	30.00	30.00
	(ख) ३० गेज	"	26.00	26.00	26.00
26	विभिन्न प्रकारको जालीहरू (Netting)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	135.00	135.00	139.00
	(ख) बालुवा घाल्ने जाली	"	140.00	140.00	144.00
	(ग) कुखुरे जाली (Chicken wire mesh)	"	86.00	86.00	88.00
	(घ) बास क्रसिङ्ग जाली	"	215.00	215.00	221.00
	(ङ) स्टील जाली (crossing)	"	175.00	175.00	180.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८१/८२	२०८२/८३	२०८३/८४
	(घ) मसिनो खालको steel Mosquito proof जाली		305.00	305.00	314.00
27	फलामबाट निर्मित सामानहरू				
a	M.S. Grill बनाई जडान गर्ने काम	के.जी.	145.00	145.00	149.00
b	कोनाप्लीबल गेट बनाई जडान गर्ने	व.फि.	575.00	575.00	592.00
c	१५-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	400.00	400.00	412.00
d	फलामे रोलिङ सटर १५-१८ गेज जडान सहित स्ट्रिप सटर प्याल भएको	"	315.00	315.00	324.00
e	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइएको साथै जडान गर्ने समेत	"	575.00	575.00	592.00
f	१५ गेज पालाबाट कम्पाउण्ड खालको गेट बनाई जडान गर्ने (१० X १० X १ mm) को फ्रेम समेत)	"	750.00	750.00	773.00
g	२"-४" व्यासका Iron Black Pipeमा एडल र पोष्ट राखी खुडाकिला सीटको घुम्ने भ्याड (Spiral Staircase) तयार गरी जडान समेत (भ्याडको नापी गर्दा floor to floor height लिने)	र.फि.	3400.00	3400.00	3505.00
h	फलामे सामग्रीको फोर्निचेशन तथा जडान कार्य	के.जी.	50.00	50.00	51.00
i	All type of general MS structural works	व.फि.	187.00	187.00	192.00
j	Truss & roofing works Plain sheet 26 gauge	"	220.00	220.00	226.00
k	Truss & roofing works colour sheet 26 gauge	"	181.00	181.00	186.00
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	154.00	154.00	158.00
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	2037.00	2037.00	2099.00
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent	व.फि.	847.00	847.00	873.00
28	Glass सीसा				
28.1	Plain सादा (सेतो)				
	(क) ३ मी.मी.	व.फि.	52.00	52.00	53.00
	(ख) ३५ मी.मी.	व.फि.	59.00	59.00	60.00
	(ग) ४ मी.मी.	व.फि.	69.00	69.00	71.00
	(घ) ५ मी.मी. "	व.फि.	79.00	79.00	81.00
	(ङ) ६ मी.मी. "	व.फि.	106.00	106.00	109.00
	(च) ८ मी.मी. "	व.फि.	159.00	159.00	163.00
28.2	Printed Glass (बुट्टेदार खिसा)				
	(क) ३ मी.मी.	व.फि.	54.00	54.00	55.00
	(ख) ४ मी.मी. " "	व.फि.	60.00	60.00	61.00
28.3	Poly Fibre Glass				
	(क) ६ मी.मी.	"	164.00	164.00	169.00
28.4	Black Color Glass				
	(क) ३ मी.मी.	व.फि.	102.00	102.00	105.00
	(ख) ४ मी.मी.	"	109.00	109.00	112.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	(ग) ५ मी.मी.	"	127.00	127.00	130.00
	(घ) ६ मी.मी.	"	179.00	179.00	184.00
	(ङ) ८ मी.मी.	"	261.00	261.00	269.00
	(च) १० मी.मी.	"	373.00	373.00	384.00
	(छ) १२ मी.मी.	"	426.00	426.00	439.00
28.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	व.फि.	123.00	123.00	126.00
28.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. बाक्लो	व.मि.	6610.00	6610.00	6814.00
28.7	विभिन्न रंगको Reflector Glass (विशा)				
	५ मी.मी मोटो	व.फि.	196.00	196.00	202.00
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको कित्ता भएमा १० % थप रकम लाग्ने छ ।				
29	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	135.96	135.96	140.00
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	149.35	149.35	153.00
	(ख) १.२ मी.मी. मोटो प्लेन	"	149.35	149.35	153.00
	१.२ मी.मी. मोटो कोरोगेटेड	"	167.89	167.89	173.00
	(ग) २ मी.मी. मोटो प्लेन	"	238.96	238.96	246.00
	२ मी.मी. मोटो कोरोगेटेड	"	278.10	278.10	286.00
	(घ) ३ मी. मी. मोटो प्लेन	"	316.21	316.21	325.00
	३ मी. मी. मोटो कोरोगेटेड	"	406.85	406.85	419.00
	(ङ) Fiber Glass छानाको लागि Aluminium strip (25 mm x 1.5 mm)	Rm	74.16	74.16	76.00
	(च) Fiber Glass छानाको लागि Ribet nut	no.	8.24	8.24	8.00
30	भ्याल ढोकामा लाग्ने Fixture हरु				
	Iron बाट बनेका				
	Hinge (कम्पा)				
	(क) ३" साइज	गोटा	16.50	16.50	17.00
	(ख) ४" साइज	"	30.80	30.80	31.00
	(ग) ५" साइज	"	47.30	47.30	48.00
	(घ) ६" साइज	"	61.60	61.60	63.00
	Locking Set (L-drop)				
	300 mm	गोटा	286.00	286.00	294.00
	225 mm	"	249.70	249.70	257.00
	150 mm	"	214.50	214.50	221.00
	Aluminum बाट बनेका				
	Towerbolt (ढेस्कीनी)				
	(क) ३" लामो	गोटा	22.00	22.00	22.00
	(ख) ४" लामो	"	44.00	44.00	45.00
	(ग) ६" लामो	"	73.70	73.70	75.00
	(घ) ८" लामो	"	88.00	88.00	90.00
	(ङ) १०" लामो	"	103.40	103.40	106.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
	(घ) १२" लामो	117.70	117.70	121.00
	Handle (हलकल)			
	Ordinary	35.20	35.20	36.00
	Special	51.70	51.70	53.00
	Brass बाट बनेका			
	Hinge (फन्का)			
	2" x 1/2"	69.30	69.30	71.00
	2 1/2" x 3/4"	78.10	78.10	80.00
	3" x 3/4"	95.70	95.70	98.00
	2" x 3/4"	78.10	78.10	80.00
	2 1/2" x 3/4"	86.90	86.90	89.00
	3" x 3/4"	95.70	95.70	98.00
	3" x 1"	207.90	207.90	214.00
	4" x 1"	312.40	312.40	322.00
	5" x 1"	416.90	416.90	429.00
	6" x 1"	503.80	503.80	519.00
	Towerbolt (टोवरबोल्ट)			
	(क) ३" लामो	156.20	156.20	161.00
	(ख) ४" लामो	207.90	207.90	214.00
	(ग) ६" लामो	312.40	312.40	322.00
	(घ) ८" लामो	416.90	416.90	429.00
	(ङ) १०" लामो	520.30	520.30	536.00
	(च) १२" लामो	624.80	624.80	644.00
	Handle (हलकल)			
	6" Brass handle	165.00	165.00	170.00
	8" Brass handle	503.80	503.80	519.00
	10" Brass handle	1041.70	1041.70	1073.00
	Locking Set (L-drop)			
	(क) ८" लामो	1041.70	1041.70	1073.00
	(ख) १०" लामो	1718.20	1718.20	1771.00
	(ग) १२" लामो	1908.50	1908.50	1967.00
	Special Fittings			
	एल ड्रप :-			
	८" लामो	1168.20	1168.20	1204.00
	१०" लामो	1318.90	1318.90	1359.00
	१२" लामो	1373.90	1373.90	1416.00
	ह्याण्डल :-			
	८" लामो	1373.90	1373.90	1416.00
	टावर बोल्ट :-			
	६" लामो	247.50	247.50	255.00
	८" लामो	330.00	330.00	340.00
	१०" लामो	412.50	412.50	425.00
	डबल कलर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)			
	एल ड्रप :-			



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	८" लामो	गोटा	981.20	981.20	1011.00
	१०" लामो	"	1243.00	1243.00	1281.00
	१२" लामो	"	1373.90	1373.90	1416.00
	हवाण्डल :-				
	६" लामो	"	275.00	275.00	283.00
	८" लामो	"	412.50	412.50	425.00
	Mortice Lock				
	Ordinary	गोटा	687.50	687.50	708.00
	Chinese	"	457.60	457.60	471.00
	Indian Godrej Company	"	2812.70	2812.70	2899.00
	Brass		1243.00	1243.00	1281.00
	Door Spring (Door Closer)				
	Ordinary	गोटा	195.80	195.80	201.00
	hydraulic	"	2061.40	2061.40	2125.00
	Other Door/Windows fixtures				
	Window I-hook	गोटा	19.80	19.80	20.00
	Gate Hook				
	4" Gate hook	गोटा	34.10	34.10	35.00
	5" Gate hook	"	38.50	38.50	39.00
	6" Gate hook	"	46.20	46.20	47.00
	Brass Gate hook		82.50	82.50	85.00
	Door stopper				
	Butterfly	"	162.80	162.80	167.00
	Bell catch 2" size	"	215.60	215.60	222.00
	C.P. handle	"	467.50	467.50	481.00
	Power coated handle	"	446.60	446.60	460.00
	Brass coated handle	"	961.40	961.40	991.00
	Door stopper, single brass stopper	सेट	110.00	110.00	113.00
	Door stopper double brass stopper	"	195.80	195.80	201.00
31	विभिन्न सामग्रीहरू				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	146.00	146.00	150.00
	Nails (different sizes)	के.जी.	130.00	130.00	134.00
	सालका काठको खाधान्न राख्ने पुराना तल्ला(पुनः प्रयोग हुने)	घ.फि.	793.10	793.10	817.00
	कवाडी फलामे सामानहरू(बन्चरो, धन, छिना आदि फलामे सामान)	के.जी.	28.60	28.60	29.00
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीसीड मेसीन, डीसीड बिट)	के.जी.	23.10	23.10	23.00
	Nut and Bolts (different sizes)	के.जी.	192.00	192.00	197.00
	Sandpaper (खान्नी)	गोटा	6.60	6.60	6.00
	विभिन्न साईजको जे-हुक, यु-हुक	के.जी.	150.70	150.70	155.00
	२" साइज स्क्रिप्ट नेल्स	गोटा	7.70	7.70	7.00
	३" साइज स्क्रिप्ट नेल्स	"	11.00	11.00	11.00
	Screw Brass				
	20mm	गोटा	2.20	2.20	2.00
	25mm	"	3.30	3.30	3.00

24



सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	गु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	35mm	"	4.40	4.40	4.00
	50mm	"	13.20	13.20	13.00
	75mm	"	18.50	18.50	17.00
	Screw Steel				
	20mm	"	1.10	1.10	1.10
	25mm	"	2.20	2.20	2.00
	35mm	"	2.20	2.20	2.00
	50mm	"	7.70	7.70	7.00
	75mm	"	8.80	8.80	9.00
	बिटुमीन बासर	गोटा	3.30	3.30	3.00
	Roofing bitumen (रूफिङ्ग अलकत्रा)	के.जी.	102.30	102.30	105.00
	१०० गेज प्लाष्टिक सिट	व.मी.	34.10	34.10	35.00
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2719.20	2719.20	2803.00
	Plasticfelt (२०मी. × १मी.)	"	2549.80	2549.80	2628.00
	१८-२० फिट लामो बाँस	गोटा	224.40	224.40	231.00
	मैन पाविस	के.जि.	226.60	226.60	233.00
	अक्मालिक एसिड	"	129.80	129.80	133.00
	जुट वा पोनिथिनको खाली बोरा	गोटा	19.80	19.80	20.00
	माटो (दुवार्नि बाहेक)	घ.मि.	294.80	294.80	303.00
	सवशेडमा राख्ने माटो (In Capping layer Granular soil)	घ.मि.	510.40	510.40	526.00
	भुस	के.जि.	5.50	5.50	5.00
	गोबर	"	5.50	5.50	5.00
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	102.30	102.30	105.00
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	107.80	107.80	111.00
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9.90	9.90	10.00
	Water (पानी)				
	३ कि.मी. सम्म को दूरीमा	लिट्र	0.29	0.29	0.30
	३ कि.मी. देखि माथीको दूरीमा	लिट्र	0.34	0.34	0.35
32	स्टेनलेस स्टील पाइप (257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	227.00	227.00	234.00
	१" व्यास भएको १६ गेज मोटाई	"	285.00	285.00	293.00
	१ १/४" व्यास भएको १६ गेज मोटाई	"	363.00	363.00	374.00
	१ १/२" व्यास भएको १६ गेज मोटाई	"	442.00	442.00	455.00
	२" व्यास भएको १६ गेज मोटाई	"	595.00	595.00	613.00
	स्टील रेलीङ. steel Raling को बार लगाउने कार्य (२ इन्च पाइपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168.00	1168.00	1204.00
33	मार्बल चिप्स				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	178.00	178.00	183.00
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	178.00	178.00	183.00
	(ग) केजी मार्बल (६ बर्ग फिट प्रति बोरा)	"	190.00	190.00	195.00
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	160.00	160.00	164.00

विमोच कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
34	मार्बल (Marble)				
34.1	राजस्थानी मार्बल				
	१२ मी.मी बाक्लो राजस्थानी	व.फि.	177.00	177.00	182.00
	१६ मी.मी बाक्लो राजस्थानी	"	194.00	194.00	199.00
34.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	275.00	275.00	283.00
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	368.00	368.00	379.00
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	413.00	413.00	425.00
34.3	Kota Stone				
	1" thick	व.फि.	157.00	157.00	161.00
	3/4" thick	व.फि.	144.00	144.00	148.00
34.4	Sand stone (for rubbing Marble)	गोटा	79.00	79.00	81.00
35	Porcelain Glazed/Terrazo Mosaic Tiles				
35.1	Porcelain Glazed Tiles				
	Porcelain Glazed Tiles	"	90.00	90.00	92.00
	Ordinary floor and wall Tile	"	57.00	57.00	58.00
	Border Tile (२ " x ८ ")	र.फि.	45.00	45.00	46.00
	Ceramic Wall Tile (31*45cm)	"	191.00	191.00	196.00
	Ceramic Border Tile (31*45cm)	"	191.00	191.00	196.00
	Ceramic Floor Tile (31*45cm)	"	155.00	155.00	159.00
	Flooring tile GVT				
	24"x24" GRES Vitrified (Digital floor)	"	153.00	153.00	157.00
	12"x12" GRES homogeous Vitrified parking tile	"	101.00	101.00	104.00
	24"x24" Vitrified	"	118.00	118.00	121.00
	Ext. Floor GVT 400*400 (8mm)	व.फि.			96.00
	Ext. Floor GVT 400*400 (12mm)	"			120.00
	GVT (Matte/Wood) 600*600 (8mm)	"			120.00
	GVT (Polished) 600*600 (8mm)	"			126.00
	GVT (Matte/Wood) 600*1200 (8mm)	"			132.00
	GVT (Polished) 600*1200 (8mm)	"			138.00
	GVT (Carving) 600*1200 (8mm)	"			144.00
	GVT (HD Polished) 600*1200 (8mm)	"			156.00
	Flooring tile				
	16"x16 "	व.फु.	104.00	104.00	107.00
	12"x12"	"	93.00	93.00	95.00
	12"x12" (White/Ivery)	"	82.00	82.00	84.00
	12"x24" (Wall)	"	111.00	111.00	114.00
35.2	12"x18" (Wall)	"	133.00	133.00	137.00
	Floors Tiles				
	Fittings for Tiles	"	15.90	15.90	16.00
	Fittings for Tiles on stairs	"	18.02	18.02	18.00
	Dendrite for tiles	लि.	424.00	424.00	437.00
36.3	FLOORING COATING				
	FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	382.66	382.66	394.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति	गु.श.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	HEAT FLOORING (INCLUDED ALL FINISH)	"	382.66	382.66	394.00
	FLOORING (INCLUDED ALL FINISH)	"	405.98	405.98	418.00
	ACOUSTIC FLOORING	"	452.62	452.62	466.00
	SCRATCH FABRIC FALSE CEILING	"	245.92	245.92	253.00
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	65.72	65.72	67.00
	flooring 2mm thick all fitting work	"	427.18	427.18	440.00
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.				
	a) POP Molding 1" to 1½"	र.मि	253.00	253.00	260.00
	b) Up to 5" wide	र.मि	303.00	303.00	312.00
	c) Up to 8" wide	र.मि	419.00	419.00	431.00
	d) Above 8" wide	र.मि	171.00	171.00	176.00
37.1	रंगरोगनका सामानहरू				
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	37.10	37.10	38.00
	(ख) विभिन्न प्रकारको रंगिन चुन	"	42.40	42.40	43.00
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	42.40	42.40	43.00
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74.00	74.00	76.00
	(ङ) सिमेन्ट प्राइमर सेतो	लिट्र	288.00	288.00	296.00
	(च) उड प्राइमर (Wood Primer)	लिट्र	389.00	389.00	401.00
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	542.00	542.00	558.00
	(झ) कोरुगेटेड रुफ Paint	"	492.00	492.00	507.00
	(झ) तयारी अल्मुनियम पेन्ट	"	565.00	565.00	582.00
	(ञ) तयारी वार्नेस	"	455.00	455.00	469.00
	(ट) तयारी वार्नेर सेन्थेटिक	"	351.00	351.00	361.00
	(ठ) भारतीय धिनर	"	238.00	238.00	245.00
	(ड) उड एण्ड म्मास पुटिन	के.जी	136.00	136.00	140.00
	(ड) मेटल पुटिन	"	160.00	160.00	164.00
	(ण) चुना पेन्ट गर्न राख्ने गम	"	210.00	210.00	216.00
	(त) नेपाली धिनर	लिट्र	224.00	224.00	230.00
	(द) तारपिन तेल	"	221.00	221.00	227.00
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	270.00	270.00	278.00
	(न) उड प्रिजरभेटिब पेन्ट	"	236.00	236.00	243.00
	(प) Black Japan Paint	"	496.00	496.00	511.00
	(फ) राम तिलक	के.जि.	57.00	57.00	58.00
	(ब) गेरु रंग	के.जि.	141.00	141.00	145.00
	(भ) चप्रा पालिस	के.जि.	1364.00	1364.00	1406.00
	(म) तयारी वामेयल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	231.00	231.00	238.00
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	544.00	544.00	560.00
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	652.00	652.00	672.00
	(र) Road Marking Paint	"	599.00	599.00	617.00

27

जिल्ला प्रशासन कार्यालय

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.व.क. (VAT) काहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	(ल) लिनसिड आयल (linsed Oil)	"	203.00	203.00	209.00
	(व) स्थानीय स्प्रिट	लि.	121.00	121.00	124.00
	(स) मोबिकल/फोबिकल	के.जि.	271.00	271.00	279.00
	(प) Tata Red Oxide Paint	"	302.50	302.50	311.00
	(ह) गड्डा चुन (इण्डियन)	"	38.50	38.50	39.00
	(स) Wall putty equivalent	के.जि.	40.00	40.00	41.00
	(ब) Plaster of Parish (POP)	के.जि.	23.00	23.00	23.00
	wood keeper (chapara type)	लि.	660.00	660.00	680.00
	Redoxide zink cromate primer For Bridge	लि.	479.00	479.00	493.00
	Silk Breathless easy	लि.	1319.00	1319.00	1359.00
	Road divider (polythene)	गोटा	1780.00	1780.00	1835.00
	Dust bin (polythene) 165 ltr	गोटा	3382.00	3382.00	3486.00
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	1384.36	1384.36	1427.00
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2206.92	2206.92	2275.00
	2mm Epoxy Antistatic Floor coating for OT(4 layer & 9 component	"	3909.28	3909.28	4030.00
37.2	Epoxy Paint for Operation theater	"	12199.54	12199.54	12576.00
A	Decorative Painting Material				
	Specialized paints				
1	Anti bacterial Hospital Paint	लिटर	1150.00	1150.00	1185.00
2	Anti carbonisation paint	"	800.00	800.00	824.00
B	Texture paints				
1	Mediterrano	के.जि.	180.00	180.00	185.00
2	Stucco Veneziano	"	1639.00	1639.00	1689.00
3	Velvetino	"	4305.00	4305.00	4438.00
4	Travertino	"	412.00	412.00	424.00
5	Gtone plaster	"	121.00	121.00	124.00
6	Colorato (Multi color)	"	921.00	921.00	949.00
7	Pearl skin texture	"	149.00	149.00	153.00
8	TS 52 Spray white	"	199.00	199.00	205.00
9	Rustic	"	159.00	159.00	163.00
10	Rockart	लिटर	159.00	159.00	163.00
11	Manhattan	के.जि.	238.00	238.00	245.00
12	Sabbia	"	238.00	238.00	245.00
13	Sandy Stone	"	174.00	174.00	179.00
14	Insulplast	"	237.00	237.00	244.00
15	Poly Under White	"	264.00	264.00	272.00
16	Antica(Top coat)	"	1267.00	1267.00	1306.00
17	T.C 100(Top coat)	"	728.00	728.00	750.00
18	Dekorica White	"	2631.00	2631.00	2712.00
19	Poly Plaster	"	107.00	107.00	110.00
20	Granite tone	"	165.00	165.00	170.00
21	Graffiato	"	159.00	159.00	163.00
22	Elligance stone	"	189.00	189.00	194.00
23	Marmorino Base	के.जि.	412.00	412.00	424.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.प्र.क. (VAT) बाहेक (रु.)	मू.प्र.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
24	Acro fine	रिल	181.00	181.00	186.00
25	Marmocastro base	"	139.00	139.00	143.00
26	Selva Granite	"	215.00	215.00	221.00
27	Romart	"	239.00	239.00	246.00
C Weathercoat paints					
1	Guard	रिल	510.00	510.00	525.00
2	Guard -3x	"	600.00	600.00	618.00
3	Shield	"	335.00	335.00	345.00
4	Acrotex matt	"	515.00	515.00	530.00
5	Ext wall Primer	"	245.00	245.00	252.00
D Emulsion Paints					
1	Silk Emulsion paints	"	540.00	540.00	556.00
2	Aqualin Int.Emulsion	"	290.00	290.00	298.00
3	Pearl Emulsion paints	"	800.00	800.00	824.00
E	Int. wall Primer	"	175.00	175.00	180.00
F	Acrylic Washable Distemper	"	145.00	145.00	149.00
G	Acro gold Enamel	"	525.00	525.00	541.00
H	Universal primer (wood primer)	"	325.00	325.00	335.00
I	Red oxide metal primer	"	285.00	285.00	293.00
J Construction Chemical / waterproof coating system					
	crack sill	"	400.00	400.00	412.00
	crack fill A+B	"	175.00	175.00	180.00
K Silicon Bases water repellent impregnation					
	Acropreg	"	480.00	480.00	494.00
	Acropreg W	"	640.00	640.00	659.00
37.3	Wall putty	के.पि	40.00	40.00	41.00
1	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1.1	Acro Spanezia maestro finishes texture				
1.2	Mediterrano texture	ब.फि	128.00	128.00	131.00
1.3	Travertino texture	"	195.00	195.00	201.00
1.4	Velvetino texture	"	167.00	167.00	172.00
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	133.00	133.00	137.00
1.6	Stucco veneziano texture	"	140.00	140.00	144.00
1.7	Pearl skin texture	"	120.00	120.00	123.00
2	Marmorino texture	"	156.00	156.00	160.00
2.1	Acro texture				
2.2	Acro spray flat/Acro spray dews texture	ब.फि	75.00	75.00	77.00



सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	"	74.00	74.00	76.00
2.4	Rustic texture	"	99.00	99.00	102.00
2.5	Rockart texture	"	93.00	93.00	95.00
2.6	Graffiato texture	"	103.00	103.00	106.00
2.7	Marmocastro texture	"	90.00	90.00	92.00
2.8	Marmoplast texture	"	90.00	90.00	92.00
2.9	Sabbia texture	"	112.00	112.00	115.00
2.10	Manhattan texture	"	112.00	112.00	115.00
2.11	Sandy stone texture	"	154.00	154.00	158.00
2.12	Selva Granite texture	"	116.00	116.00	119.00
2.13	Elligance stone texture	"	107.00	107.00	110.00
2.14	Granite tone texture	"	98.00	98.00	101.00
2.15	Romaart texture	"	124.00	124.00	127.00
3	Insulplast texture	"	135.00	135.00	139.00
4	Acro Bio-guard (Hospital Paint)	"	54.00	54.00	55.00
1	Acro Elastocarb(anti carbonisation paint)	"	38.00	38.00	39.00
	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	3. ACROSHIELD	"	17.00	17.00	17.00
	INTERIOR SURFACE EMULSION PAINTS				
	1. EMULSION PAINTS	"	16.00	16.00	16.00
	2. WASHABLE DISTEMPER	"	11.00	11.00	11.00
	3. ENAMEL PAINTS	"	18.00	18.00	18.00
1	Expansion joint				
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	15450.00	15450.00	15927.00
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	12875.00	12875.00	13272.00
4	Extruded Aluminium Joint Covers	RM	14935.00	14935.00	15396.00
5	Folded Joint Covers	RM	18025.00	18025.00	18581.00
6	Vertical Joints Standard and Seismic interior use	RM	25750.00	25750.00	26545.00
7	Vertical Joints Exterior use	RM	13390.00	13390.00	13803.00
8	Vertical Joints	RM	28840.00	28840.00	29731.00
9	Suspended Ceiling Joints	RM	12360.00	12360.00	12741.00
10	Floor Joint	RM	21115.00	21115.00	21767.00
11	CAR Park Joint	RM	16480.00	16480.00	16989.00
12	CAR Park Joint standard loads (40 to 70mm)	RM	31930.00	31930.00	32916.00
13	BED Affixed Control Joints	RM	9270.00	9270.00	9556.00
14	Adhesive Affixed Control Joints	RM	1545.00	1545.00	1592.00
	Stair Nosing	RM	9785.00	9785.00	10087.00
38	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1236.00	1236.00	1274.00
	Fittings for wall paper	व.फि	7.00	7.00	7.00
	White glue for wall paper	लि.	108.00	108.00	111.00
39	Gypsum board				



सि.नं.	निर्माण सामग्रीहरूको विवरण	गु.अ.क. (VAT) बाहेक (रु.)		
		२०८२/८३	२०८२/८३	२०८३/८४
39.1	Supplying and fixing of Thai gypsum board application work			
	i) Wall partition	119.00	119.00	122.00
	ii) Wall paneling	79.00	79.00	81.00
	iii) Metalized polited laminated Board (MPL) board	76.00	76.00	78.00
	iv) 12.5mm thick Gypsum Board False ceiling including all necessary material	70.00	70.00	72.00
40	Solid Infill wall			
40.1	Solid infill wall 3" with EPS AND Foam concrete	3793.00	3793.00	3910.00
	Solid Infill wall			
40.2	Solid infill wall 3"	1770.00	1770.00	1824.00
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr			
	Solid infill wall 50mm	3288.00	3288.00	3389.00
41	Interlocking Cement Concrete Block(Not less than M20 RCC Block)			
	(a) Curb stone M15	1000.00	1000.00	1030.00
	b) Curb stone (M 20)	1200.00	1200.00	1237.00
	25 mm thick C.C. Tile (Grey color)			
	Burfi , Round , Bobby Checker	44.10	44.10	45.00
	25 mm thick C.C. Tile (Red color)			
	Burfi , Round , Bobby Checker	46.20	46.20	47.00
	50 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	53.55	53.55	55.00
	50 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	54.60	54.60	56.00
	60 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	55.65	55.65	57.00
	60 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	57.75	57.75	59.00
	70 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	64.05	64.05	66.00
	60 mm thick CC Block (Ocm or equivalent)			
	Brick type (23*11*6cm)non colour	10.50	10.50	10.00
	Hexagon (22*22 cm) non colour	24.15	24.15	24.00
	Hexagon (22*22 cm) colour	26.25	26.25	27.00
	Squire paver (30*30*4.5cm)non colour	33.60	33.60	34.00
	Squire paver (30*30*4.5cm)colour	35.70	35.70	36.00
	inter block(24*13*6cm)	14.70	14.70	15.00
	Isave paver (20*16*6cm)	16.80	16.80	17.00

31

बिनाद सुम्न
प्रमुख निर्माण अधिकारी

8



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	supply of concrete Block different items				
	Hollow Block (16"×8"×6")	Nos	81.90	81.90	84.00
	Hollow Block (16"×8"×4")	"	72.45	72.45	74.00
	Corner Hollow Block (16"×8"×6")	"	93.45	93.45	96.00
	Lintel Block (16"×8"×6")	"	93.45	93.45	96.00
	Pavers Block (fish or other shape) 60mm thick	"	21.00	21.00	21.00
	concrete Brick (9"×4"×2.5")	"	13.65	13.65	14.00
	CONCRETE PAVING BLOCKS (M25 Grade)				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness	व.मी.	2391.00	2391.00	2484.00
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	2968.00	2968.00	3059.00
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	3639.00	3639.00	3751.00
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	1768.00	1768.00	1822.00
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	2223.00	2223.00	2291.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	2701.00	2701.00	2784.00
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	1920.00	1920.00	1979.00
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	2439.00	2439.00	2514.00
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	2958.00	2958.00	3049.00
	Half Battered Kerb Stone with Compressive Strength M25 or Above	व.मी.	1668.00	1668.00	1719.00
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	व.मी.	1944.00	1944.00	2004.00
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	1136.00	1136.00	1171.00
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	1362.00	1362.00	1404.00
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	1768.00	1768.00	1822.00
	CONCRETE PAVING BLOCKS				
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mm×165mm×80mm	व.मी.	2080.00	2080.00	2144.00
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mm×165mm×80mm	व.मी.	2325.00	2325.00	2398.00
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mm×165mm×80mm	व.मी.	2428.00	2428.00	2503.00
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200×165×50	व.मी.	1056.45	1056.45	1707.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	1987.74	1987.74	2049.00
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	२०९८.१७	२०९८.१७	२१६३.००
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	२०८०.००	२०८०.००	२१४४.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	२३२५.००	२३२५.००	२३९६.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	२४२८.००	२४२८.००	२५०३.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	१३३६.३९	१३३६.३९	१३७७.००
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	१६०३.६७	१६०३.६७	१६६३.००
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	१६९२.७६	१६९२.७६	१७४५.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	१८४८.००	१८४८.००	१९०५.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	२०१४.००	२०१४.००	२०७६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	२०९७.००	२०९७.००	२१६१.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	१३२४.००	१३२४.००	१३६४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	१४९०.००	१४९०.००	१५३६.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	१५७२.००	१५७२.००	१६२०.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	१९३०.३४	१९३०.३४	१९८९.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	२१३८.२३	२१३८.२३	२२०४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	२२२७.३२	२२२७.३२	२२९६.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	१०७६.००	१०७६.००	११०९.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	१२९६.००	१२९६.००	१३३६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	१३७९.००	१३७९.००	१४२१.००

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.प्र.क. (VAT) बाहेक (र.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	1848.00	1848.00	1905.00
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2014.00	2014.00	2076.00
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2097.00	2097.00	2161.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2055.00	2055.00	2118.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2349.00	2349.00	2421.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2459.00	2459.00	2534.00
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	3766.00	3766.00	3882.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4051.00	4051.00	4176.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4332.00	4332.00	4465.00
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	5648.49	5648.49	5823.00
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6043.49	6043.49	6230.00
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6477.99	6477.99	6678.00
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	1784.00	1784.00	1839.00
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	2275.00	2275.00	2345.00
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	2814.00	2814.00	2900.00
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	व.मी.	3921.00	3921.00	4042.00
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	व.मी.	4297.00	4297.00	4429.00
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	व.मी.	4618.00	4618.00	4760.00
	Romba 3D Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1618.00	1618.00	1667.00
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1782.00	1782.00	1837.00
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1837.00	1837.00	1893.00

31



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)	म.प्र.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Romba 3D Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*173*60	ब.मी.	1618.00	1618.00	1667.00
	Romba 3D Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*173*60	ब.मी.	1782.00	1782.00	1837.00
	Romba 3D Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*173*60	ब.मी.	1837.00	1837.00	1893.00
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 240*120*60	ब.मी.	1480.00	1480.00	1525.00
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 240*120*60	ब.मी.	1706.00	1706.00	1758.00
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 240*120*60	ब.मी.	1802.00	1802.00	1857.00
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension 200*200*50	ब.मी.	1774.68	1774.68	1829.00
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension 200*200*50	ब.मी.	2249.59	2249.59	2319.00
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension 200*200*50	ब.मी.	2799.49	2799.49	2885.00
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1749.00	1749.00	1803.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	2060.00	2060.00	2123.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	2332.00	2332.00	2404.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 100*100*60	ब.मी.	1710.00	1710.00	1782.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 100*100*60	ब.मी.	2022.00	2022.00	2084.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 100*100*60	ब.मी.	2333.00	2333.00	2405.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1610.00	1610.00	1659.00
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1783.00	1783.00	1838.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1858.00	1858.00	1915.00
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1579.00	1579.00	1627.00
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1741.00	1741.00	1794.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60	ब.मी.	1834.00	1834.00	1890.00
	CONCRETE PAVING TILES				

गणेश गुरु

35

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1361.00	1361.00	1403.00
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1507.00	1507.00	1553.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1701.00	1701.00	1753.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2625.66	2625.66	2706.00
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2938.23	2938.23	3029.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	3282.07	3282.07	3383.00
	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	20.00	20.00	20.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	22.00	22.00	22.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	152.00	152.00	156.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	180.00	180.00	185.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा	109.00	109.00	112.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा	125.00	125.00	128.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा	92.00	92.00	94.00

36



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.भ.क. (VAT) बाहेक (रु.)			
		२०८१/८२	२०८२/८३	२०८३/८४	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा	104.00	104.00	107.00
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	18.00	18.00	18.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	19.00	19.00	19.00
	CONCRETE PAVING BLOCKS				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1545.00	1545.00	1592.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1738.00	1738.00	1791.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1821.00	1821.00	1877.00
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1333.00	1333.00	1374.00
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1590.00	1590.00	1639.00
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	1675.00	1675.00	1726.00
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	2055.00	2055.00	2118.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	2349.00	2349.00	2421.00
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.मी.	2459.00	2459.00	2534.00

विनोद कुमार खड्का
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	2501.00	2501.00	2578.00
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	2769.00	2769.00	2854.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	2858.00	2858.00	2946.00
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 400x600x80mm, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1741.00	1741.00	1794.00
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 400x600x80mm	व.मी.	1741.00	1741.00	1794.00
	CONCRETE PAVING TILES				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1481.00	1481.00	1526.00
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1618.00	1618.00	1667.00
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1803.00	1803.00	1858.00
	CONCRETE KERB-STONES				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness- Grey Color Dimension: 300mmx200mmx350mm	र.फि.	350.00	350.00	360.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	363.00	363.00	374.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	401.00	401.00	413.00
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension: 300*165*325, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	278.00	278.00	286.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	297.00	297.00	306.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	330.00	330.00	340.00
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	350.00	350.00	360.00
	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	363.00	363.00	374.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	401.00	401.00	413.00
	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	449.00	449.00	462.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	465.00	465.00	479.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	513.00	513.00	528.00
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	417.00	417.00	429.00
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	447.00	447.00	460.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	477.00	477.00	491.00
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	391.00	391.00	403.00
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	419.00	419.00	431.00
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	448.00	448.00	461.00
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	1775.00	1775.00	1829.00
	EPS-C(Expanded polystyreneconcrete) Block				
1	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	146.00	146.00	150.00
2	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	219.00	219.00	225.00
3	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	292.00	292.00	301.00
42	छानामा टाइलको बुझा काट्ने र पानी पही कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि छट राखि १" बाक्लो प्लाष्टरमा रफिड टाइलको बुझा काट्ने सामान सहित	ब.मि.	664.00	664.00	684.00
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि छट राखि वर्षादको पानी पही बनाउने काम	र.मी.	79.00	79.00	81.00
43	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				
	i) Heritage granular	ब.फि.	100.00	100.00	103.00
	ii) Heritage flakes	"	124.00	124.00	127.00
	iii) Heritage granite finish	"	108.00	108.00	111.00
	iv) Heritage Top coat (plastic lamination)	"	29.00	29.00	29.00
44	UPVC Profile Door and Window/ Wall partition				

[Handwritten signatures and marks]

[Handwritten signature]

[Handwritten signature and official stamp]

[Handwritten signature]



Bhaktapur District Rate for FY 2082/83

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.प्र.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm;sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
	UPVC को भ्यान, ढोका तथा wall partition का निर्माण सामग्रीहरू				
	i) Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7575.00	7575.00	7809.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6997.00	6997.00	7213.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7867.00	7867.00	8110.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7867.00	7867.00	8110.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8624.00	8624.00	8890.00
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8744.00	8744.00	9014.00
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	9328.00	9328.00	9616.00
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	9328.00	9328.00	9616.00
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	9036.00	9036.00	9315.00
10	UPVC Swing Door with half glass half UPVC panel (frame 60*60 mm)	"	10490.00	10490.00	10814.00
11	UPVC 88x60mm Sliding white colour window with 5mm glass panel	Sqm	9057.00	9057.00	9336.00
11	UPVC 60x64mm white colour casement window with 5mm glass panele	"	10285.00	10285.00	10602.00
12	UPVC 110x64mm x9mmthick board and 5mm thick glass panel white colour	"	10767.00	10767.00	11099.00
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	11145.00	11145.00	11489.00
13	UPVC60x60mm white colour swing door with 5mm glass panel	"	7063.00	7063.00	7281.00
	ii) Double glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9906.00	9906.00	10212.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	9381.00	9381.00	9670.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	10203.00	10203.00	10518.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	10203.00	10203.00	10518.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10856.00	10856.00	11191.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	10968.00	10968.00	11306.00
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	11547.00	11547.00	11903.00
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	10825.00	10825.00	11159.00
9	Supply & fixing of 80*50 mm white colour casement window	9611.00	9611.00	9907.00
45	Prefab Panel for wall Partition solid wall panel			
45.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete			
	a) 50 mm thick	239.00	239.00	246.00
	b) 75 mm thick	302.00	302.00	311.00
45.2	False ceiling/ partition/ external cladding			
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	93.00	93.00	95.00
	Supplying, making, fixing of 70mm thick exterior with full height of partion with cement board	279.00	279.00	287.00
	Supplying, making, fixing of 66mm thick exterior with full height of partion with cement board	244.00	244.00	251.00
	Supplying, making, fixing of 91mm thick exterior with full height of partion with cement board	311.00	311.00	320.00
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	274.00	274.00	282.00
	Supplying, making, fixing of 50mm thick full height of partion with wall panels	217.00	217.00	223.00
	Supplying, making, fixing of 75mm thick full height of partion with wall panels	288.00	288.00	296.00
45.3	Cement board			
	6 mm thick	34.00	34.00	35.00
	8 mm thick	42.00	42.00	43.00
	10 mm thick	53.00	53.00	54.00
	12 mm thick	64.00	64.00	65.00
45.4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire			
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	393.00	393.00	405.00

विनोद कुमार खड्का

 मुस्ता जिला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	424.00	424.00	437.00
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	524.00	524.00	540.00
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	112.00	112.00	115.00
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	263.00	263.00	271.00
	75 mm thick	Sqft	347.00	347.00	357.00
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	282.00	282.00	290.00
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	286.00	286.00	294.00
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	250.00	250.00	257.00
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	319.00	319.00	328.00
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	359.00	359.00	370.00
46	Aluminium & Steel Door & Window				
46.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	व.फि	529.39	529.39	582.00

42



सि.नं.	निर्माण सामग्रीहरूको विवरण	गु.अ.क. (VAT) बाहेक (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	588.64	588.64	625.00
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	554.85	554.85	610.00
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	595.16	595.16	654.00
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	684.28	684.28	752.00
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	427.54	427.54	470.00
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	427.54	427.54	470.00
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	529.39	529.39	582.00
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	474.22	474.22	521.00
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	648.21	648.21	713.00
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	648.21	648.21	713.00
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	378.74	378.74	416.00
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	502.87	502.87	553.00
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	502.87	502.87	553.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	502.87	502.87	553.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	476.34	476.34	523.00
	दुई/तीन पैनल भएको स्लाइडिङ भूखाल (८२X४०X१.२० मी.मी.) शिशा २ मी.मी.समेत साथ	521.96	521.96	574.00

विजोद कुमार अधिकारी
मुख्य जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	दुई/तीन पैनल भएको स्टाण्डर्ड भूषण । ८५X१०X१.२० मी.मी.। शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	575.01	575.01	632.00
	दुई/तीन पैनल भएको स्टाण्डर्ड भूषण फिक्स भेन्टीलेसन भएको (८५X१०X१.२० मी.मी.। शिशा ५ मी.मी. सहित (सादा)	"	575.01	575.01	632.00
	दुई/तीन पैनल भएको स्टाण्डर्ड भूषण फिक्स भेन्टीलेसन भएको (८५X१०X१.२० मी.मी.। शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	521.98	521.98	574.00
	102 series windows				
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि.	552.73	552.73	608.00
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	631.24	631.24	694.00
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	464.67	464.67	511.00
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	148.53	148.53	163.00
	90 series windows			0.00	
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	519.84	519.84	571.00
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	548.49	548.49	603.00
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	436.03	436.03	479.00
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'X4'6")	"	148.53	148.53	163.00
	78 series windows				0.00
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X4'6" or avg area 27 sqft per window)	"	456.19	456.19	501.00

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) माहिर (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'x5' or avg area 30 sqft per window)	486.95	486.95	535.00
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	408.45	408.45	449.00
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'x4'6")	134.73	134.73	148.00
	Casement window and doors			
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	534.69	534.69	588.00
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	580.31	580.31	638.00
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	738.39	738.39	812.00
	Partation work			
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	349.04	349.04	383.00
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	371.32	371.32	408.00
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	399.96	399.96	439.00
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	497.56	497.56	547.00
	Structure glazing			
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	556.97	556.97	612.00
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	646.09	646.09	710.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Providing and fixing aluminium structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	785.07	785.07	863.00
47	Aluminium composite panel				0.00
47.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing				0.00
	3 mm , .20 mm black core	वर्ग	371.32	371.32	408.00
	3 mm , .25 mm black core	"	380.86	380.86	418.00
	3 mm , .30 mm black core	"	394.65	394.65	434.00
	4 mm , .25 mm black core	"	404.20	404.20	444.00
	4 mm , .30 mm black core	"	394.65	394.65	434.00
	4 mm , .50 mm black core	"	417.99	417.99	459.00
	4 mm , .25 mm Vergin core	"	427.54	427.54	470.00
	4 mm , .30 mm vergin core	"	394.65	394.65	434.00
	4 mm , .50 mm vergin core	"	427.54	427.54	470.00
48	Water proofing (chemicals & Tretment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by wt. cement	Kg.	159.00	159.00	163.00
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	266.00	266.00	274.00
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	479.00	479.00	493.00
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	319.00	319.00	328.00
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	1066.00	1066.00	1098.00
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	1066.00	1066.00	1098.00
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1332.00	1332.00	1373.00

46

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.प्र.क. (VAT) बाहेक (रु.)	मु.प्र.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
1.8	Integral Waterproofing Powder Admixture for Mortars Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement		191.00	191.00	196.00
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	266.00	266.00	274.00
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	373.00	373.00	384.00
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	373.00	373.00	384.00
1.12	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	266.00	266.00	274.00
1.13	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	479.00	479.00	493.00
1.14	Resin ,Multi /polycarboxylate ether choloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	715.00	715.00	737.00
2	CONCRETE ADMIXTURES (Mineral)				
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	351.00	351.00	361.00
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	90.00	90.00	92.00
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	1919.00	1919.00	1978.00
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	1919.00	1919.00	1978.00
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3198.00	3198.00	3296.00
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2132.00	2132.00	2197.00
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3198.00	3198.00	3296.00
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1279.00	1279.00	1318.00
3.7	Butyl Tape for various Applications	RM	133.00	133.00	137.00
3.8	Waterproofing Joint Tape [120 mm]	RM	586.00	586.00	604.00
3.9	Waterproofing Joint Tape [200 mm]	RM	799.00	799.00	823.00
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	4264.00	4264.00	4395.00
3.11	Joint Tape Epoxy Adhesive	Kg.	3198.00	3198.00	3296.00
3.12	Glass Fiber Joint Tape	RM.	293.00	293.00	302.00
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1599.00	1599.00	1648.00
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	2878.00	2878.00	2966.00
3.15	Construction Joint Tape [100 mm]	RM.	852.00	852.00	878.00
3.16	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	2612.00	2612.00	2692.00

विनोद कुमार
प्रमुख जिल्ला/सुदूरपश्चिम



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
3.17	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	5171.00	5171.00	5330.00
3.18	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	852.00	852.00	878.00
3.19	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1599.00	1599.00	1648.00
4	INDUSTRIAL FLOORING SOLUTIONS				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	127.00	127.00	130.00
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	479.00	479.00	493.00
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2665.00	2665.00	2747.00
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3198.00	3198.00	3296.00
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2132.00	2132.00	2197.00
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1466.00	1466.00	1511.00
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	2212.00	2212.00	2280.00
4.8	Self Levelling Cementitious Flooring System	Kg.	446.00	446.00	459.00
5	ENGINEERING GROUTS				
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	117.00	117.00	120.00
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	133.00	133.00	137.00
5.3	Hard wearing cementitious tile grout	Kg.	170.00	170.00	175.00
5.4	Hard wearing epoxy based tile grout	Kg.	1066.00	1066.00	1098.00
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	533.00	533.00	549.00
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	2665.00	2665.00	2747.00
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	MI	4797.00	4797.00	4945.00
5.8	Low Viscosity Injection Epoxy Grout	Kg.	7996.00	7996.00	8243.00
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	13327.00	13327.00	13738.00
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	9062.00	9062.00	9342.00
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	14926.00	14926.00	15387.00
6	BONDING ADHESIVES (Polymer & Epoxy Resin)				
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	750.00	750.00	773.00
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	950.00	950.00	979.00
6.3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1200.00	1200.00	1237.00
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	1800.00	1800.00	1855.00
7	FIBERS (Steel & Polypropylene)				
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1200.00	1200.00	1237.00
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1500.00	1500.00	1546.00
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2000.00	2000.00	2061.00
7.4	Loose steel Fibers	Kg.	250.00	250.00	257.00
7.5	Glued Steel Fibers	Kg.	350.00	350.00	360.00
7.6	Crimped Steel Fibers	Kg.	250.00	250.00	257.00
8	SURFACE TREATMENT				

48



सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)		
			२०८१/८२	२०८२/८३	२०८३/८४
8.1	Protective, Decorative Anti Carbonation Coating		1200.00	1200.00	1237.00
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1350.00	1350.00	1391.00
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	4500.00	4500.00	4639.00
8.4	Protective Acrylic Sealer	Kg.	1500.00	1500.00	1546.00
8.5	Protective Polyurethane Sealer	Kg.	1800.00	1800.00	1855.00
8.6	Water Based Fire Retardant Coating	Kg.	1500.00	1500.00	1546.00
8.7	High Performance Water Repellent Paint	Ltr.	10098.00	10098.00	10410.00
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	500.00	500.00	515.00
8.9	Ready to use Chemical Mould Release Agent	Ltr.	500.00	500.00	515.00
8.10	Concrete Curing Aid	Kg.	450.00	450.00	463.00
8.11	Resin, silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	714.00	714.00	736.00
	CONCRETE REPAIRS				
9	Rust Remover & Passivator	Ltr.	1000.00	1000.00	1030.00
9.1	Corrosion Inhibitor	Kg.	1200.00	1200.00	1237.00
9.2	Micro Concrete [M55] for Permanent Repairs	Kg.	140.00	140.00	144.00
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	175.00	175.00	180.00
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	250.00	250.00	257.00
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	200.00	200.00	206.00
9.6	Acrylic Based Crack Filling Putty	Kg.	1200.00	1200.00	1237.00
9.7	Resin ,Polycoboxylate Base For ultra High Streth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	714.00	714.00	736.00
	PREPACKED MORTARS				
10	Tile, Mabrble, Granite etc. Adhesive	Kg.	85.00	85.00	87.00
10.1	Marble & Granite etc. Adhesive	Kg.	350.00	350.00	360.00
10.2	Coarse and water resistant Readymix plastering Mortar	Kg.	85.00	85.00	87.00
10.3	High Performance Polymer Based Wall Putty (Skim Coat)	Kg.	85.00	85.00	87.00
10.4	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg.	90.00	90.00	92.00
10.5	WATERPROOFING SYSTEMS				
11	INTEGRAL				
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	275.00	275.00	283.00
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	321.00	321.00	330.00
11.2	LIQUID APPLIED			0.00	
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	700.00	700.00	721.00
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	500.00	500.00	515.00
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	750.00	750.00	773.00

निर्माण सामग्रीको
प्रमुख विवरण



Bhaktapur District Rate for FY 2082/83

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.प्र.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	850.00	850.00	876.00
11.6	Acrylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	750.00	750.00	773.00
11.5	Crystalline Based Waterproofing Systems	Kg	350.00	350.00	360.00
11.6	Fast Setting Plugging Compound for stopping running water	Kg	400.00	400.00	412.00
11.7	Polyurethane based Waterproofing Coating System	Kg	1650.00	1650.00	1700.00
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg	1250.00	1250.00	1288.00
11.9	Epoxy Resin based Waterproofing Coating System	Kg	1683.00	1683.00	1735.00
11.10	Efflorescence Resistance Penetrating Primer Dose : Cover Area: 80 Sq ft /lt 1 coat	kg	600.00	600.00	618.00
	PREFORMED				0.00
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	1800.00	1800.00	1855.00
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2000.00	2000.00	2061.00
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1050.00	1050.00	1082.00
11.14	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1500.00	1500.00	1546.00
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1500.00	1500.00	1546.00
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	2000.00	2000.00	2061.00
11.17	PVC Adhesive	Kg.	2500.00	2500.00	2577.00
11.18	1.2 mm EPDM Membranes	Sq. M.	2500.00	2500.00	2577.00
11.19	EPDM Adhesive	Kg.	2500.00	2500.00	2577.00
11.2	EPDM Primer	Kg.	3000.00	3000.00	3092.00
11.21	2mm TPO Membranes	Sq. M.	3500.00	3500.00	3608.00
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	800.00	800.00	824.00
11.23	100% Synthetic Rubber Roof Coating	Kg.	4500.00	4500.00	4639.00
11.24	SPECIALTY				
12	Antistripping Agent for Bitumen	Kg.	550.00	550.00	566.00
12.1	Anti Termite [Imidacloprid 30.5%]	Kg.	12000.00	12000.00	12370.00
12.2	Expanding Concrete Joint WATERSTOP	RM.	2500.00	2500.00	2577.00
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	7500.00	7500.00	7731.00
12.4	Swellable WATERSTOP	RM.	2500.00	2500.00	2577.00
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	2500.00	2500.00	2577.00
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	2500.00	2500.00	2577.00
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	110.00	110.00	113.00
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1800.00	1800.00	1855.00
	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	3000.00	3000.00	3092.00
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	8700.00	8700.00	8968.00
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	10200.00	10200.00	10515.00

50



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.प्र.क. (VAT) बाहेक (र.)	मु.प्र.क. (VAT) बाहेक (र.)		
			२०८१/८२	२०८२/८३	२०८३/८४
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	8000.00	8000.00	8247.00
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	12000.00	12000.00	12370.00
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	16000.00	16000.00	16494.00
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	12300.00	12300.00	12680.00
13.7	EPOXY PRIMER	Kg.	3600.00	3600.00	3711.00
13.8	SATURANT	Kg.	3600.00	3600.00	3711.00
13.9	LAMINATE ADHESIVE	Kg.	2550.00	2550.00	2628.00
13.11	EPOXY TOPCOAT	Kg.	3600.00	3600.00	3711.00
13.12	POLYURETHANE TOPCOAT	Kg.	4600.00	4600.00	4742.00
13.13	Glass Fiber anchor system 5to 10 mm	R. M.	2575.00	2575.00	2654.00
	Carbon Fiber anchor system 5to 10 mm	R. M.	3600.00	3600.00	3711.00
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	10200.00	10200.00	10515.00
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12200.00	12200.00	12576.00
14	Soil Stabiliser / Admixture				
	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	683.00	683.00	704.00
14.1					
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	453.00	453.00	466.00
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721.00	721.00	743.00
49	परम्परागत निर्माण सामग्रीहरू :-				
	१) दधि अण्डा ठूलो ८"×२-३/८"×५"	गोटा	28.00	28.00	28.00
	२) दधि अण्डा सानो ८३/८"×२-१/८"×४-१/४"	"	30.00	30.00	30.00
	३) दधिअण्डा ठूलोको कुँ	"	39.00	39.00	40.00
	४) दधिअण्डा सानोको कुँ अण्डा	"	41.00	41.00	42.00
	५) माँ अण्डा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	23.00	23.00	23.00
	६) माँ अण्डा ठूलो 241x60x158 mm	"	26.00	26.00	26.00
	७) माँ अण्डा सानो ८-३/८"×२"×५"	"	23.00	23.00	23.00
	८) धुरी चाड ठूलो ९-३/८"×५-१/२"×३/४"	"	85.50	85.50	88.00
	९) धुरी 230x295x25 mm	"		0.00	0.00
	१०) धुरी चाड सानो	"	26.00	26.00	26.00
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	12.50	12.50	12.00
	१२) फिगटी पुरानो	गोटा	8.00	8.00	8.00
	१३) दुकु	गोटा	88.00	88.00	90.00
	१४) Snake body brick traditional	गोटा	30.00	30.00	30.00
	१५) Snake neck brick ..	गोटा	75.00	75.00	77.00
	१६) Snake head brick ..	गोटा	140.00	140.00	144.00
	क)साना	"	119.00	119.00	122.00
	ख)ठूलो	"	238.00	238.00	245.00
	१७) पेटिकोलागि डुङ्गा				0.00
	क) १८"×१०"×४"	"	1513.84	1513.84	1560.00
	१८) नागोल ईटा	गोटा	31.00	31.00	31.00

51

विभागीय प्रमुख जिल्ला कार्यालय



Bhaktapur District Rate for FY 2082/83

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) काहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	१९) ९"X ९"X १८ इन्च कुना दुइ	१ मि.	239.00	239.00	246.00
	२०) फाल्लोह अपा ठुलो 375x225x100mm	गोटा	179.00	179.00	184.00
	२१) फाल्लोह अपा सानो 254x229x102mm	"	149.00	149.00	153.00
	२२) तीनकुनै तेलिया इँटा (९"X९"X२-१/४"	"	15.00	15.00	15.00
	२३) तीनकुनै तेलिया इँटा (६"X६"X२-१/४"	"	24.00	24.00	24.00
	२४) चारकुनै तेलिया इँटा (८"X८"	"	37.00	37.00	38.00
	२५) तेलिया इँटा (६"X६"	"	24.50	24.50	25.00
	२६) बट्टेदारी कनिंश इँटा (काशीमोहरु)	"	29.00	29.00	29.00
	२७) बट्टेदारी कनिंश इँटा कुना	"	45.00	45.00	46.00
	२८) बट्टेदारी कनिंश इँटा ठुलो 222x273x76mm	"	182.00	182.00	187.00
	२९) भ्याल माथिको कनिंश इँटा बट्टेदारी	"	37.00	37.00	38.00
	३०) काठको कनिंश माथिको इँटा ११X६X२.५"	"	61.50	61.50	63.00
	३१) कर्नेर स्टोन : १०"X१०"X१४"	"	1950.00	1950.00	2010.00
	३२) क) बिचको न्याहाकल्ल १०"X७"X१४"	"	1175.00	1175.00	1211.00
	३३) नागोल दुइ १८"X१०"X५"	"	850.00	850.00	876.00
	३४) भी प्या	गोटा	250.00	250.00	257.00
	३५) तामा पाता, (नेपाली)	केजी	1175.00	1175.00	1211.00
	तामा पाता (Indian)	केजी	1375.00	1375.00	1417.00
	३६) पित्तल पाता	केजी	1150.00	1150.00	1185.00
	३७) पारो	ग्राम	180.00	180.00	185.00
	३८) सुर्कि इँटा कुटि धुलो बनाएको ।	टन	1450.00	1450.00	1494.00
	३९) Wind bell हवा घण्टी ४"	गोटा	500.00	500.00	515.00
	४०) न्हकल्लो धोचको	१ गोटा	1800.00	1800.00	1855.00
	४१) पेटीदुइ ४"	१ मि.	3350.00	3350.00	3453.00
	४२) पेटीदुइ ५"	१ मि.	2600.00	2600.00	2680.00
	४५) श्री गणेश	गोटा	1250.00	1250.00	1288.00
	इट/कुमार	गोटा	1250.00	1250.00	1288.00
	इट/कुले घात	गोटा	1250.00	1250.00	1288.00
	इट/साके के	गोटा	2600.00	2600.00	2680.00
	इट/साकेली बुध	गोटा	29.00	29.00	29.00
	इट/साकेली बुध कुना	गोटा	42.00	42.00	43.00
	इट/साके बुध	गोटा	29.00	29.00	29.00
	इट/वीर बुध	गोटा	29.00	29.00	29.00
	इट/साकेली बुधको	गोटा	25.00	25.00	25.00
	इट/साकेली बुधको	गोटा	37.50	37.50	38.00
	५५) ठुलो कन्स	गोटा	182.00	182.00	187.00
	५६) मसीनो सुर्कि	केजि	15.00	15.00	15.00
	५७) खसो सुर्कि	केजि	10.00	10.00	10.00
	५८) गडा घुन	के.जि.	29.00	29.00	29.00
59	सा अपा (साइज 200x50x130)	गोटा	18.00	18.00	18.00
60	दीघ अपा (साइज 200x55x100)	"	20.00	20.00	20.00
61	न्या अपा (साइज 110x55x180)	"	33.00	33.00	34.00
62	गोन अपा (साइज 120x55x80)	"	20.00	20.00	20.00
63	गणेश अपा (साइज 200x250x35)	"	360.00	360.00	371.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.भ.क. (VAT) सहित (रु.)		
		२०८१/८२	२०८२/८३	२०८३/८४
64	कुमार अण्डा (साइज 200x250x35)	360.00	360.00	371.00
65	तारा अण्डा (साइज 200x250x55)	360.00	360.00	371.00
66	पञ्च बुद्ध अण्डा (साइज 170x230x55)	360.00	360.00	371.00
67	कलस अण्डा (साइज 100x140x40)	60.00	60.00	61.00
68	गाभीर अण्डा (साइज 140x52x120)	21.00	21.00	21.00
69	कसिमो अण्डा (साइज 230x55x100)	30.00	30.00	30.00
70	सकनी अण्डा (साइज 140x55x115)	28.00	28.00	28.00
71	पानकुटा अण्डा (साइज 140x55x115)	28.00	28.00	28.00
72	सानो फ बुद्ध अण्डा (साइज 180x55x30)	30.00	30.00	30.00
73	दुस्रो फ बुद्ध अण्डा (साइज 230x55x110)	30.00	30.00	30.00
74	नयाँ फ बुद्ध अण्डा (साइज 230x55x110)	30.00	30.00	30.00
75	साना ग बुद्ध अण्डा (साइज 140x50x110)	28.00	28.00	28.00
76	दुस्रो ग बुद्ध अण्डा (साइज 230x55x90)	30.00	30.00	30.00
77	पुग्गा बुद्ध अण्डा (साइज 180x55x70)	30.00	30.00	30.00
78	तिनकुने स्थाँ अण्डा (साइज 200x550x30)	30.00	30.00	30.00
79	तिनकुने पवि अण्डा (साइज 200x550x90)	30.00	30.00	30.00
80	साना स्थाँ अण्डा (साइज 140x50x110)	28.00	28.00	28.00
81	दुस्रो स्थाँ अण्डा (साइज 230x55x90)	30.00	30.00	30.00
82	नाग टाउको दायाँबायाँ (साइज 100x150x50)	149.00	149.00	153.00
83	नाग घटी दायाँबायाँ (साइज 140x60x70)	78.00	78.00	80.00
84	नाग जीउ (साइज 140x60x70)	28.00	28.00	28.00
85	नाग कन्दा/पुरण (साइज 180x380x55)	600.00	600.00	618.00
86	खान नागोन (साइज 130x55x120)	28.00	28.00	28.00
87	खान फाँपो (साइज 130x55x135)	28.00	28.00	28.00
88	सङ्गरा बुद्ध (साइज 125x45x140)	28.00	28.00	28.00
89	नग बेसी (साइज 140x55x120)	29.00	29.00	29.00
90	मिखाफुनी (साइज 140x55x120)	37.00	37.00	38.00
91	पल्लिमो दायाँ/बायाँ (साइज 130x55x120)	28.00	28.00	28.00
92	नयाँ पल्लिमो (साइज 185x52x80)	32.00	32.00	32.00
93	मिधा पल्लिमो (साइज 190x55x90)	32.00	32.00	32.00
94	२" मिड (साइज 95x50x10)	36.00	36.00	37.00
95	२" गरुड (साइज 95x50x100)	36.00	36.00	37.00
96	धलिखला (साइज 95x50x100)	36.00	36.00	37.00
97	धीपन्न (साइज 70x700x80)	48.00	48.00	49.00
98	लस फाँपो (साइज 140x55x120)	23.00	23.00	23.00
99	तारा बुद्ध पुरानो (साइज 180x55x80)	28.00	28.00	28.00
100	तारा बुद्ध नयाँ (साइज 230x70x90)	32.00	32.00	32.00
101	स्वाफो तारा (साइज 220x55x90)	32.00	32.00	32.00
102	मिफ्री बुद्ध (साइज 220x55x80)	32.00	32.00	32.00
103	नाथ बुद्ध सानो (साइज 140x65x130)	32.00	32.00	32.00
104	नाथ बुद्ध ठूलो (साइज 140x100x130)	32.00	32.00	32.00
105	ग्योल ग्योल (साइज 2000x55x90)	23.00	23.00	23.00
106	ढी बुद्ध (साइज 210x55x75)	32.00	32.00	32.00
50	Security System			
	Steel Security Gate supply			
	Metal detector	मोटा	16995.00	16995.00
				17520.00

विशेष कार्य निर्देशक
प्रमुख जिला अधिकारी



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मूल्य (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	Access Controller	गोटा	13905.00	13905.00	14334.00
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683.00	8683.00	8951.00
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9930.00	9930.00	10236.00
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10419.00	10419.00	10740.00
	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर सम्पत्ति सुरक्षा प्रणाली)	गोटा	34333.00	34333.00	35393.00
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20800.00	20800.00	21236.00
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875.00	12875.00	13272.00
	iv) Finger print access system with software	गोटा	36050.00	36050.00	37163.00
	v) Security from Panic Alarm	गोटा	36050.00	36050.00	37163.00
	vi) GPS (Global Positioning System) Device with software	गोटा	25749.00	25749.00	26544.00
	vii) Automatic motor operator for water pump Survo, Manglam or Equivalent (पानी भरिपछि स्वचालित रुपमा on/off हुने यन्त्र)				
	Up to 1/2 H.P.	गोटा	4326.00	4326.00	4459.00
	1.0 H.P.	गोटा	5948.00	5948.00	6131.00
	5 H.P.	गोटा	9734.00	9734.00	10034.00
51	Bridge Materials				
	Elastomeric Bearing Pad				
	Free Type	NOS	24031.28	24031.28	24773.00
	Fix end Dowel Type	..	50993.28	50993.28	52568.00
	Expansion Joint Works				
	Single strip seal	Rm	10132.00	10132.00	10445.00
	Slab seal(320*50)	..	20000.00	20000.00	20618.00
	Tendon sheath	..	388.00	388.00	399.00
	Tendon wire	ton	157500.00	157500.00	162366.00
	Anchorage block with cap	nos	10500.00	10500.00	10824.00
	High tensile friction grip nut bolts	kg	388.00	388.00	399.00
	Bolts, nuts & washers(hold up friction grip)	kg	409.00	409.00	421.00
	W- beam metal crash barrier, 3 mm thick corrugated sheet, ISMB series channel	Rm	6300.00	6300.00	6494.00
	Thimbles				
	iv) Φ 13 mm thimble	Pc	79.00	79.00	81.00
	v) Φ 26 mm thimble	Pc	401.00	401.00	413.00
	vi) Φ 32 mm thimble	Pc	687.00	687.00	708.00
	vii) Φ 36 mm thimble	Pc	1373.00	1373.00	1415.00
	viii) Φ 40 mm thimble	Pc	1716.00	1716.00	1769.00
	ix) Φ 13 mm Bulldog grip	Pc	77.69	77.69	80.00
	x) Φ 26 mm Bulldog grip	Pc	389.52	389.52	401.00
	xi) Φ 32 mm Bulldog grip	Pc	583.74	583.74	601.00
	xii) Φ 36 mm Bulldog grip	Pc	722.93	722.93	745.00
	xiii) Φ 40 mm Bulldog grip	Pc	722.93	722.93	745.00

Handwritten signatures and marks at the bottom of the page.

सि.नं.	निर्माण सामग्रीहरूको विवरण		मु.व.क. (VAT) काटिक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	xiv) Steel wire Rope (Right hand ordinary lay, Wire wire strand core, Tensile strength of wire 1570 N/mm ² , Perfomed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	457.00	457.00	471.00
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	7223.00	7223.00	7446.00
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	278.38	278.38	286.00
	xviii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	389.52	389.52	401.00
	High tensile friction grip nut bolts	kg	351.47	351.47	372.00
	Galvanization			0.00	
	Zinc Above 98.5% purity	kg	333.41	333.41	343.00
	Premix of Zinc amonium chloride	kg	642.01	642.01	661.00
	Hydraucloric acid	Lit	44.24	44.24	45.00
52	Concrete Post (Size 4"×4")				
	Length 7'	गोटा	941.18	941.18	970.00
	Length 5'	"	470.59	470.59	485.00
	Length 3'	"	235.83	235.83	243.00
53	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	3198.60	3198.60	3297.00
54	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	249.83	249.83	257.00
	" Ventilation	"	249.83	249.83	257.00
	" Arc frame semi circular	"	499.66	499.66	515.00
55	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)				
	a) 50 mm thick	Sq.ft	180.00	180.00	185.00
	b) 60 mm thick	Sq.ft	245.00	245.00	252.00
	c) 75 mm thick	Sq.ft	300.00	300.00	309.00
	d) 90 mm thick	Sq.ft	345.00	345.00	355.00
	e) 120 mm thick	Sq.ft	415.00	415.00	427.00
56	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)				
	b) 60 mm thick	Sq.ft	160.00	160.00	164.00
	c) 75 mm thick	Sq.ft	215.00	215.00	221.00
	d) 90 mm thick	Sq.ft	250.00	250.00	257.00
57	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)				



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.व.क. (VAT) बाहेक (रु.)		
			२०८१/८२	२०८२/८३	२०८३/८४
	d) 90 mm thick	Sq.ft	190.00	190.00	195.00
58	विभिन्न जातका विरुवाहरू				
१	एमोकाडो	गोटा	200.00	200.00	206.00
२	तेजपात	गोटा	50.00	50.00	51.00
३	अम्बा	गोटा	50.00	50.00	51.00
४	कागति	गोटा	50.00	50.00	51.00
५	कागति (वाइमासे) ग्राफ्टेड	गोटा	200.00	200.00	206.00
६	टिमुर	गोटा	90.00	90.00	92.00
७	अमला	गोटा	50.00	50.00	51.00
८	वास कटिङ्ग	गोटा	275.00	275.00	283.00
९	खुरपाने	गोटा	160.00	160.00	164.00
१०	नास्याति	गोटा	100.00	100.00	103.00
११	ओखर (दाते)	गोटा	150.00	150.00	154.00
१२	लप्सी	गोटा	50.00	50.00	51.00
१३	५ फिट माथिका विरुवा सहक तथा नदी किनारामा रोप्ने ३ वर्ष माथिका	गोटा	900.00	900.00	927.00
59	Agriculture				
	Power tiller 12HP	Pcs	160000.00	160000.00	164944.00
	Agriculture minitiller 7.5 HP Petrol	Pcs	45000.00	45000.00	46390.00
	Agriculture minitiller 7 HP Diesel	Pcs	65000.00	65000.00	67008.00
	Agriculture minitiller 9 HP Petrol	Pcs	62000.00	62000.00	63915.00
	Agriculture minitiller 9HP Diesel	Pcs	85000.00	85000.00	87626.00
	Minitiller Rotatory cultivator 7.5HP	Pcs	110000.00	110000.00	113399.00
	Minitiller Rotatory cultivator 9HP	Pcs	125000.00	125000.00	128862.00
	Potato digger (Attachment)	Pcs	4500.00	4500.00	4639.00
	Adjustable ditcher ((Attachment)	Pcs	4500.00	4500.00	4639.00
	Battery sprayer 2 in 1	Pcs	4500.00	4500.00	4639.00
	Powersprayer (53 C.C)	Pcs	30000.00	30000.00	30927.00
	Manual Sprayer	Pcs	2200.00	2200.00	2267.00
	Submersible pump 1HP(Rocket)	Pcs	25000.00	25000.00	25772.00
	Submersible pump 1HP(well Type)	Pcs	9000.00	9000.00	9278.00
	Weighting machine - Up to 100 kg	Pcs	12000.00	12000.00	12370.00
	Weighting machine - Up to 200 kg	Pcs	15000.00	15000.00	15463.00
	Weighting machine - Up to 300 kg	Pcs	18000.00	18000.00	18556.00
	Sprinkler (2 head)	Pcs	150.00	150.00	154.00
	Cow mat (6ft*4ft)	Pcs	8000.00	8000.00	8247.00
	UV palstic (100 micron)	Sq/m	120.00	120.00	123.00
	UV palstic (200 micron)	Sq/m	190.00	190.00	195.00
	Silpaulin plastic (90 gsm)	Sq/f	9.70	9.70	9.00
	Plastic crate (A -Grade)	Pcs	700.00	700.00	721.00
	seedling planter (Biu ropne)	Pcs	4500.00	4500.00	4639.00
	seedling planter (Biruwa ropne)	Pcs	4500.00	4500.00	4639.00
	Water pump 7 HP(Gasoline) - 2 inch	Pcs	18000.00	18000.00	18556.00
	Water pump 7 HP(Gasoline) - 3 inch	Pcs	20000.00	20000.00	20618.00
	Chaff cutter (3 HP motor)	Pcs	35000.00	35000.00	36081.00

Handwritten signatures and marks at the bottom of the page.

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०६१/६२	२०६२/६३	२०६३/६४
	Pallet machine (3 HP motor)	Pcs	55000.00	55000.00	56699.00
	Deep freight (190L)	Pcs	39000.00	39000.00	40205.00
	Garden pipe	Kg	350.00	350.00	360.00
	Hazari (10L)	Pcs	500.00	500.00	515.00
	Multifunctional chaff cutter (3 HP motor)	Pcs	60000.00	60000.00	61854.00
	Milk chilling vat (500L)	Pcs	235000.00	235000.00	242261.00
	Milk can- Plastic (20L)	Pcs	3800.00	3800.00	3917.00
	Milk can- Plastic (40L)	Pcs	4500.00	4500.00	4639.00
	Milk can- Alminum (20L)	Pcs	8500.00	8500.00	8762.00
	Milk can- Alminum (40L)	Pcs	9500.00	9500.00	9793.00
	UMMB Block Machine	Pcs	35000.00	35000.00	36081.00
	Milk Pasteurizer (500L)	Pcs	180000.00	180000.00	185562.00
	Milk Analyser (240V)	Pcs	110000.00	110000.00	113399.00
	Milking machine (14L)	Pcs	40000.00	40000.00	41236.00
	panner vat machine (250/Hr)	Pcs	190000.00	190000.00	195871.00
	Potato slicer machine (Manual)	Pcs	80000.00	80000.00	82472.00
	Plastic for packing	Kg	800.00	800.00	824.00
	Plastic for packing- 100m Roll (25 micron)	Roll	5300.00	5300.00	5463.00
	Plastic for packing- 100m Roll (30 micron)	Roll	6800.00	6800.00	7010.00
	Plastic for packing- 100m Roll (40 micron)	Roll	9500.00	9500.00	9793.00













 विनोद कुमार लुइँके
 प्रमुख जिला अधिकारी



SANITARY WORKS

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहक (र.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
1	Porcelain Clay Sanitaryware					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	सेट	2600	2600	2680	
	ii) 500 mm size white glazed without siphon	"	2823	2823	2910	
	iii) 580 mm size Pan	"	2600	2600	2680	
	iii) 580 mm size white glazed pan	"	950	950	979	
	iv) Siphon 'p' or 's' type	"	400	400	412	
	v) Asian Pan 51x40 Rectangular	"	2450	2450	2525	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3666	3666	3779	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	687	687	708	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3809	3809	3926	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1635	1635	1685	
	ii) White glazed porcelain clay EWC regular commode with 's' p trap	"	1880	1880	1938	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	"	18663	18663	19239	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	"	20000	20000	20618	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	"	21001	21001	21649	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	"	5410	5410	5577	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8916	8916	9191	


 बिनोद कुमार
 प्रमुख जिल्ला अधिकारी



सु. अ. क. (VAT) वाहेक (र.)
आ. ब.
२०८१/०८२ २०८२/०८३ २०८३/०८४

सि. नं.	निर्माण सामग्रीहरूको विवरण		२०८१/०८२	२०८२/०८३	२०८३/०८४	वैकल्पिक
	viii) 600 to 900 mm Grab bar	"	6244	6244	6436	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3803	3803	3920	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size	सेट	4299	4299	4431	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size	"	1936	1936	1995	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.	"	1668	1668	1719	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1248	1248	1286	
	ii) Porcelain clay white glaze squatting plate large size	"	1498	1498	1544	
	iii) Porcelain clay super color squatting plate large size.	"	2916	2916	3006	
	iv) Urinal Spreader	"	942	942	971	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1128	1128	1162	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1525	1525	1572	
	iv) Do but wash basin (45×32)cm	"	1097	1097	1130	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1237	1237	1275	
	vii) white glazed porcelain clay U-counter basin complete.	"	8598	8598	8863	
	ix) white glazed porcelain clay O-counter wash basin, complete.	"	14189	14189	14627	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	10079	10079	10390	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6419	6419	6617	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	21165	21165	21818	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Stainless steel commode S trap with self closing complete set	"	18081	18081	18639	
	Wall mixer (single lever) bath faucet with hand shower	"	15073	15073	15538	
	Bath tub (single lever) with hand shower	"	18985	18985	19571	
	External Shower Wall mixer (single control) bath faucet with hand shower	"	26537	26537	27356	
	Wall mixer (single control) bath faucet with hand shower (conceal system)	"	16431	16431	16938	
	Wall mixer (single control) shower faucet (conceal system)	"	4307	4307	4440	
	conceal mixer faucet	"	6649	6649	6854	
	Stainless steel Angle valve	"	852	852	878	
	Stainless steel two way Angle valve	"	1192	1192	1228	
	Stainless steel bowl 19"x16" diamond board 37" long	"	2753	2753	2838	
	Stainless steel bowl with diamond board 37" long	"	3770	3770	3886	
	Stainless steel bowl with ordinary board 37" long	"	2383	2383	2456	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	14335	14335	14777	
	Stainless steel double bowl with single drain board ordinary	"	5960	5960	6144	
	Stainless steel p trap bottle trap for basin	"	2394	2394	2467	
	Stainless steel Kitchen sink mixture	"	8660	8660	8927	
	Stainless steel Kitchen sink faucet	"	5732	5732	5909	
	Stainless steel Kitchen sink mixture	"	8660	8660	8927	
	Stainless steel 1500mm flexible hose pipe (connection pipe)	"	1506	1506	1552	
	Stainless steel Hose ringer 1200 mm	"	1312	1312	1352	
	Stainless steel commode spray with hose pipe	"	1852	1852	1909	
	Stainless steel basin mixer (single control)	"	7151	7151	7371	
	Stainless steel single faucet for basin	"	4558	4558	4698	
	Stainless steel Sink 700*450*200	"	24973	24973	25744	
	Stainless steel Sink table top 1200*600*300	"	34509	34509	35575	



सि.नं.	निर्माण सामग्रीहरूको विवरण	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
		आ. व.	२०८२/०८३	२०८३/०८४	
	Steel Split clamp with washer all complete	"			
	75 mm dia	lk;	341	341	351
	110 mm dia	"	454	454	468
	160 mm dia	"	794	794	818
	Stainless steel telephonic shower	मोटो	1277	1277	1316
	Stainless steel shower with sliding bar	"	3065	3065	3159
	Stainless steel shower with sliding bar	"	10079	10079	10390
	Stainless steel bottle trap	"	666	666	686
	Stainless steel towel bar 450 mm	"	1277	1277	1316
	Stainless steel water tank fitting with all complete set (304 grade steel)				
	Capacity 500 ltr	set	12488	12488	12873
	Capacity 1000 ltr	"	18230	18230	18793
	Capacity 1500 ltr	"	28028	28028	28894
	Capacity 2000 ltr	"	33725	33725	34767
	Sinks Other Types:				
	Super lab sink				
	i) super lab sink large size	"	4442	4442	4579
	ii) super lab sink small size	"	3503	3503	3611
	Super kitchen sink				
	i) super kitchen sink large size	"	7689	7689	7926
	ii) super kitchen sink small size	"	6959	6959	7174
4	Modern Sanitaryware				
	iv) Hand Dryer	"	7379	7379	7607
	v) Flush valve	"	5903	5903	6085
	vi) Auto sensor for basin -	"	36325	36325	37447
	vii) liquid soap container stainless steel	"	6244	6244	6436
	viii) Looking Mirror 450x600mm (18"x 24")	"	1503	1503	1549
	C.P. Grab Bar for disable				
	a) 30cm long bend type	"	5521	5521	5691
	b) 45 cm long bend type	"	5781	5781	5959
	c) 60 cm long bend type	"	7404	7404	7632
5	C.P. Accessories				
	1) Toilet paper holder	"	475	475	489
	2) Soap dish	"	350	350	360
	3) Towel rod 1/2"x18" size	"	475	475	489
	4) Towel rod 3/4" x24" size	"	525	525	541
	5) Glass shelf	"	650	650	670
	6) C.P. bottle trap	"	1283	1283	1322

62
 विनोद कुमार
 प्रद्युम्न जिला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			वैकल्पिक
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	7) 32 mm×60cm long C.P flush pipe	"	525	525	541	
	8) 15 mm flush cock push type	"	1167	1167	1203	
	9) 15 mm dia. C.P. shower arm	"	1005	1005	1036	
	10) 15 mm dia. C.P. spreader	"	968	968	997	
	11) 15 mm dia. C.P. wall mixture	"	4500	4500	4639	
	i) 3" dia. Shower rose , revolving type	"	933	933	961	
	ii) 4" dia. Shower rose , revolving type	"	1051	1051	1083	
	iii) Shower rose ordinary	"	584	584	602	
	iv) Shower rod 12" long	"	291	291	299	
	C.P. 15 mm dia. Angle Valve	"	1281	1281	1320	
	C.P. 15 mm dia Concealed Stop Cock	"	1861	1861	1918	
	C.P. 15mm Bib Cock	"	1050	1050	1082	
	C.P. 15 mm dia swan neck Pillar Cock	"	1200	1200	1237	
	C.P. 15 mm dia Stop Cock	"	1100	1100	1133	
	C.P. 15 mm dia Sink Cock	"	1348	1348	1389	
	C.P. 15 mm dia Sink Mixture	"	4200	4200	4329	
	C.P. 32 mm dia Flush Valve	"	5566	5566	5737	
	C.P. 32 mm dia Waste Coupling for basin	"	437	437	450	
	C.P. 32 mm dia Waste Coupling for Urinal	"	710	710	731	
	C.P. Basin Mixture	सेट	4779	4779	4926	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1783	1783	1838	
	C.P. Exclusive Shower Arm with Hinge	"	2074	2074	2138	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4294	4294	4426	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	7054	7054	7271	
	C.P. flexible pipe	रोटा	186	186	191	
	C.P. Grating					
	i) 4" dia.	"	52	52	53	
	ii) 5" dia.	"	64	64	65	
	i) C.P. Toilet Paper Holder	"	957	957	986	
	ii) C.P. Soap Dish(Polyurethane)	"	1073	1073	1106	
	iii) C.P. Towel Rod 18"	"	1625	1625	1675	
	iv) C.P. Towel Rod 24"	"	1713	1713	1765	
	v) C.P. Glass Shelf 22"	"	2328	2328	2399	
	vi) C.P. Coat Hook Double	"	836	836	861	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	955	955	984	

विनोद कुमार खड्का
मुख्य जिल्हा अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८२/०८३	२०८३/०८४	
	15 mm C.P. Angle Cock Long Thread	1016	1016	1047	
	x) C.P. Conceal Stop Cock				
	i) 15 mm Reduced body	1170	1170	1206	
	ii) 15 mm Extra Heavy Body	1432	1432	1476	
	xi) C.P. Bib Cock				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	2690	2690	2773	
	ii) 15mm C.P. Bib Cock	981	981	1011	
	iii) 15mm C.P. Bib Cock with nozzle	1086	1086	1119	
	xii) C.P. Pillar Cock				
	i) 15 mm C.P. Pillar Cock With Aerator	1301	1301	1341	
	ii) 15mm Auto Closing Pillar Cock With Aerator	2603	2603	2683	
	i) 15mm C.P. Sink Cock	1648	1648	1698	
	ii) C.P. Sink Mixer	4085	4085	4211	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	3560	3560	3670	
	xv) C.P. Bottle Trap 32mm	1908	1908	1966	
	32 mm C.P. Conceal Flush Valve Dual Flow	3990	3990	4113	
	xvii) C.P. Waste Coupling				
	32 mm C.P. Waste Coupling H/T	459	459	473	
	32 mm C.P. Waste Coupling F/T	459	459	473	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	2775	2775	2860	
	xix) 15 mm C.P. Wall Mixer				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	4597	4597	4739	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	4597	4597	4739	
	xx) C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	3817	3817	3934	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	4008	4008	4131	
	xxi) 15mm Bath Tub Spout with wall flange				
	15mm Bath Tub Spout with wall Flange	1301	1301	1341	
	15mm Bath Tub Spout with button attachment	2082	2082	2146	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



बि.सं. नं. १०८१/०८२
ग.अ.क. (VAT) बाहेक (र.)
आ.व.
२०८१/०८२ २०८२/०८३ २०८३/०८४

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ग.अ.क. (VAT) बाहेक (र.)			वैकल्पिक
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	693	693	714	
	15 mm Casted Shower Arm Heavy	"	1127	1127	1161	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1845	1845	1902	
	With 1.5 Flexible Tube	"	2862	2862	2950	
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	मोटा	3321	3321	3423	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	मोटा	4979	4979	5132	
	15 mm Braided Hose for E.W.C.	"	307	307	316	
	15 mm Health Faucet (Commode Spray)	"	1180	1180	1216	
	15 mm pillar cock with 200 mm extended lever handle	"	1560	1560	1608	
	15 mm Bib cock with 200 mm extended lever handle	"	1646	1646	1696	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	6135	6135	6324	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5949	5949	6132	
	Sensor mixer for wash basin (Battery operated)	"	21095	21095	21746	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	21095	21095	21746	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16708	16708	17224	
	Sensor valve for Urinal	"	10971	10971	11310	
	Basin cock Sensor	"	14851	14851	15309	
	15mm U shaped sink cock	"	1763	1763	1817	
	Sink Mixture with U shape swinging spout	"	3665	3665	3778	
	15mm metallic Health Faucet (Commode Spray)	"	2236	2236	2305	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	मोटा	11578	11578	11935	
	ii) 25 lit cap. " " "	"	17851	17851	18402	

विनोद कुमार खत्री
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामाग्रीहरूको विवरण	म.अ.क. (VAT) माहक (रु.)			कीफायत
		आ.व.	२०८२/०८३	२०८३/०८४	
	iii) 35 lit cap " " "	सेट	22192	22877	
	iv) 50 lit cap " " "	"	26535	27354	
	iv) Gas water heater with cylinder	"	8446	8706	
8	C.I. Manhole Cover including frame.				
8.1	Square Frame (in outer dia)				
	Medium Duty				
	i) 10" × 10" (4 Kg.)	सेट	689	710	
	ii) 12" × 12" (5 Kg.)	"	861	887	
	iii) 14" × 14" (7 Kg.)	"	1247	1285	
	v) 16" × 16" (10 Kg.)	"	1671	1722	
	vi) 18" × 18" (14 Kg.)	"	2598	2678	
	viii) 20" × 20" (16 Kg.)	"	2930	3020	
	ix) 22" × 22" (20 Kg.)	"	3353	3456	
	x) 24" × 24" (24 Kg.)	"	4659	4802	
	xi) 27" × 27" (31 Kg.)	"	5871	6052	
	Heavy Duty				
	iii) 14" × 14" (14 Kg.)	"	2541	2619	
	ix) 22" × 22" (22 Kg.)	"	4143	4271	
	xi) 27" × 27" (45 Kg.)	"	7754	7993	
8.2	Rounded Manhole Cover (Outer dia.)				
	Medium class				
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9365	9654	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12487	12872	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15609	16091	
	iv) 22" dia. Medium class. (125 Kg.)	"	19979	20596	
	v) 22" dia. Heavy class. (208Kg.)	"	29843	30765	
	vi) 24" dia. Medium class. (40 Kg.)	"	6393	6590	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7992	8238	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11488	11842	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13985	14417	

66

बिनोद कुमार ज्ञानका
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कीफायत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	19051	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	19051	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1775	1775	1829	
	20" (12 Kg.)	"	2603	2603	2683	
	22" (14 Kg.)	"	2957	2957	3048	
	24" (16 Kg.)	"	3549	3549	3658	
	28" (24 Kg.)	"	5324	5324	5488	
	Square					
	18" x 18" (13 Kg.)	सेट	2957	2957	3048	
	24" x 24" (50 Kg.)	"	10649	10649	10978	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5916	5916	6098	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	85	85	87	
	5"	"	140	140	144	
	6"	"	188	188	193	
	10"	"	650	650	670	
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	94	94	96	
	5" x 5"	"	118	118	121	
	6" x 6"	"	142	142	146	
	9" x 9"	"	413	413	425	
	10" x 10"	"	533	533	549	
	12" x 12"	"	768	768	791	
	C.I. Gully Gratings					
	i) 15"×18" Medium (18 Kg.)	सेट	3905	3905	4025	
	ii) 15"×18" Heavy (25 Kg.)	सेट	5324	5324	5488	
	Grit Cover					
	फाल्गुन एउटाको क्रममा फाल्गुन पतिको जाली बनाई फाँटिकेभन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	171	171	176	



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	ज.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Aluminum Grating 4" dia.	गोटा	44	44	45	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8567	8567	8831	
	ii) 200 gls	"	13458	13458	13873	
	iii) 300 gls	"	16927	16927	17450	
	iv) 400 gls	"	20322	20322	20949	
	v) 500 gls	"	23727	23727	24460	
	G.I. Water Tank (16 BWG Sheet)					
	i) 100 gls	गोटा	9036	9036	9315	
	ii) 200 gls	"	13665	13665	14087	
	iii) 300 gls	"	18143	18143	18703	
	iv) 400 gls	"	21739	21739	22410	
	v) 500 gls	"	25335	25335	26117	
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	सी.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
11	Water Pumps/Hand Pumps					
	Indian Mark-III, Deep Well Hand Pump					
	6 No. hand pump	गोटा	1629	1629	1679	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	11200	11200	11546	
	ii) ½ H.P. Water Pump mono block type	"	6446	6446	6645	
	iii) 1.0 H.P. water pump Multistage	"	14686	14686	15139	
	iv) 1.0 H.P. water pump (mono block type)	"	9749	9749	10050	
	v) 2.0 H.P. water pump	"	23265	23265	23983	
	vi) 2.0 H.P. 3 phase water pump	"	24562	24562	25320	
	vii) 5.0 HP 3 phase water pump	"	29516	29516	30428	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	22279	22279	22967	
	ii) Double Stage jet 1.10 H.P.		26735	26735	27561	
	ii) 1.5 H.P.	"	30077	30077	31006	
	Super Sunction					
	i) ½ H.P.	सेट	9190	9190	9473	
	ii) 0.75 H.P.	"	8578	8578	8843	
	iii) 1.0 H.P.	"	14704	14704	15158	
	Water Pump					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18748	18748	19327	

बिनाद कुमार खड्का
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	गु.अ.क. (VAT) बाहेक (रु.)			कीफायत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	ii) 2 H.P. single pump set "	"	30110	30110	31040	
	Fire pump					
	Submersible Pump					
	i) 1.0 H.P.	"	26872	26872	27702	
	ii) 2.0 H.P.	"	49849	49849	51389	
	Electric Water Pump					
	i) ½ H.P.	"	1754	1754	1808	
	ii) ¾ H.P.	"	2286	2286	2356	
	iii) 1.0 H.P.	"	3368	3368	3472	
	Submersible Pump					
	i) ½ H.P open well type	"	17155	17155	17685	
	ii) 1.1 H.P open well type	"	25120	25120	25896	
	iii) 1.5 H.P open well type	"	30633	30633	31579	
	Vertical Submersible Pump					
	i) 1.1 H.P.	"	28072	28072	28939	
	iii) 1.5 H.P.	"	33920	33920	34968	
12	विभिन्न साइजको Bath tub .fiber					
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"				
	b) Bath tub – 4'0" Medium	"	6906	6906	7119	
	Bath tub – 4'0" Heavy	"	8021	8021	8268	
	c) Bath Tub – 4'6" Medium	"	8354	8354	8612	
	Bath tub – 4'6" Heavy	"	8381	8381	8639	
	d) Bath tub – 5'0" Medium	"	9134	9134	9416	
	Bath tub – 5'0" Heavy	"	30236	30236	31170	
	e) Bath Tub – 5'6" Medium	"	8196	8196	8449	
	Bath tub – 5'6" Heavy	"	9654	9654	9952	
	f) Bath Tub – 6'0" Medium	"	13261	13261	13670	
	Bath tub – 6'0" Heavy	"	37928	37928	39099	
13	Shower Tray 3'0"×3'0"	"	515	515	530	
14	Pipes and fittings	गोटा				
	PPR Pipe (Poly propylene random co-polymer pipe)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	49	49	50	
	25mm " 2.3 mm thick 0.164kg/m	"	75	75	77	
	32mm 2.9 mm thick 0.26kg/m	"	119	119	122	
	40mm 3.7 mm thick 0.412kg/m	"	189	189	194	
	50mm 4.6 mm thick 0.638kg/m	"	293	293	302	
	63 mm 8.6 mm thick 0.638kg/m	"	463	463	477	



सुदूर पश्चिम प्रदेश
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामाग्रीहरूको विवरण		ग.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	75 mm		646	646	665	
	90 mm		931	931	959	
	110 mm		1380	1380	1422	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m		67	67	69	
	25mm 3.50 mm thick 0.26kg/m		103	103	106	
	32mm 3.7 mm thick 0.230kg/m		164	164	169	
	40mm 5.50 mm thick 0.575kg/m		263	263	271	
	50mm 6.90 mm thick 0.896kg/m		411	411	423	
	63 mm 4.6 mm thick 0.638kg/m		646	646	665	
	75 mm		921	921	949	
	90 mm		1315	1315	1355	
	110 mm		1971	1971	2031	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m		78	78	80	
	25mm 4.20 mm thick 0.266kg/m		122	122	125	
	32mm 5.40 mm thick 0.434kg/m		199	199	205	
	40mm 6.70 mm thick 0.671kg/m		307	307	316	
	50mm 8.30 mm thick 1.04kg/m		477	477	491	
	63mm 8.6mm thick 1.04kg/m		757	757	780	
	75 mm		1073	1073	1106	
	90 mm		1540	1540	1587	
	110 mm		2296	2296	2366	
	PP-R Pipe Accessories :					
	Elbow (90°)					
	20mm	गोटा	10	10	10	
	25mm	"	20	20	20	
	32mm	गोटा	34	34	35	
	40mm	"	71	71	73	
	50mm	"	118	118	121	
	63 mm	"	209	209	215	
	75 mm	"	392	392	404	
	90 mm	"	662	662	682	
	110 mm	"	1232	1232	1270	
	Equal Tee					
	20mm	"	14	14	14	
	25mm	"	25	25	25	
	32mm	"	42	42	43	
	40mm	"	81	81	83	
	50mm	"	138	138	142	
	63mm	"	251	251	258	

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

बिनाद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT) भाडो (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	75 mm					
	90 mm	"	436	436	449	
	110 mm	"	798	798	822	
	Coupler	"	1385	1385	1427	
	20mm					
	25mm	घोटा	8	8	8	
	32mm	"	10	10	10	
	40mm	"	20	20	20	
	50mm	"	38	38	39	
	63 mm	"	64	64	65	
	75 mm	"	112	112	115	
	90 mm	"	218	218	224	
	110 mm	"	322	322	331	
	45 Degree Elbow	"	588	588	606	
	20 mm					
	25 mm	"	14	14	14	
	32 mm	"	22	22	22	
	40 mm	"	35	35	36	
	50 mm	"	64	64	65	
	63 mm	"	108	108	111	
	75 mm	"	178	178	183	
	90 mm	"	348	348	358	
	110 mm	"	588	588	606	
	Union (Plastic)		1027	1027	1058	
	20mm					
	25mm	घोटा	52	52	53	
	32mm	"	88	88	90	
	40mm	"	143	143	147	
	50mm	"	217	217	223	
	63mm	"	340	340	350	
	Reducing Coupler	"	406	406	418	
	25mm*20mm					
	32mm*20mm	"	15	15	15	
	32mm*25mm	"	18	18	18	
	40mm*20mm	"	20	20	20	
	40mm*25mm	"	30	30	30	
	40mm*32mm	"	31	31	31	
	50mm*20mm	"	42	42	43	
	50mm*25mm	"	56	56	57	
	50mm*32mm	"	54	54	55	
	50mm*40mm	"	61	61	62	
		"	65	65	67	

बिलोद कुमार खड्का
मुख्य निर्माण अधिकारी

सि.नं.	निर्माण सामाग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			केफियर
		आ.व.			
		२०८२/०८३	२०८३/०८४	२०८४/०८५	
	63mm*32mm	88	88	90	
	63mm*40mm	109	109	112	
	63mm*50mm	109	109	112	
	75mm*40mm	218	218	224	
	75mm*50mm	222	222	228	
	75mm*63mm	224	224	230	
	90mm*50mm	414	414	426	
	90mm*63mm	444	444	457	
	90mm*75mm	522	522	538	
	110mm*75mm	732	732	754	
	110mm*90mm	814	814	839	
	Reducing Tee				
	25*20*25 mm	26	26	26	
	32*20*32 mm	39	39	40	
	32*25*32 mm	42	42	43	
	40*20*40 mm	56	56	57	
	40*25*40 mm	63	63	64	
	40*32*40 mm	67	67	69	
	50*20*50 mm	85	85	87	
	50*25*50 mm	93	93	95	
	50*32*50 mm	126	126	129	
	50*40*50 mm	130	130	134	
	63*32*63 mm	196	196	202	
	63*40*63 mm	198	198	204	
	63*50*63 mm	207	207	213	
	75*50*75 mm	448	448	461	
	75*63*75 mm	469	469	483	
	90*63*90 mm	827	827	852	
	90*75*90 mm	914	914	942	
	110*75*110 mm	1480	1480	1525	
	110*90*110 mm	1524	1524	1571	
	Reducing Elbow				
	25mm*20mm	20	20	20	
	32mm*20mm	36	36	37	
	32mm*25mm	44	44	45	
	High Footed Pipe Clip				
	20mm	11	11	11	
	25mm	13	13	13	
	32mm	20	20	20	
	40mm	22	22	22	
	50mm	25	25	25	
	63 mm	33	33	34	

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
निजोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



भक्तपुर जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण भक्तपुर	एकाई	म.व.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Low Footed Pipe Clip					
	20mm					
	25mm	"	5	5	5	
	32mm	"	6	6	6	
	40mm	"	13	13	13	
	50mm	"	17	17	17	
	63 mm	"	27	27	27	
	"Y" type Pipe Clip	"	35	35	36	
	20mm					
	25mm	"	17	17	17	
	32mm	"	20	20	20	
	40 mm	"	25	25	25	
	End Plug (short)		49	49	50	
	20mm					
	25mm	"	5	5	5	
	32mm	"	9	9	9	
	End Plug with Ring	"	12	12	12	
	20mm					
	End Plug (long)	"	20	20	20	
	20mm					
	End Cap	"	8	8	8	
	20mm					
	25mm	"	11	11	11	
	32mm	"	17	17	17	
	40mm	"	26	26	26	
	50mm	"	39	39	40	
	63 mm	"	69	69	71	
	75 mm	"	133	133	137	
	Cross Tee	"	213	213	219	
	20mm					
	25mm	"	23	23	23	
	32mm	"	35	35	36	
	Short Passover	"	59	59	60	
	20mm					
	25mm	"	67	67	69	
	32mm	"	96	96	98	
	Long Bypass	"	149	149	153	
	20mm					
	25mm	"	77	77	79	
	32mm	"	126	126	129	
	Male Tee	"	185	185	190	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



राष्ट्रिय योजना
मन्त्रालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			क्षेपित
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	20mmx1/2"	भक्तपुर	126	126	129	
	25mmx1/2"	"	133	133	137	
	25mmx3/4"	"	159	159	163	
	32mmx1/2"	"	192	192	197	
	32mmx3/4"	"	200	200	206	
	32mmx1"	"	347	347	357	
	Female Tee					
	20mmx1/2"	"	102	102	105	
	25mmx1/2"	"	133	133	137	
	25mmx3/4"	"	155	155	159	
	32mmx1/2"	"	152	152	156	
	32mmx3/4"	"	179	179	184	
	32mmx1"	"	300	300	309	
	Male elbow					
	20mmx1/2"	"	121	121	124	
	25mmx1/2"	"	133	133	137	
	25mmx3/4"	"	163	163	168	
	32mmx1/2"	"	194	194	199	
	32mmx3/4"	"	218	218	224	
	32mmx1"	"	361	361	372	
	Female elbow					
	20mmx1/2"	"	99	99	102	
	25mmx1/2"	"	131	131	135	
	25mmx3/4"	"	133	133	137	
	32mmx1/2"	"	178	178	183	
	32mmx3/4"	"	209	209	215	
	32mmx1"	"	293	293	302	
	Male Coupling					
	20mmx1/2"	"	118	118	121	
	20mmx3/4"	"	124	124	127	
	25mmx1/2"	"	143	143	147	
	25mmx3/4"	"	165	165	170	
	32mmx1/2"	"	149	149	153	
	32mmx3/4"	"	159	159	163	
	32mmx1"	"	319	319	328	
	40mmx1-1/4"	"	539	539	555	
	50mmx1-1/2"	"	812	812	837	
	63mmx2"	"	1072	1072	1105	
	75mmx2-1/2"	"	2664	2664	2746	
	Female Coupling					
	20mmx1/2"	"	96	96	98	

[Signature]

[Signature]

[Signature]

बिनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ग.अ.क. (VAT) बाहेक (रु.)			कीफायत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	20mmx3/4"					
	25mmx1/2"	"	113	113	116	
	25mmx3/4"	"	126	126	129	
	32mmx1/2"		128	128	131	
	32mmx3/4"	"	108	108	111	
	32mmx1"	"	116	116	119	
	40mmx1-1/4"	"	273	273	281	
	50mmx1-1/2"	"	473	473	487	
	63mmx2"	"	613	613	631	
	75mmx2-1/2"		821	821	846	
	Male Union	"	1877	1877	1934	
	20mmx1/2"					
	25mmx3/4"	"	266	266	274	
	32mmx1"	"	382	382	393	
	40mmx1 1/4"	"	561	561	578	
	50mmx1/2"	"	1010	1010	1041	
	63mmx2"	"	1350	1350	1391	
	Female Union	"	3483	3483	3590	
	20mmx1/2"					
	25mmx3/4"	"	256	256	263	
	32mmx1"	"	332	332	342	
	40mmx1 1/4"	"	537	537	553	
	50mmx1/2"	"	740	740	762	
	63mmx2"	"	1265	1265	1304	
	Stop Valve	"	2307	2307	2378	
	a) 20 mm					
	b) 25 mm	"	306	306	315	
	c) 32 mm	"	404	404	416	
	d) 40mm	"	488	488	503	
	e) 50 mm	"	522	522	538	
	f) 63 mm	"	870	870	896	
	Male base elbow	"	1308	1308	1348	
	20mm x 1/2"					
	25mm x 3/4"	"	138	138	142	
	Female base elbow	"	170	170	175	
	20mm x 1/2"					
	25mm x 1/2"	"	135	135	139	
	25mm x 3/4"	"	166	166	171	
	Metal Ball valve (double)	"	163	163	168	
	20mmx1/2"	"	566	566	583	

विनोद कुमार
प्रमुख निरीक्षक
आधिकारिक



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	म.अ.क. (VAT) माहक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	25mmx3/4"	"	829	829	854	
	32mmx1"	"	1024	1024	1055	
	40mmx1-1/4"	"	2915	2915	3005	
	50mmx1-1/2"	"	4005	4005	4128	
	Metal Ball valve (Single)					
	20mmx1/2"	"	522	522	538	
	25mmx3/4"	"	836	836	861	
	32mmx1"	"	1154	1154	1189	
	Conceal Valve (Lux)					
	20mm	"	977	977	1007	
	Conceal Valve (Nor)					
	20mm	"	822	822	847	
	Ball Valve (Plastic)					
	20mm	"	83	83	85	
	25mm	"	113	113	116	
	32mm	"	196	196	202	
	40mm	"	417	417	429	
	50mm	"	605	605	623	
	63 mm	"	1024	1024	1055	
	Ball Valve (Brass)					
	20mm	"	300	300	309	
	25mm	"	370	370	381	
	32mm	"	503	503	518	
	40mm	"	831	831	856	
15	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia Rm		118	118	121	
	3/4" dia "		165	165	170	
	1" dia "		216	216	222	
	1-1/4" dia "		269	269	277	
	1-1/2" dia "		376	376	387	
	2" dia "		575	575	592	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia "		137	137	141	
	3/4" dia "		183	183	188	
	1" dia "		256	256	263	

[Signature]

[Signature]

[Signature]

[Signature]
विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



नेपाल सरकार
राष्ट्रिय योजना आयोग
निम्नानुसारको विवरण

सि.नं.	निर्माण सामग्रीहरूको विवरणअनुसार	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	1-1/4" dia	"	309	309	318	
	1-1/2" dia	"	430	430	443	
	2" dia	"	698	698	719	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	376	376	387	
	3/4"	"	501	501	516	
	1"	"	605	605	623	
	1-1/4"	"	1412	1412	1455	
	1-1/2"	"	1692	1692	1744	
	2"	"	2181	2181	2248	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"	142	142	146	
	1" X 1/2"	"	186	186	191	
	CPVC Tee	गोटा				
	1/2"	"	37	37	38	
	3/4"	"	79	79	81	
	1"	"	121	121	124	
	1-1/4"	"	227	227	234	
	1-1/2"	"	330	330	340	
	2"	"	707	707	728	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	"	73	73	75	
	3/4" x 3/4" x 1/2"	"	110	110	113	
	3/4" x 1/2" x 3/4"	"	138	138	142	
	3/4" x 1/2" x 1/2"	"	158	158	162	
	1" x 1" x 3/4"	"	166	166	171	
	1-1/2" x 1-1/2" x 1"	"	258	258	265	
	2" x 2" x 1"	"	449	449	462	
	1-1/4" x 1-1/4" x 1/2"	"	146	146	150	
	1-1/4" x 1-1/4" x 1"	"	158	158	162	
	2" x 2" x 1/2"	"	441	441	454	
	1" x 1" x 1/2"	"	103	103	106	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	"	124	124	127	
	3/4" x 3/4" x 1/2"	"	129	129	132	
	1" x 1" x 1/2"	"	143	143	147	
	1-1/4" x 1-1/4" x 1-1/4"	"	516	516	534	

77

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण		म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	1-1/4" x 1-1/4" x 1/2"	गोटा	280	280	288	
	CPVC Elbow 90°					
	1/2"	"	26	26	26	
	3/4"	"	54	54	55	
	1"	"	98	98	101	
	1-1/4"	"	185	185	190	
	1-1/2"	"	275	275	283	
	2"	"	590	590	608	
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		54	54	55	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"	86	86	88	
	3/4" x 1/2"	"	100	100	103	
	3/4" x 3/4"	"	114	114	117	
	1" X 1/2"	"	221	221	227	
	1" X 1"	"	614	614	632	
	1-1/4" x 1-1/4"	"	797	797	821	
	CPVC Elbow 45°	गोटा				
	1/2"	"	31	31	31	
	3/4"	"	56	56	57	
	1"	"	80	80	82	
	1-1/4"	"	140	140	144	
	1-1/2"	"	203	203	209	
	2"	"	440	440	453	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"	23	23	23	
	3/4"	"	40	40	41	
	1"	"	61	61	62	
	1-1/4"	"	109	109	112	
	1-1/2"	"	153	153	157	
	2"	"	299	299	308	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	"	42	42	43	
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	212	212	218	
	3/4"	"	275	275	283	
	1"	"	434	434	447	

विनोद कुमार खड्का
जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.म.	म.भ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	1-1/4"	"	953	953	982	
	1-1/2"	"	1113	1113	1147	
	2"	"	2290	2290	2360	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	236	236	243	
	CPVC Female Adapter (CPVC Threads)					
	1/2"		32	32	32	
	3/4"		53	53	54	
	1"		79	79	81	
	CPVC Female Adapters Brass Threads	मोटा				
	1/2"	"	204	204	210	
	3/4"	"	277	277	285	
	1"	"	360	360	371	
	1-1/4"	"	945	945	974	
	1-1/2"	"	1050	1050	1082	
	2"	"	2054	2054	2117	
	CPVC Caps					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	38	38	39	
	1-1/4"	"	74	74	76	
	1-1/2"	"	109	109	112	
	2"	"	232	232	239	
	CPVC Union					
	1/2"	"	279	279	287	
	3/4"	"	410	410	422	
	1"	"	485	485	499	
	1-1/4"	"	888	888	915	
	1-1/2"	"	971	971	1001	
	2"	"	1393	1393	1436	
	CPVC Cross Tee					
	1/2"	"	51	51	52	
	3/4"	"	109	109	112	
	CPVC Step Over Bend					
	1/2"	"	65	65	67	
	3/4"	"	107	107	110	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	681	681	702	

विनिर्देश अनुसार खसका
प्रमुख निरीक्षक/अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) माहक (रु.)			क्षेत्रफल
		आ.व.			
		२०८१/०८२	२०८२/०८३	२०८३/०८४	
	3/4"	829	829	854	
	1"	949	949	978	
	1-1/4"	1935	1935	1994	
	1-1/2"	2462	2462	2538	
	2"	3167	3167	3264	
	CPVC Flow Guard Adhesive Solution				
	50ML	205	205	211	
	118ML	339	339	349	
	237ML	549	549	565	
	473ML	863	863	889	
	946ML	1515	1515	1561	
	Plastic Strap				
	1/2"	5	5	5	
	3/4"	6	6	6	
	1"	8	8	8	
	1-1/4"	12	12	12	
	1-1/2"	15	15	15	
	2"	19	19	19	
	Metal Strap				
	1/2"	13	13	13	
	3/4"	17	17	17	
	1"	21	21	21	
	1-1/4"	25	25	25	
	1-1/2"	28	28	28	
	2"	30	30	30	
	Tee Holder				
	1/2" X 1/2" X 1/2"	6	6	6	
	3/4" X 3/4" X 1/2"	8	8	8	
	Elbow Holder				
	1/2" X 1/2"	6	6	6	
	1/2" X 3/4"	7	7	7	
	Snap Fix Repair Coupling				
	1/2"	236	236	243	
	3/4"	256	256	263	
	End plug threaded 1/2"	12	12	12	
16	MS SEAMLESS PIPES				

[Handwritten signatures]

[Handwritten signature]
 विनोद कुमार खड्का
 प्रमुख जिला अधिकारी



Bhaktapur District Rate for FY 2083/84

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ग.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"				
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	466	466	480	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	558	558	575	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	700	700	721	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	864	864	890	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	989	989	1019	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1270	1270	1309	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	1952	1952	2012	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2555	2555	2633	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3301	3301	3403	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	3637	3637	3749	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	4925	4925	5077	
17	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)		6393	6393	6590	
	Single Socket (R/R)	Mtr				
	Single Socket (R/R)	"	465	465	479	
	Single Socket (R/R)	"	863	863	889	
	Single Socket Self Fit	"	930	930	958	
	Single Socket Self Fit	"	1199	1199	1236	
	Single Socket Self Fit	"	1466	1466	1511	
	Single Socket Self Fit	"	2015	2015	2077	
	Single Socket Self Fit	"	2371	2371	2444	
	Single Socket Self Fit	"	3167	3167	3264	
	Long Radius Bend - 45 Degree	Pc	3774	3774	3890	
	Long Radius Bend - 45 Degree	"	1227	1227	1264	
	Long Radius Bend - 45 Degree	"	2240	2240	2309	
	Long Radius Bend - 45 Degree	"	4044	4044	4168	
	Long Radius Bend - 60 Degree	"	7841	7841	8083	
	Long Radius Bend - 60 Degree	"	1351	1351	1392	
	Long Radius Bend - 60 Degree	"	2477	2477	2553	
	Long Radius Bend - 60 Degree	"	4543	4543	4683	
	Long Radius Bend - 60 Degree	"	8603	8603	8868	
	Long Radius Bend - 90 Degree	"	663	663	683	

विनोद कुमार
प्रमुख जिल्ला इन्जिनियर

सि.नं.	निर्माण सामाग्रीहरूको विवरण		म.अ.क. (VAT) माहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Long Radius Bend - 90 Degree	१६०१	१६०१	१६५०		
	Long Radius Bend - 90 Degree	२९५३	२९५३	३०४४		
	Long Radius Bend - 90 Degree	५५२२	५५२२	५६९२		
	Long Radius Bend - 90 Degree	१०१७४	१०१७४	१०४८८		
	Fab. Coupler	१९१	१९१	१९६		
	Fab. Coupler	४५७	४५७	४७१		
	Fab. Coupler	९८५	९८५	१०१५		
	Fab. Coupler	१९२६	१९२६	१९८५		
	Fab. Coupler	३५४३	३५४३	३६५२		
	End Cap	४०८	४०८	४२०		
	End Cap	६७१	६७१	६९१		
	End Cap	१०७१	१०७१	११०४		
	End Cap	१५६४	१५६४	१६१२		
	Equal Tee	११६७३	११६७३	१२०३३		
	Equal Tee	६७१८	६७१८	६९२५		
	Equal Tee	३७२९	३७२९	३८४४		
	Gully Trap with grating	१०९०	१०९०	११२३		
	Rodding Point	६४६	६४६	६६५		
	Adjustable Bend 7 Degree to 37.5 Degree	६८९	६८९	७१०		
	Adjustable Bend 7 Degree to 87.5 Degree	९४५	९४५	९७४		
	Inspection Chamber Body	३३९९	३३९९	३५०४		
	Inspection Chamber Riser	१६८८	१६८८	१७४०		
	Inspection Chamber Lid with Cover	३२०५	३२०५	३३०४		
	Inspection Chamber Body	९३८५	९३८५	९६७४		
	Inspection Chamber Riser	२९८४	२९८४	३०७६		
	Inspection Chamber Lid with Cover	४९८०	४९८०	५१३३		
	Concealled Cisterns 9cm	७६५४	७६५४	७८९०		
	Concealled Cisterns Kombo fix 8cm	९३७६	९३७६	९६६५		
	Dual Flush Actuator Plate Shiny Chrome	३७५५	३७५५	३८७१		
	Concealled Cisterns 12cm	९४१५	९४१५	९७०५		
	Dual Flush Actuator Plate Shiny Chrome	३७५५	३७५५	३८७१		
	Traps for Wash Basins	१०३५	१०३५	१०६६		
	Sensor for Urinal 9V DC	२६५३७	२६५३७	२७३५६		
	Sensor for Urinal 230V AC	२६५३७	२६५३७	२७३५६		
	control box for urinal sensor	७२९०	७२९०	७५१५		
	Sensor Faucet Cold / Mixed water 6V DC	३३१२४	३३१२४	३४१४७		



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकई	म.अ.क. (VAT) बाहेक (रु.)			वैकल्पिक
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Sensor Faucet Cold / Mixed water 230V AC	"	33124	33124	34147	
18	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	118	118	121	
	3/4" dia. (33.75 Kg/cm2)	"	151	151	155	
	1" dia. (31.64 Kg/cm2)	"	233	233	240	
	1-1/4" dia. (26.01 Kg/cm2)	"	287	287	295	
	1-1/2" dia. (23.20 Kg/cm2)	"	352	352	362	
	2" dia. (19.69 Kg/cm2)	"	500	500	515	
	2-1/2" dia. (21.09 Kg/cm2)	"	698	698	719	
	3" dia. (18.28 Kg/cm2)	"	882	882	909	
	4" dia. (15.47 Kg/cm2)	"	1294	1294	1333	
	6" dia. (12.66 Kg/cm2)	"	2695	2695	2778	
	PVC Tee - Soc	गोटा				
	1/2"	"	32	32	32	
	3/4"	"	45	45	46	
	1"	"	71	71	73	
	1-1/4"	"	112	112	115	
	1-1/2"	"	147	147	151	
	2"	"	227	227	234	
	2-1/2"	"	652	652	672	
	3"	"	856	856	882	
	4"	"	1548	1548	1595	
	6"	"	8586	8586	8851	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	"	65	65	67	
	1 x 1/2	"	100	100	103	
	1 x 3/4	"	100	100	103	
	1-1/2 X 1/2	"	339	339	349	
	1-1/2 X 3/4	"	339	339	349	
	1-1/2 X 1	"	339	339	349	
	1-1/2 X 1-1/4	"	339	339	349	

विभागीय कार्यालय
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८२/०८३	२०८३/०८४	
	2 X 1/2	"	418	430	
	2 X 3/4	"	418	430	
	2 X 1	"	418	430	
	2 X 1-1/4	"	418	430	
	2 X 1-1/2	"	418	430	
	2-1/2 X 1/2	"	1074	1107	
	2-1/2 X 3/4	"	1074	1107	
	2-1/2 X 1	"	1074	1107	
	2-1/2 X 1-1/4	"	1074	1107	
	2-1/2 X 1-1/2	"	1074	1107	
	2-1/2 X 2	"	1074	1107	
	3 X 1/2	"	1568	1616	
	3 X 3/4	"	1568	1616	
	3 X 1	"	1568	1616	
	3 X 1-1/4	"	1568	1616	
	3 X 1-1/2	"	1568	1616	
	3 X 2	"	1568	1616	
	3 X 2-1/2	"	1568	1616	
	6 X 1-1/4	"	8248	8502	
	6 X 1-1/2	"	8248	8502	
	6 X 2	"	8248	8502	
	6 X 2-1/2	"	8248	8502	
	6 X 3	"	8248	8502	
	6 X 4	"	8248	8502	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"	"	166	171	
	3/4"	"	300	309	
	3/4" X 1/2"	"	244	251	
	1" X 1/2"	"	433	446	
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	27	27	
	3/4"	"	31	31	
	1"	"	55	56	
	1-1/4"	"	95	97	
	1-1/2"	"	112	115	
	2"	"	172	177	
	2-1/2"	"	511	526	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



Bhaktapur District Rate for FY 2083/84

भक्तपुर जिल्ला
नगर कार्यलय
सिन्धुली नगरपालिका

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			वै.फ.यत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	3"	"	612	612	630	
	4"	"	1252	1252	1290	
	6"	"	5275	5275	5437	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	"	178	178	183	
	3/4"	"	249	249	256	
	3/4" X 1/2"	"	258	258	265	
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	57	57	58	
	3/4"	"	88	88	90	
	1"	"	105	105	108	
	1-1/4"	"	147	147	151	
	1-1/2"	"	185	185	190	
	2"	"	241	241	248	
	2-1/2"	"	689	689	710	
	3"	"	1071	1071	1104	
	4"	"	1922	1922	1981	
	6"	"	5289	5289	5452	
	PVC Coupling - Soc	गोटा				
	1/2"	"	18	18	18	
	3/4"	"	27	27	27	
	1"	"	43	43	44	
	1-1/4"	"	57	57	58	
	1-1/2"	"	78	78	80	
	2"	"	121	121	124	
	2-1/2"	"	254	254	261	
	3"	"	398	398	410	
	4"	"	622	622	641	
	6"	"	2493	2493	2570	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	44	44	45	
	1 X 3/4	"	75	75	77	
	1-1/2 X 1-1/4	"	134	134	138	
	2 X 1-1/2	"	214	214	220	
	4 x 2	"	1434	1434	1478	
	4 X 3	"	1434	1434	1478	
	6 X 4	"	2982	2982	3074	

85

विनायद कुमार खड्का
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण		म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	PVC Reducer Bushing - (Flush Style)					
	3/4 X 1/2	"	36	36	37	
	1 X 1/2	"	51	51	52	
	1 X 3/4	"	51	51	52	
	1-1/4 X 1/2	"	88	88	90	
	1-1/4 X 3/4	"	88	88	90	
	1-1/4 X 1	"	88	88	90	
	1-1/2 X 1/2	"	93	93	95	
	1-1/2 X 3/4	"	93	93	95	
	1-1/2 X 1	"	93	93	95	
	1-1/2 X 1-1/4	"	93	93	95	
	2 X 1/2	"	170	170	175	
	2 X 3/4	"	170	170	175	
	2 X 1	"	170	170	175	
	2 X 1-1/4	"	170	170	175	
	2 X 1-1/2	"	170	170	175	
	2-1/2 X 1-1/4	"	239	239	246	
	2-1/2 X 1-1/2	"	239	239	246	
	2-1/2 X 2	"	239	239	246	
	3 X 1-1/2	"	354	354	364	
	3 X 2	"	354	354	364	
	3 X 2-1/2	"	354	354	364	
	4 X 2	"	696	696	717	
	4 X 3	"	696	696	717	
	6 X 2	"	2339	2339	2411	
	6 X 3	"	2339	2339	2411	
	6 X 4	"	2339	2339	2411	
	PVC Cap - Soc	मोटा				
	1/2"	"	25	25	25	
	3/4"	"	31	31	31	
	1"	"	44	44	45	
	1-1/4"	"	62	62	63	
	1-1/2"	"	68	68	70	
	2"	"	82	82	84	
	2-1/2"	"	261	261	269	
	3"	"	286	286	294	
	4"	"	652	652	672	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) माहक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	6" PVC Union - Soc With EPDM O-Ring Seal	गोटा	2573	2573	2652	
	1/2"	"	261	261	269	
	3/4"	"	299	299	308	
	1"	"	307	307	316	
	1-1/4"	"	989	989	1019	
	1-1/2"	"	1031	1031	1062	
	2"	"	1391	1391	1433	
	2-1/2"	"	1946	1946	2006	
	3"	"	3108	3108	3204	
	4" PVC Male Adaptor - Soc x MBSP	गोटा	4303	4303	4435	
	1/2"	"	47	47	48	
	3/4"	"	56	56	57	
	1"	"	73	73	75	
	1-1/4"	"	90	90	92	
	1-1/2"	"	124	124	127	
	2"	"	160	160	164	
	2-1/2"	"	562	562	579	
	3"	"	667	667	687	
	4"	"	1056	1056	1088	
	6" PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा	2430	2430	2505	
	1/2"	"	270	270	278	
	3/4"	"	361	361	372	
	1" PVC Female Adaptor - Soc x FBSP	गोटा	542	542	558	
	1/2"	"	61	61	62	
	3/4"	"	63	63	64	
	1"	"	66	66	68	
	1-1/4"	"	171	171	176	
	1-1/2"	"	252	252	259	
	2" PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा	245	245	252	
	1/2"	"	226	226	232	
	3/4"	"	321	321	330	
	1"	"	411	411	423	



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	आ.व.			क्षेत्रफल
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	PVC Ball Valve - Soc					
	1/2" "		908	908	936	
	3/4" "		1079	1079	1112	
	1" "		1510	1510	1556	
	1-1/4" "		2044	2044	2107	
	1-1/2" "		3118	3118	3214	
	2" "		3943	3943	4064	
	2-1/2" "		6513	6513	6714	
	3" "		10318	10318	10636	
	4" "		17052	17052	17578	
	6" "		37040	37040	38184	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML "		315	315	324	
	237ML "		452	452	465	
	473ML "		819	819	844	
	946ML "		1347	1347	1388	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML "		507	507	522	
	237ML "		668	668	688	
	473ML "		1172	1172	1208	
	946ML "		2028	2028	2090	
19	Rainwater Collection System					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	164	164	169	
	JOINT BRACKET To connect two lengths of roof water	Pc.	264	264	272	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	362	362	373	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	445	445	458	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कीफायत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	445	445	458	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	98	98	101	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	314	314	323	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	79	79	81	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	52	52	53	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	80	80	82	
	RUBBER GASKET To provide leak proof joints.	Pc.	31	31	31	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	65	65	67	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	39	39	40	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	130	130	134	

खड्का
अधिका
विनोद
प्रमुख
जिह्ला



सि.नं.	निर्माण सामग्रीहरूको विवरण		म.अ.क. (VAT) माहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	320	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	380	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	533	533	549	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	610	610	628	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	610	610	628	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	145	145	149	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	437	437	450	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	111	111	114	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	94	94	96	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	53	53	54	

[Signature]

[Signature]

[Signature]

[Signature]
विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.ब.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	113	113	116	
	RUBBER GASKET To provide leak proof joints.	Pc.	42	42	43	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70	70	72	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	45	45	46	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	250	250	257	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	603	603	621	
	JOINT BRACKET To connect two lengths of roof water	Pc.	632	632	651	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	994	994	1024	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1429	1429	1473	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1429	1429	1473	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	311	311		

विनोद कुमार खड्का
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण		म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	826	826	851	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	309	309	318	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	169	169	174	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	125	125	128	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	327	327	337	
	RUBBER GASKET To provide leak proof joints.	Pc.	171	171	176	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	84	84	86	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	197	197	203	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	451	451	464	
20	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	261	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	451	451	464	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	278	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	498	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	475	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	714	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	502	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	717	717	739	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	1018	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1084	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1433	
	FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	144	144	148	
	DWV Bend 87.5 Degree	"	183	183	188	
	DWV Bend 87.5 Degree with Door	"	84	84	86	
	DWV Socket Plug	"	195	195	201	
	DWV Cleansing Pipe	"	117	117	120	
	DWV Coupler	"	208	208	214	
	DWV Single Tee	"	228	228	235	
	DWV Single Tee with Door	"	360	360	371	
	DWV Cross Tee	"	506	506	521	
	DWV Cross Tee with Door	"	372	372	383	
	DWV Double 'Y'	"	496	496	511	
	DWV Double 'Y' with Door	"	232	232	239	
	DWV Single 'Y'	"	297	297	306	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	237	237	244	
	DWV Bend 45 Degree 110mm size	"	291	291	299	
	DWV Bend 87.5 Degree	"	332	332	342	
	DWV Bend 87.5 Degree with Door	"	106	106	109	
	DWV Socket Plug	"	381	381	392	
	DWV Cleansing Pipe	"	212	212	218	

बिनाद कुमार
प्रमुख निर्माण अधिकारी

सि.नं.		निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (र.)	आ.व.			क्षेत्रफल
				२०८१/०८२	२०८२/०८३	२०८३/०८४	
		DWV Coupler		705	705	726	
		DWV Double "Y"		832	832	857	
		DWV Double "Y" with Door		583	583	601	
		DWV Cross Tee		661	661	681	
		DWV Cross Tee with Door		381	381	392	
		DWV Single Tee		450	450	463	
		DWV Single Tee with Door		467	467	481	
		DWV Single "Y"		489	489	504	
		DWV Single "Y" with Door		48	48	49	
		DWV Vent Cowel		166	166	171	
		DWV Reducer 110*75 mm		37	37	38	
		DWV Pipe Clip 110mm size		449	449	462	
		DWV W.C. Connectore (Straight type)		359	359	370	
		DWV W.C. Connectore (Bend type)		179	179	184	
		DWV Nahani Trap - 3" Height without Jali 75 mm		24	24	24	
		DWV Nahani Trap Jali		555	555	572	
		DWV P-Trap with Leap Ring 10*110 mm		796	796	820	
		DWV P-Trap with Leap Ring 25*110 mm		239	239	246	
		DWV Multi Floor Trap 4" w/o Jali 75 mm		484	484	498	
		DWV Reducer 60*110 mm		463	463	477	
		DWV Coupler 160mm size		1109	1109	1143	
		DWV Single Tee		1192	1192	1228	
		DWV Single Tee with Door		2076	2076	2140	
		DWV Single "Y"		2181	2181	2248	
		DWV Single "Y" with Door		764	764	787	
		DWV Bend 87.5 Degree		1018	1018	1049	
		DWV Bend 87.5 Degree with Door		890	890	917	
		FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
		FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	602	602	620	
		FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	643	
		FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	669	
		FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	611	611	629	
		FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	622	622	641	
		FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	1144	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.अ.क. (VAT) बाहेक (रु.)			कीफायत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	1188	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	1235	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1129	1129	1163	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1149	1149	1184	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1739	1739	1792	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1769	1769	1823	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1799	1799	1854	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2885	2885	2974	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2935	2935	3025	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2986	2986	3078	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3820	3820	3938	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3886	3886	4006	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3953	3953	4075	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4720	4720	4865	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4803	4803	4951	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4885	4885	5035	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	601	601	619	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	616	616	635	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	631	631	650	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	612	612	630	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	623	623	642	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1109	1109	1143	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1142	1142	1177	

विनोद कुमार कटुवाल
प्रमुख विनिर्माण अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			क्षैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1174	1174	1210	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1130	1130	1164	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1149	1149	1184	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1739	1739	1792	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1769	1769	1823	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1800	1800	1855	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2885	2885	2974	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2935	2935	3025	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2985	2985	3077	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3820	3820	3938	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3886	3886	4006	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3953	3953	4075	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4720	4720	4865	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4803	4803	4951	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4885	4885	5035	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	303	303	312	
	DWV Coupler SN-4 160 mm	"	729	729	751	
	DWV Coupler SN-4 200 mm	"	1491	1491	1537	
	DWV Coupler SN-4 250 mm	"	2778	2778	2863	
	DWV Coupler SN-2 315mm	"	4468	4468	4606	
	DWV Coupler SN-4 315 mm	"	4878	4878	5028	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1031	1031	1062	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2870	2870	2958	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5361	5361	5526	

बिनाद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.अ.क (VAT) बाहेक (रु.)			वैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	12018	12018	12389	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	28536	28536	29417	
21	Multilayer Composite Pipe					
	Cold Water Pipe (White)					
	12-16 mm ½"					
	14-18 mm ½"	Rm	104	104	107	
	16-20 mm ½"	"	114	114	117	
	20-25 mm ¾"	"	122	122	125	
	26-32 mm 1"	"	186	186	191	
	32-40 mm 1¼"	"	290	290	298	
	41-50 mm 1½"	"	459	459	473	
		"	673	673	693	
	Hot Water Pipe (Orange)					
	12-16 mm ½"					
	14-18 mm ½"	Rm	114	114	117	
	16-20 mm ½"	"	126	126	129	
	20-25 mm ¾"	"	145	145	149	
	26-32 mm 1"	"	214	214	220	
	32-40 mm 1¼"	"	311	311	320	
		"	479	479	493	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"					
	14-18 mm ½"	Rm	90	90	92	
		"	90	90	92	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	137	137	141	
	½"ø (18mm ø)	"	145	145	149	
	½"ø (20mm ø)	"	159	159	163	
	¾"ø (25 mm ø)	"	232	232	239	
	1"ø (32 mm ø)	"	362	362	373	
	1¼"ø (40 mm ø)	"	1335	1335	1376	
	1½"ø (50 mm ø)	"	2016	2016	2078	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	260	260	268	
	25 - 18 mm ø	"	269	269	277	
	25 - 20 mm ø	"	283	283	291	
	32 - 16 mm ø	"	348	348	358	
	32 - 18 mm ø	"	366	366	377	
	32 - 20 mm ø	"	394	394	406	



भक्तपुर जिल्ला
सुदूरपश्चिम प्रदेश

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहेक (र.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	32 - 25 mm ϕ	भरामा	422	422	435	
	40 - 32 mm ϕ	"	1154	1154	1189	
	50 - 20 mm ϕ	"	1683	1683	1735	
	50 - 32 mm ϕ	"	2016	2016	2078	
	50 - 40 mm ϕ	"	1900	1900	1958	
	c. Male Union					
	16mm x 1/2"M	गोटा	97	97	99	
	18mm x 1/2"M	"	113	113	116	
	20mm x 1/2"M	"	130	130	134	
	25mm x 1/2"M	"	158	158	162	
	25mm x 3/4"M	"	199	199	205	
	25mm x 1"M	"	255	255	262	
	32mm x 3/4"M	"	292	292	301	
	32mm x 1"M	"	320	320	329	
	32mm x 1 1/2"M	"	324	324	334	
	40mm x 1"M	"	1024	1024	1055	
	40mm x 1 1/2"M	"	1060	1060	1092	
	50mm x 1"M	"	1610	1610	1659	
	50mm x 1 1/4"M	"	1638	1638	1688	
	50mm x 1 1/2"M	"	2225	2225	2293	
	50mm x 2"M	"	1671	1671	1722	
	d. Female Straight Union					
	16mm x 1/2"F	गोटा	107	107	110	
	18mm x 1/2"F	"	116	116	119	
	20mm x 1/2"F	"	126	126	129	
	25mm x 1/2"F	"	167	167	172	
	25mm x 3/4"F	"	199	199	205	
	25mm x 1"F	"	204	204	210	
	32mm x 1/2"F	"	209	209	215	
	32mm x 3/4"F	"	213	213	219	
	32mm x 1"F	"	301	301	310	
	40mm x 1 1/2"F	"	1203	1203	1240	
	50mm x 1 1/4"F	"	1622	1622	1672	
	50mm x 1 1/2"F	"	2225	2225	2293	
	50mm x 2"F	"	1687	1687	1739	
	e. Equal Elbow					
	1/2" ϕ (16mm ϕ)	गोटा	130	130	134	
	1/2" ϕ (18mm ϕ)	"	158	158	162	
	1/2" ϕ (20mm ϕ)	"	213	213	219	
	3/4" ϕ (25 mm ϕ)	"	324	324	334	
	1" ϕ (32 mm ϕ)	"	524	524	540	

बिनोद कुमार खड्का
माल्ख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण संलग्न तालिका अनुसार नक्सासहित	एकाई	मू.अ.क. (VAT) बाहेक (र.)			वैकल्पिक
			आ.ब.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	1¼" ø (40 mm ø)	"	1706	1706	1758	
	1½" ø (50 mm ø)	"	2642	2642	2723	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1891	1891	1949	
	50 - 20 mm ø	"	2178	2178	2245	
	50 - 40 mm ø	"	2220	2220	2288	
	g. Female Elbow					
	16mm x ½"F	मोटा	171	171	176	
	18mm x ½"F	"	190	190	195	
	20mm x ½"F	"	209	209	215	
	25mm x ½"F	"	232	232	239	
	25mm x ¾"F	"	287	287	295	
	25mm x 1"F	"	315	315	324	
	32mm x ¾"F	"	339	339	349	
	32mm x 1"F	"	422	422	435	
	50mm x 1¼"F	"	2178	2178	2245	
	h. Male Elbow					
	25mm x ¾"M	"	232	232	239	
	25mm x 1"M	"	301	301	310	
	32mm x ¾"M	"	228	228	235	
	32mm x 1"M	"	385	385	396	
	40mm x 1"M	"	1251	1251	1289	
	50mm x 1"M	"	1784	1784	1839	
	i. Equal Tee					
	½"ø (16mm ø)	मोटा	232	232	239	
	½"ø (18mm ø)	"	260	260	268	
	½"ø (20mm ø)	"	324	324	334	
	¾" ø (25 mm ø)	"	468	468	482	
	1" ø (32 mm ø)	"	732	732	754	
	1¼" ø (40 mm ø)	"	2737	2737	2821	
	1½" ø (50 mm ø)	"	4000	4000	4123	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	209	209	215	
	20 mm x 18 mm x 20 mm	"	232	232	239	
	25 mm x 16 mm x 25 mm	"	348	348	358	
	25 mm x 18 mm x 25 mm	"	394	394	406	
	25 mm x 20 mm x 25 mm	"	408	408	420	
	32 mm x 16 mm x 32 mm	"	672	672	692	
	32 mm x 18 mm x 32 mm	"	695	695	716	
	32 mm x 20 mm x 32 mm	"	723	723	745	
	32 mm x 25 mm x 32 mm	"	742	742	764	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	40 mm x 32 mm x 32 mm	"	2025	2025	2087	
	40 mm x 32 mm x 40 mm	"	2346	2346	2418	
	50 mm x 20 mm x 50 mm	"	3198	3198	3296	
	50 mm x 32 mm x 32 mm	"	2108	2108	2173	
	50 mm x 32 mm x 50 mm	"	3231	3231	3330	
	50 mm x 40 mm x 40 mm	"	3242	3242	3342	
	50 mm x 40 mm x 50 mm	"	3702	3702	3816	
	k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	232	232	239	
	18mm x 1/2"F x 18mm	"	241	241	248	
	20mm x 1/2"F x 20mm	"	260	260	268	
	25mm x 1/2"F x 25mm	"	244	244	251	
	25mm x 3/4"F x 25mm	"	269	269	277	
	25mm x 1"F x 25mm	"	349	349	359	
	32mm x 1/2"F x 32mm	"	375	375	386	
	32mm x 3/4"F x 32mm	"	385	385	396	
	32mm x 1"F x 32mm	"	522	522	538	
	40mm x 3/4"F x 32mm	"	1541	1541	1588	
	50mm x 3/4"F x 40mm	"	2286	2286	2356	
	l. Equal Ball Valve Union					
	1/2"ø (16mm ø)	गोटा	270	270	278	
	1/2"ø (18mm ø)	"	299	299	308	
	1/2"ø (20mm ø)	"	394	394	406	
	3/4" ø (25 mm ø)	"	654	654	674	
	1" ø (32 mm ø)	"	908	908	936	
	1 1/4" ø (40 mm ø)	"	2968	2968	3059	
	1 1/2" ø (50 mm ø)	"	4284	4284	4416	
	m. Female Ball Valve Union					
	16mm x 1/2"F	गोटा	251	251	258	
	18mm x 1/2"F	"	288	288	296	
	20mm x 1/2"F	"	323	323	332	
	20mm x 3/4"F	"	362	362	373	
	25mm x 3/4"F	"	672	672	692	
	25mm x 1"F	"	686	686	707	
	32mm x 1"F	"	723	723	745	
	n. Plug					
	1 1/4" ø (40 mm ø)	"	1483	1483	1528	
	1 1/2" ø (50 mm ø)	"	2039	2039	2102	
	p. Wall Plated Female Elbow					
	16mm x 1/2"F	गोटा	195	195	201	
	18mm x 1/2"F	"	213	213	219	

नेपाल सरकार
भक्तपुर जिल्ला

सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.नं.	प्रमाणन एकक	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
				आ.व.			
				२०८१/०८२	२०८२/०८३	२०८३/०८४	
	20mm x 1/2" F	"		232	232	239	
	q. Nipple						
	N 1/2F*1/2F	गोटा	50	50	51		
	N 1/2M*1/2M	"	50	50	51		
	N 3/4F*1/2F	"	70	70	72		
	N 1F*1/2F	"	80	80	82		
	N 1F*3/4F	"	90	90	92		
	N 3/4M*1/2M	"	70	70	72		
	N 1M*1/2M	"	80	80	82		
	N 1M*3/4M	"	90	90	92		
	N 1/2F*1/2M	"	60	60	61		
	N 1/2F*3/4M	"	70	70	72		
	N 1/2F*1M	"	110	110	113		
	N 1/2M*3/4F	"	70	70	72		
	N 3/4F*3/4M	"	115	115	118		
	N 3/4F*1M	"	90	90	92		
	N 3/4M*1F	"	99	99	102		
22	Supplying laying & jointing of (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually		131	131	135		
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	501	501	516		
	a.2) Failure chagre per well	संख्या	1391	1391	1433		
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	714	714	736		
	b.2) Failure chagre per well	संख्या	3708	3708	3822		
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1363	1363	1405		
	c.2) Failure chagre per well	संख्या	4820	4820	4968		
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1928	1928	1987		
	d.2) Failure chagre per well	संख्या	5562	5562	5733		
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1622	1622	1672		
23	R.C.C. Hume Pipe & Hume Pipe Collar						
	PIPES						
	a) NP-2						
	150 mm dia.	र.मि	596	596	614		
	200 mm dia.	"	785	785	809		

बिनाद काममा खर्चका
प्रमुख विवरण अधिकारी



सि.नं.	निर्माण सामाग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कीफायत
		एकाई	आ.व.	आ.व.	
		२०७९/०८०	२०८०/०८१	२०८१/०८२	
	250 mm dia.	"	983	983	1013
	300 mm dia.	"	1330	1330	1371
	350 mm dia.	"	1470	1470	1515
	375 mm dia.	"	1610	1610	1659
	400 mm dia.	"	1852	1852	1909
	450 mm dia.	"	1960	1960	2020
	500 mm dia.	"	2200	2200	2267
	600 mm dia.	"	3077	3077	3172
	700 mm dia.	"	3785	3785	3901
	750 mm dia.	"	4092	4092	4218
	800 mm dia.	"	4567	4567	4708
	900 mm dia.	"	6172	6172	6362
	1000 mm dia.	"	7185	7185	7407
	1200 mm dia.	"	8776	8776	9047
	1500 mm dia.	"	18450	18450	19020
	b) NP-3				
	150 mm dia.	र.मि	1310	1310	1350
	200 mm dia.	"	1745	1745	1798
	250 mm dia.	"	2185	2185	2252
	300 mm dia.	"	3140	3140	3237
	350 mm dia.	"	3520	3520	3628
	375 mm dia.	"	3760	3760	3876
	400 mm dia.	"	4010	4010	4133
	450 mm dia.	"	4500	4500	4639
	500 mm dia.	"	5020	5020	5175
	600 mm dia.	"	6200	6200	6391
	700 mm dia.	"	7485	7485	7716
	750 mm dia.	"	8600	8600	8865
	800 mm dia.	"	9385	9385	9674
	900 mm dia.	"	12172	12172	12548
	1000 mm dia.	"	13525	13525	13942
	1200 mm dia.	"	16100	16100	16597
	1500 mm dia.	"	25300	25300	26081
	R.C.C. Hume Pipe Collar				
	a) NP-2				
	150 mm dia.	गोटा	165	165	170
	200 mm dia.	"	195	195	201
	250 mm dia.	"	245	245	252
	300 mm dia.	"	332	332	342

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



Bhaktapur District Rate for FY 2083/84

सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य एकई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	350 mm dia.					
	375 mm dia.	"	365	365	376	
	400 mm dia.	"	365	365	376	
	450 mm dia.	"	463	463	477	
	500 mm dia.	"	490	490	505	
	600 mm dia.	"	550	550	566	
	700 mm dia.	"	769	769	792	
	750 mm dia.	"	946	946	975	
	800 mm dia.	"	1023	1023	1054	
	900 mm dia.	"	1141	1141	1176	
	1000 mm dia.	"	1543	1543	1590	
	1200 mm dia.	"	1799	1799	1854	
	1500 mm dia.	"	2196	2196	2263	
	b) NP-3	"	4615	4615	4757	
	150 mm dia.					
	200 mm dia.	"	327	327	337	
	250 mm dia.	"	436	436	449	
	300 mm dia.	"	544	544	560	
	350 mm dia.	"	783	783	807	
	375 mm dia.		879	879	906	
	400 mm dia.		940	940	969	
	450 mm dia.	"	1000	1000	1030	
	500 mm dia.	"	1125	1125	1159	
	600 mm dia.	"	1255	1255	1293	
	700 mm dia.	"	1550	1550	1597	
	750 mm dia.	"	1871	1871	1928	
	800 mm dia.	"	2150	2150	2216	
	900 mm dia.	"	2344	2344	2416	
	1000 mm dia.	"	3042	3042	3135	
	1200 mm dia.	"	3382	3382	3486	
	1500 mm dia.	"	4024	4024	4148	
	R.C.C.Spigot Pipes (Socket System)		6324	6324	6519	
	a) NP-2					
	150 mm dia.	र.मि	766	766	789	
	200 mm dia.	"	976	976	1006	
	250 mm dia.	"	1221	1221	1258	
	300 mm dia.	"	1656	1656	1707	
	350 mm dia.	"	2007	2007	2069	
	400 mm dia.	"	2300	2300	2371	
	450 mm dia.	"	2438	2438	2513	

विनोद कुमार खड्का

 प्रमुख निर्माण अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहेक (र.)	आ.म.			क्षेपित
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	500 mm dia.	"	2736	2736	2820	
	600 mm dia.	"	3608	3608	3719	
	700 mm dia.	"	4709	4709	4854	
	750 mm dia.	"	5090	5090	5247	
	800 mm dia.	"	5684	5684	5859	
	900 mm dia.	"	7339	7339	7565	
	1000 mm dia.	"	8481	8481	8743	
	1200 mm dia.	"	10274	10274	10591	
	b) NP-3					
	150 mm dia.	र मि	1603	1603	1652	
	200 mm dia.	"	2139	2139	2205	
	250 mm dia.	"	2674	2674	2756	
	300 mm dia.	"	3842	3842	3960	
	350 mm dia.	"	4313	4313	4446	
	400 mm dia.	"	4913	4913	5064	
	450 mm dia.	"	5513	5513	5683	
	500 mm dia.	"	6141	6141	6330	
	600 mm dia.	"	7592	7592	7826	
	700 mm dia.	"	9169	9169	9452	
	800 mm dia.	"	11493	11493	11848	
	900 mm dia.	"	14907	14907	15367	
	1000 mm dia.	"	16564	16564	17075	
	1200 mm dia.	"	19506	19506	20108	
	1500 mm dia.	"	30835	30835	31787	
	1600 mm dia.	"	35566	35566	36664	
	1800 mm dia.	"	47339	47339	48801	
24	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure	Kg	287	287	295	
25	UPVC (Pipe NS 206/046					
25.1	A) pipe 2.5 kg /cm² pressure					
	a) 90 mm	र.मी	141	141	145	
	b) 110 mm	"	211	211	217	
	c) 125 mm	"	268	268	276	
	d) 140 mm	"	331	331	341	
	e) 160 mm	"	432	432	445	
	f) 180 mm	"	553	553	570	
	g) 200 mm	"	676	676	696	
25.2	B) UPVC Pipe 4 kg / cm²					
	a) 63mm	र.मी	112	112	115	



सि.नं.	निर्माण सामग्रीहरूको विवरण	उपसहस्र एकाई	म.अ.क. (VAT) माहक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	b) 75 mm	"	155	155	159	
	c) 90 mm	"	221	221	227	
	d) 110 mm	"	304	304	313	
	e) 125 mm	"	418	418	430	
	f) 140 mm	"	531	531	547	
	h) 180 mm	"	687	687	708	
	i) 200 mm	"	883	883	910	
25.3	C) UPVC Pipe 6 Kg/ cm ² pressure		1072	1072	1105	
	a) 40 mm	र.मी	66	66	68	
	b) 50 mm	"	100	100	103	
	c) 63 mm	"	160	160	164	
	d) 75 mm	"	223	223	229	
	e) 90 mm	"	322	322	331	
	f) 110 mm	"	466	466	480	
	g) 125 mm	"	620	620	639	
	h) 140 mm	"	772	772	795	
	i) 160 mm	"	989	989	1019	
	j) 180 mm	र.मी	1262	1262	1300	
	k) 200 mm	"	1545	1545	1592	
25.4	C) UPVC Pipe 10 Kg/ cm ² pressure					
	a) 20 mm	र.मी	26	26	26	
	b) 25 mm	"	40	40	41	
	c) 32mm	"	66	66	68	
	a) 40 mm	"	99	99	102	
	b) 50 mm	"	156	156	160	
	c) 63 mm	"	248	248	255	
	d) 75 mm	"	335	335	345	
	e) 90 mm	"	504	504	519	
	f) 110 mm	"	747	747	770	
	g) 125 mm	"	957	957	986	
	h) 140 mm	"	1208	1208	1245	
	i) 160 mm	"	1554	1554	1602	
	j) 180 mm	"	1981	1981	2042	
	k) 200 mm	"	2449	2449	2524	
25.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	32	32		

बिनोद कुमार
प्रमुख विप्लव अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			क्षेत्रफल
		आ.व.	२०८२/०८३	२०८३/०८४	
		एकै	७७	७९	
	75 mm	गोटा	131	135	
	110 mm	"	131	135	
	Bend 87.5 degree				
	50 mm	गोटा	47	48	
	75 mm	"	112	115	
	110 mm	"	206	212	
	Bend 45 degree				
	50 mm	गोटा	46	47	
	75 mm	"	91	93	
	110 mm	"	163	168	
	Single Tee				
	50 mm	गोटा	70	72	
	75 mm	"	151	155	
	110 mm	"	287	295	
	Pipe clip				
	50 mm	गोटा	15	15	
	75 mm	"	29	29	
	110 mm	"	38	39	
	Bend 87.5 degree with door				
	75 mm	गोटा	143	147	
	110 mm	"	249	256	
	Single Tee with door				
	75 mm	गोटा	204	210	
	110 mm	"	380	391	
	Double Tee				
	75 mm	गोटा	332	342	
	110 mm	"	525	541	
	Double Tee with door				
	75 mm	गोटा	440	453	
	110 mm	"	682	703	
	Vent cowl				
	75 mm	गोटा	54	55	
	110 mm	"	90	92	
	Socket plug				
	75 mm	गोटा	68	70	
	110 mm	"	111	114	
	Single "Y"				

बिनाद कुमार खड्का
प्रमुख जिल्ला अधिकारी



भक्तपुर जिल्ला
सु.अ.क. (VAT) बाहेक (रु.)

सि.नं.	निर्माण सामग्रीहरूको विवरण	मा.अ.क. (VAT) बाहेक (रु.)	आ.व.			वैकल्पिक
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	75 mm	गोटा	173	173	178	
	110 mm	"	374	374	385	
	Single "Y" with door					
	75 mm	गोटा	237	237	244	
	110 mm	"	451	451	464	
	Double "Y"					
	75 mm	गोटा	261	261	269	
	110 mm	"	514	514	529	
	Double "Y" with door					
	75 mm	गोटा	334	334	344	
	110 mm	"	539	539	555	
	Cleaning pipe					
	75 mm	"	152	152	156	
	110 mm	"	293	293	302	
	Reducer					
	110x 75 mm	"	135	135	139	
	75X50 mm	"	71	71	73	
	P -Trap					
	125mmx110mm	"	555	555	572	
	110mmx110mm	"	521	521	537	
	75mmx75mm	"	199	199	205	
	Multi-Floor -Trap					
	110mmx75mm	"	288	288	296	
	Nahani-Trap					
	110mmx75mm	"	263	263	271	
	W.C. Connector (bent type)	"	269	269	277	
	Square tile with jali	"	86	86	88	
	Round jali	"	40	40	41	
	End cap 50mm	"	26	26	26	
26.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	170	170	175	
	ii. ¾ " (20 mm)	"	232	232	239	
	iii. 1" (25 mm)	"	322	322	331	
	iv. 1 ¼" (32 mm)	"	411	411	423	
	v. 1 ½ " (40 mm)	"	508	508	523	
	vi. 2" (50 mm)	"	641	641	660	

विनोद कुमार खड्का
प्रमुख विज्ञान अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.अ.क. (VAT) माहक (रु.)			कैफियत
			आ.व.	२०८२/०८३	२०८३/०८४	
vii.	2 ½" (65 mm)	"	नेपाल सरकार	885	912	
viii.	3" (80 mm)	"	मन्त्रालय	1038	1070	
ix.	4" (100 mm)	"	भक्तपुर	1485	1530	
x.	5" (125 mm)	"		2377	2450	
xi.	6" (150 mm)	"		2823	2910	
xii.	8" (200 mm)	"		4051	4176	
b) Medium class						
i.	½" (15 mm)	र.मी		181	186	
ii.	¾" (20 mm)	"		225	231	
iii.	1" (25 mm)	"		344	354	
iv.	1 ¼" (32 mm)	"		447	460	
v.	1 ½" (40 mm)	र.मि		514	529	
vi.	2" (50 mm)	"		706	727	
vii.	2 ½" (65 mm)	"		901	928	
viii.	3" (80 mm)	"		1122	1156	
ix.	4" (100 mm)	"		1680	1731	
x.	5" (125 mm)	"		2196	2263	
xi.	6" (150 mm)	"		2656	2738	
xii.	8" (200 mm)	"		4596	4738	
c) Heavy duty						
i.	½" (15 mm)	र.मि		212	218	
ii.	¾" (20 mm)	"		265	273	
iii.	1" (25 mm)	"		396	408	
iv.	1 ¼" (32 mm)	"		468	482	
v.	1 ½" (40 mm)	"		593	611	
vi.	2" (50 mm)	"		872	898	
vii.	2 ½" (65 mm)	"		992	1022	
viii.	3" (80 mm)	"		1285	1324	
ix.	4" (100 mm)	"		2208	2276	
x.	5" (125 mm)	"		2503	2580	
xi.	6" (150 mm)	"		2833	2920	
xii.	8" (200 mm)	"		5083	5240	
27.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	½"	गोटा		751	774	
ii.	¾"	"		1050	1082	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) माहक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	iii. 1"	"	1600	1600	1649	
	iv. 1 ¼"	"	2350	2350	2422	
	v. 1 ½"	"	3133	3133	3229	
	vi. 2"	"	4883	4883	5033	
	vii. 2 ½"	"	8772	8772	9043	
	viii. 3"	"	12050	12050	12422	
	ix. 4"	"	20590	20590	21226	
	b) G.M Check valve					
	i. ½"	गोटा	893	893	920	
	ii. ¾"	"	1200	1200	1237	
	iii. 1"	"	1775	1775	1829	
	iv. 1 ¼"	"	2623	2623	2704	
	v. 1 ½"	"	3035	3035	3128	
	vi. 2"	"	5033	5033	5188	
	vii. 2 ½"	"	10225	10225	10540	
	viii. 3"	"	13657	13657	14079	
	ix. 4"	"	19301	19301	19897	
	c) G.I. Elbow					
	i. ½"	गोटा	42	42	43	
	ii. ¾"	"	66	66	68	
	iii. 1"	"	105	105	108	
	iv. 1 ¼"	"	162	162	167	
	v. 1 ½"	"	223	223	229	
	vi. 2"	"	344	344	354	
	vii. 2 ½"	"	653	653	673	
	viii. 3"	"	880	880	907	
	ix. 4"	"	1570	1570	1618	
	x. 5"	"	2104	2104	2168	
	xi. 6"	"	2524	2524	2602	
	d) G.I. Tee					
	i. ½"	गोटा	66	66	68	
	ii. ¾"	"	104	104	107	
	iii. 1"	"	142	142	146	
	iv. 1 ¼"	"	219	219	225	
	v. 1 ½"	"	282	282	290	
	vi. 2"	"	492	492	507	
	vii. 2 ½"	"	828	828	853	

बिनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामाग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)			क्षेत्रफल
		आ.व.	२०८२/०८३	२०८३/०८४	
viii.	3"	"	1187	1223	
ix.	4"	"	1953	2013	
x.	5"	"	2465	2541	
xi.	6"	"	2960	3051	
e) G.I Union					
i.	½ "	गोटा	113	116	
ii.	¾ "	"	153	157	
iii.	1"	"	210	216	
iv.	1 ¼ "	"	329	339	
v.	1 ½ "	"	401	413	
vi.	2"	"	611	629	
vii.	2 ½ "	"	1138	1173	
viii.	3"	"	1586	1635	
ix.	4"	"	2205	2273	
x.	5"	"	2770	2855	
xi.	6"	"	3324	3426	
f) G.I. Socket					
i.	½ "	गोटा	38	39	
ii.	¾ "	"	57	58	
iii.	1"	"	75	77	
iv.	1 ¼ "	"	115	118	
v.	1 ½ "	"	144	148	
vi.	2"	"	241	248	
vii.	2 ½ "	"	571	588	
viii.	3"	"	586	604	
ix.	4"	"	951	980	
x.	5"	"	1140	1175	
xi.	6"	"	1368	1410	
g) C.I. Plug					
i.	½ "	गोटा	30	30	
ii.	¾ "	"	40	41	
iii.	1"	"	49	50	
iv.	1 ¼ "	"	98	101	
v.	1 ½ "	"	124	127	
vi.	2"	"	149	153	
vii.	2 ½ "	"	214	220	
viii.	3"	"	437	450	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.भ.क. (VAT) बाहेक (रु.)			वैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
ix.	4"	"	838	838	863	
h) Hex Nipple						
i.	1/2 "	गोटा	56	56	57	
ii.	3/4"	"	86	86	88	
iii.	1"	"	139	139	143	
iv.	1 1/4"	"	217	217	223	
v.	1 1/2 "	"	275	275	283	
vi.	2"	"	409	409	421	
vii.	2 1/2 "	"	750	750	773	
viii.	3"	"	968	968	997	
ix.	4"	"	1484	1484	1529	
i) Reducing Tee						
i.	3/4"	गोटा	120	120	123	
ii.	1"	"	148	148	152	
iii.	1 1/4"	"	162	162	167	
iv.	1 1/2 "	"	325	325	335	
v.	2"	"	517	517	532	
vi.	2 1/2 "	"	918	918	946	
vii.	3"	"	1450	1450	1494	
viii.	4"	"	2750	2750	2834	
x.	5"	"	3300	3300	3401	
xi.	6"	"	3960	3960	4082	
i) Reducing Elbow						
i.	3/4"	गोटा	103	103	106	
ii.	1"	"	160	160	164	
iii.	1 1/4"	"	244	244	251	
iv.	1 1/2 "	"	342	342	352	
v.	2"	"	511	511	526	
vi.	2 1/2 "	"	883	883	910	
vii.	3"	"	1361	1361	1403	
viii.	4"	"	2410	2410	2484	
x.	5"	"	5878	5878	6059	
xi.	6"	"	7073	7073	7291	
j) Reducing socket						
i.	3/4"	गोटा	80	80	82	
ii.	1"	"	100	100	103	
iii.	1 1/4"	"	150	150	154	

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८२/०८३	२०८३/०८४	
iv.	1 1/2 "	गोटा	210	210	216
v.	2"	"	320	320	329
vi.	2 1/2 "	"	450	450	463
vii.	3"	"	720	720	742
viii.	4"	"	1140	1140	1175
x.	5"	"	1368	1368	1410
xi.	6"	"	1482	1482	1527
K) Short bend					
i.	1/2 "	गोटा	130	130	134
ii.	3/4"	"	150	150	154
iii.	1"	"	190	190	195
iv.	1 1/4"	"	290	290	298
v.	1 1/2 "	"	400	400	412
vi.	2"	"	590	590	608
vii.	2 1/2 "	"	1500	1500	1546
viii.	3"	"	1800	1800	1855
ix.	4"	"	2500	2500	2577
l) Cross Tee					
i.	1/2 "	गोटा	131	131	135
ii.	3/4"	"	186	186	191
iii.	1"	"	293	293	302
iv.	1 1/4"	"	509	509	524
v.	1 1/2 "	"	611	611	629
vi.	2"	"	990	990	1020
vii.	2 1/2 "	"	1670	1670	1721
viii.	3"	"	2420	2420	2494
ix.	4"	"	3268	3268	3368
M) Tanki nipple					
i.	1/2 "	गोटा	154	154	158
ii.	3/4"	"	214	214	220
iii.	1"	"	319	319	328
iv.	1 1/4"	"	480	480	494
v.	1 1/2 "	"	611	611	629
vi.	2"	"	990	990	1020
vii.	2 1/2 "	"	1906	1906	1964
viii.	3"	"	2538	2538	2616
ix.	4"	"	3367	3367	3471



नेपाल सरकार
मन्त्रालय
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			वैकियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	G.I. Nipple Medium Class ISI or NS					
	2" Long					
i.	1/2 "	गोटा	22	22	22	
ii.	3/4 "	"	34	34	35	
iii.	1 "	"	44	44	45	
iv.	1 1/4 "	"	57	57	58	
v.	1 1/2 "	"	71	71	73	
vi.	2 "	"	131	131	135	
	3" Long					
i.	1/2 "	गोटा	34	34	35	
ii.	3/4 "	"	47	47	48	
iii.	1 "	"	66	66	68	
iv.	1 1/4 "	"	85	85	87	
v.	1 1/2 "	"	106	106	109	
vi.	2 "	"	134	134	138	
vii.	2 1/2 "	"	186	186	191	
viii.	3 "	"	220	220	226	
	4" Long					
i.	1/2 "	गोटा	45	45	46	
ii.	3/4 "	"	63	63	64	
iii.	1 "	"	88	88	90	
iv.	1 1/4 "	"	113	113	116	
v.	1 1/2 "	"	142	142	146	
vi.	2 "	"	179	179	184	
vii.	2 1/2 "	"	248	248	255	
viii.	3 "	"	204	204	210	
ix.	4 "	"	422	422	435	
	6" Long					
i.	1/2 "	गोटा	68	68	70	
ii.	3/4 "	"	94	94	96	
iii.	1 "	"	122	122	125	
iv.	1 1/4 "	"	132	132	136	
v.	1 1/2 "	"	170	170	175	
vi.	2 "	"	269	269	277	
vii.	2 1/2 "	"	373	373	384	
viii.	3 "	"	439	439	452	
ix.	4 "	"	633	633	652	

प्रमुख निष्पत्ती अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.			
		२०८१/०८२	२०८२/०८३	२०८३/०८४	
9" Long					
i.	1/2 "	मोटा	68	68	70
ii.	3/4"	"	94	94	96
iii.	1"	"	122	122	125
iv.	1 1/4"	"	132	132	136
v.	1 1/2 "	"	170	170	175
vi.	2"	"	269	269	277
vii.	2 1/2 "	"	373	373	384
viii.	3"	"	439	439	452
ix.	4"	"	633	633	652
12" Long					
i.	1/2 "	मोटा	136	136	140
ii.	3/4"	"	189	189	194
iii.	1"	"	265	265	273
iv.	1 1/4"	"	340	340	350
v.	1 1/2 "	"	425	425	438
vi.	2"	"	537	537	553
vii.	2 1/2 "	"	746	746	769
viii.	3"	"	877	877	904
ix.	4"	"	1266	1266	1305
18" Long					
i.	1/2 "	मोटा	227	227	234
ii.	3/4"	"	280	280	288
iii.	1"	"	378	378	389
iv.	1 1/4"	"	614	614	632
v.	1 1/2 "	"	755	755	778
vi.	2"	"	1136	1136	1171
vii.	2 1/2 "	"	1536	1536	1583
viii.	3"	"	2249	2249	2318
ix.	4"	"	2743	2743	2827
G.I./G.I. Flange					
i.	1 1/4"	मोटा	964	964	993
ii.	1 1/2 "	"	1186	1186	1222
iii.	2"	"	1453	1453	1497
iv.	2 1/2 "	"	1699	1699	1751
v.	3"	"	1892	1892	1950
vi.	4"	"	2348	2348	2420



Rhoktapur District Rate for FY 2083/84

नेपाल सरकार
सुदूर पश्चिम प्रदेश
भक्तपुर जिल्ला

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ग.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	vii. 5"		3358	3358	3461	
	viii. 6"		3488	3488	3595	
	ix. 8"		6948	6948	7162	
	G.I./HDP Flange					
	i. 1 1/4"	गोटा	1038	1038	1070	
	ii. 1 1/2 "	"	1322	1322	1362	
	iii. 2"	"	1562	1562	1610	
	iv. 2 1/2 "	"	1824	1824	1880	
	v. 3"	"	1950	1950	2010	
	vi. 4"	"	2406	2406	2480	
	vii. 5"		3358	3358	3461	
	viii. 6"		3505	3505	3613	
	ix. 8"		7627	7627	7862	
	HDP/HDP Flange set with adaptor					
	i. 1 1/4"	गोटा	1038	1038	1070	
	ii. 1 1/2 "	"	1322	1322	1362	
	iii. 2"	"	1562	1562	1610	
	iv. 2 1/2 "	"	1824	1824	1880	
	v. 3"	"	1950	1950	2010	
	vi. 4"	"	2406	2406	2480	
	vii. 5"	"	3814	3814	3931	
	viii. 6"	"	3505	3505	3613	
	ix. 8"	"	7627	7627	7862	
	Brass tap 1/2"					
	i. 1/2 " (Wt. 400 gm)	गोटा	750	750	773	
	ii. 1/2 " ordinary	गोटा	205	205	211	
	Globe Valve (GM)					
	i. 1/2 "	गोटा	924	924	952	
	ii. 3/4"	"	1505	1505	1551	
	iii. 1"	"	1859	1859	1916	
	iv. 1 1/4"	"	2953	2953	3044	
	v. 1 1/2 "	"	3716	3716	3830	
	vi. 2"	"	4640	4640	4783	
	vii. 2 1/2 "	"	9114	9114	9395	
	viii. 3"	"	15060	15060	15525	
	ix. 4"	"	24350	24350	25102	
	Float Valve					

(Signatures)

प्रमुख जिल्ला कार्यालय



सि.न.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.ग.			क्षेत्रियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
i.	1/2"	गोटा	1134	1134	1169	
ii.	3/4"	"	1283	1283	1322	
iii.	1"	"	1556	1556	1604	
iv.	1 1/4"	"	2690	2690	2773	
v.	1 1/2"	"	4042	4042	4166	
vi.	2"	"	5381	5381	5547	
C.I. Air valve (Heavy)						
i.	1/2"	गोटा	2500	2500	2577	
ii.	3/4"	"	5182	5182	5342	
iii.	1"	"	5746	5746	5923	
Brass Union with Adopter						
i.	1/2"	गोटा	150	150	154	
ii.	3/4"	"	270	270	278	
iii.	1"	"	345	345	355	
iv.	1 1/4"	"	530	530	546	
v.	1 1/2"	"	675	675	695	
vi.	2"	"	940	940	969	
Saddle Ferrule						
i.	1 1/2"	गोटा	185	185	190	
ii.	2"	"	242	242	249	
iii.	2 1/2"	"	272	272	280	
iv.	3"	"	301	301	310	
v.	4"	"	480	480	494	
Flow Regulating Valve (G.M.)						
i.	1/2"	गोटा	1322	1322	1362	
C.I Sluice Valve						
i.	1 1/2"	गोटा	6846	6846	7057	
ii.	2"	"	7000	7000	7216	
iii.	2 1/2"	"	8450	8450	8711	
iv.	3"	"	10500	10500	10824	
v.	4"	"	14000	14000	14432	
v.	5"	"	17500	17500	18040	
v.	6"	"	21000	21000	21648	
v.	8"	"	30000	30000	30927	
Brass Ferrule Cock						
i.	1/2"	गोटा	600	600	618	
ii.	3/4"	"	1372	1372	1414	

[Signature]

[Signature]

[Signature]

[Signature]

116

विनोद कुमार खत्री
प्रमुख जिल्ला अधिकारी

[Signature]

[Signature]



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	iii. 1"					
	Ball valve	"	2015	2015	2077	
	a) 15mm					
	b) 20 mm	गोटा	514	514	529	
	c) 25 mm	"	650	650	670	
	d) 32 mm	"	872	872	898	
	e) 40 mm	"	1051	1051	1083	
	f) 50 mm	"	2035	2035	2097	
28.0	Supplying of Rec ring for construction of well	"	3341	3341	3444	
28.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	615	615	634	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	762	762	785	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	886	886	913	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1173	1173	1209	
28.2	Supplying & fixing of metal frame and Rec cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858	1858	1915	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2460	2460	2536	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2699	2699	2782	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3224	3224	3323	
29.1	ईनार खनको लागी R.C.C. रिङ आपूर्ति गरि माटो खन्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहिराइमा डक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	4253	4253	4384	
	ii) 36" dia. R.C.C. Ring	"	5397	5397	5563	
	iii) 42" dia. R.C.C. Ring	"	6282	6282	6476	
	iv) 48" dia. R.C.C. Ring	"	7750	7750	7989	
29.2	२५ फीट देखि माथीको गहिराइ भएमा					
	ईनार खनको लागी R.C.C. रिङ आपूर्ति गरि माटो					
	i) 28" dia. R.C.C. Ring	र.मी	5707	5707	5883	
	ii) 36" dia. R.C.C. Ring	"	9650	9650	9948	
	iii) 42" dia. R.C.C. Ring	"	11681	11681	12041	
	iv) 48" dia. R.C.C. Ring	"	14033	14033	14466	



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहक (र.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
30.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	255	255	262	
	12"	Pc	482	482	496	
	15"	Pc	1388	1388	1430	
	18"	Pc	1643	1643	1693	
b	Blow Torch					
	1/2 pint	Pc	1433	1433	1477	
	1 pint	Pc	1767	1767	1821	
c	Building Trowel	Pc	79	79	81	
d	Chain Pipe wrench					
	50mm	Pc	1643	1643	1693	
	75mm	Pc	1954	1954	2014	
	100mm	Pc	2294	2294	2364	
	150mm	Pc	3229	3229	3328	
	200mm	Pc	5495	5495	5664	
e	Chain Pulley in Ton					
	3 ton	Pc	17562	17562	18104	
	5 ton	Pc	29005	29005	29901	
f	Stone Chisel 1"x12"	Pc	368	368	379	
g	Die teeth oil with cane (250 ml size)	Pc	283	283	291	
h	Smooth steel file half round					
	8"	Pc	538	538	554	
	10"	Pc	1031	1031	1062	
i	Flat file 10"	Pc	538	538	554	
10.0	Hacksaw Blade					
	Single	Pc	5	5	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	193	193	198	
k	Handle die set					
	25 mm	Pc	3201	3201	3299	
	50 mm	Pc	3626	3626	3738	
	60 mm	Pc	9631	9631	9928	
l	Heating Plate					
	80 mm	Pc	963	963	992	
	100 mm	Pc	1105	1105	1139	
	125 mm	Pc	1416	1416	1459	
	150 mm	Pc	1688	1688	1740	
	200 mm	Pc	2731	2731	2815	
	250 mm	Pc	3308	3308	3410	
	300 mm	Pc	3864	3864	3983	

बिनाद कुमार खड्का
प्रमुख जिल्ला अधिकारी



नेपाल सरकार
महानगरपालिका
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल मूल्य त्रिभुवा प्रतापन कार्यालय भक्तपुर, काठमाडौं	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
m	Iron Brush 12"	Pc	74	74	76	
n	Iron Pan (madium)	Pc	261	261	269	
o	Pick Axe 1.7 Kg.	Pc	431	431	444	
p	Pipe Cutter					
	15-50 mm	Pc	2039	2039	2102	
	65-80 mm	Pc	3172	3172	3270	
	100 mm	Pc	5099	5099	5256	
	125 mm	Pc	5665	5665	5840	
	150 mm	Pc	10084	10084	10395	
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	33288	
r	Pipe Vice					
	2"	Pc	2493	2493	2570	
	3"	Pc	3626	3626	3738	
	4"	Pc	5467	5467	5635	
	5"	Pc	10140	10140	10453	
s	Pipe Wrench					
	10"	Pc	317	317	326	
	12"	Pc	589	589	607	
	14"	Pc	702	702	723	
	18"	Pc	1116	1116	1150	
	24"	Pc	1541	1541	1588	
	36"	Pc	5438	5438	5606	
	48"	Pc	9631	9631	9928	
t	Plumb Bob Line	Pc	91	91	93	
u	Rachet Die Set					
	1/2"-1"	Pc	4305	4305	4438	
	1 1/4"-2"	Pc	8044	8044	8292	
	2 1/2"-3"	Pc	17562	17562	18104	
v	Round File 10"	Pc	368	368	379	
w	Screw Driver 12"	Pc	204	204	210	
x	Shovel 1.5 Kg	Pc	368	368	379	
y	Slide wrench					
	10"	Pc	363	363	374	
	12"	Pc	487	487	502	
	15"	Pc	1422	1422	1465	
z	Spade	Pc	442	442	455	
A	Spare Die Teeth					
	15 mm	Pc	589	589	607	
	20 mm	Pc	589	589	607	
	25 mm	Pc	589	589	607	
	32 mm	Pc	935	935	963	

002

प्रमुख अधिकारी

विनोद कुमार खड्का
प्रमुख अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	40 mm		1598	1598	1647	
	50 mm		1615	1615	1664	
	65 mm		1869	1869	1926	
	80 mm		2096	2096	2160	
B	Telflon Cover					
	5'x5'	Pc	312	312	321	
	7'x7'	Pc	425	425	438	
C	Telflon Cloth	m	3427	3427	3532	
D	Telflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	765	765	788	
	Germany	Pc	1530	1530	1577	
F	Tool Box (14"x8"x22")	Pc	2102	2102	2166	
31	PVC-O pipes and fittings					
1	Class 500 PVC-O pipes-PN 12.5					
	90 mm	र मि	730	583	583	
	110 mm	र मि	1050	865	865	
	125 mm	र मि	1450	1250	1250	
	140 mm	र मि	1750	1662	1662	
	160 mm	र मि	2200	2090	2090	
	200 mm	र मि	3500	3325	3325	
	225 mm	र मि	4400	4180	4180	
	250 mm	र मि	5200	4940	4940	
	315 mm	र मि	8500	8075	8075	
	355 mm	र मि	10800	10260	10260	
	400 mm	र मि	13778	13089	13089	
	450 mm	र मि	19000	19000	19000	
	500 mm	र मि	22700	22700	22700	
	630 mm	र मि	36000	36000	36000	
	800 mm	र मि	58000	58000	58000	
	1000 mm	र मि	110000	110000	110000	
	1200 mm	र मि	150000	150000	150000	
2	Class 500 PVC-O pipes-PN 16					
	90 mm	र मि	854	738	738	
	110 mm	र मि	1260	1197	1197	
	125 mm	र मि	1550	1472	1472	
	140 mm	र मि	1950	1852	1852	
	160 mm	र मि	2600	2470	2470	
	200 mm	र मि	4000	3800	3800	
	225 mm	र मि	4950	4805	4805	
	250 mm	र मि	6300	5985	5985	
	315 mm	र मि	9600	8800	8800	



नेपाल सरकार
मन्त्रिपरिषद्को कार्यालय

जिल्ला प्रशासन कार्यालय
रहतापुर

मु.अ.क. (VAT) बाहेक (र.)

आ.व.

२०८१/०८२ २०८२/०८३ २०८३/०८४

कैफियत

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	२०८१/०८२	२०८२/०८३	२०८३/०८४	कैफियत
	355 mm	र.मि	12700	12065	12065	
	400 mm	र.मि	15147	13089	13089	
	450 mm	र.मि	20131	20131	20131	
	500 mm	र.मि	24591	24591	24591	
	630 mm	र.मि	38412	38412	38412	
	800 mm	र.मि	59382	59382	59382	
3	Class 500 PVC-O pipes-PN 25					
	90 mm	र.मि	1700	1700	1700	
	110 mm	र.मि	2500	2500	2500	
	125 mm	र.मि	2700	2700	2700	
	140 mm	र.मि	3100	3100	3100	
	160 mm	र.मि	3800	3800	3800	
	200 mm	र.मि	5397	5397	5397	
	250 mm	र.मि	7688	7688	7688	
	315 mm	र.मि	10895	10895	10895	
	355 mm	र.मि	14040	14040	14040	
	400 mm	र.मि	19420	19420	19420	
	450 mm	र.मि	25705	25705	25705	
	500 mm	र.मि	31256	31256	31256	
	630 mm	र.मि	48179	48179	48179	
	PVC-O Fittings					
	Elbow 11.25° (PN 16)					
	110 mm	गोटा	6969	5141	5141	
	160 mm	गोटा	14997	10568	10568	
	200 mm	गोटा	27545	16365	16365	
	250 mm	गोटा	41943	25053	25053	
	315 mm	गोटा	79624	50416	50416	
	400 mm	गोटा	147185	84200	84200	
	Elbow 22.5° (PN 16)					
	110 mm	गोटा	7248	5734	5734	
	160 mm	गोटा	15830	10089	10089	
	200 mm	गोटा	28647	16365	16365	
	250 mm	गोटा	43621	25053	25053	
	315 mm	गोटा	82809	50416	50416	
	400 mm	गोटा	153073	84200	84200	
	Elbow 45° (PN 16)					
	110 mm	गोटा	8018	6286	6286	
	160 mm	गोटा	17382	12894	12894	
	200 mm	गोटा	31504	17997	17997	
	250 mm	गोटा	51671	30641	30641	
	315 mm	गोटा	90799	55282	55282	
	400 mm	गोटा	174184	95816	95816	

06/07/2083
[Signatures]

पञ्चम
[Signature]

122



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Water Filter Media and Automatic Components					
A	Water Treatment Components					
a	Pump					
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	pc	123500	123500	127316	
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	Pc	104500	104500	107729	
b	Motorized Actuator Butterfly Valve with CI Materials	Pc				
1	6" Dia	pc	118000	118000	121646	
2	4" Dia	pc	68500	68500	70616	
3	3" Dia	pc	57500	57500	59276	
4	2.5" Dia	pc	42000	42000	43297	
5	2" Dia	pc	37500	37500	38658	
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)					
1	40m3/Hour	set	26125	26125	26932	
2	25m3/Hour	set	21375	21375	22035	
3	15m3/Hour	set	14250	14250	14690	
4	9m3/Hour	set	8550	8550	8814	
d	Air Release And Vacuum Breaker valve(1 unit per Vessel)					
1	1" Small	Pc	2185	2185	2252	
2	1" Big	Pc	3325	3325	3427	
3	2" Big	Pc	8075	8075	8324	
e	Rotameter					
1	Small(upto 5m3/h in 3/4" or 1" Male or Female Thread)	Pc	7600	7600	7834	
2	Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread)	Pc	19000	19000	19587	
3	Big(40m3-60m3/h in 3" Thread or Flange type)	Pc	26125	26125	26932	
f	Pressure Gauge(Glycerenine/Liquid Filled)					



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहक (र.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Bottom Thread		1250	1250	1288	
g	Automatic Vessel Control Panel					
1	Semi Scada Control Panel with GSM/GPRS-Support features(MASTER)	pcs	150000	150000	154635	
2	Semi Scada Control Panel (Slave)	pcs	100000	100000	103090	
h	FRP Water Filter Vessels					
1	14" Dia x 65" Height T/B 4"/Threaded	Pc	21850	21850	22525	
2	16" Dia x 65" Height T/B 4"/ Threaded	Pc	22800	22800	23504	
3	18" Dia x 65" Height T/B 4"/ Threaded	Pc	26125	26125	26932	
4	24" Dia x 72" Height T/B 4"/ Threaded	Pc	52250	52250	53864	
5	30" Dia x 72" Height T/B 4"/ Threaded	Pc	104500	104500	107729	
6	36" Dia x 72" Height T/B 4"/ Threaded	Pc	116850	116850	120460	
7	42" Dia x 72" Height T/B 6"/Flange	Pc	152000	152000	156696	
8	42" Dia x 72" Height T/B 6"/Threaded	Pc	190000	190000	195871	
9	48" Dia x 72" Height T/B 6"/ Threaded	Pc	213750	213750	220354	
10	48" Dia x 72" Height T/B 6"/Flange	Pc	242250	242250	249735	
i	Chemical Dosing Pump and Components					
1	eDose or Equivalent(4LPH at 4Kg pressure	Pc	21375	21375	22035	
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	Pc	5225	5225	5386	
3	Floot switch Heavy with 16A wire/ 3 meter	Pc	2375	2375	2448	
4	100Ltrs Poly tank as Chemical tank	Pc	1425	1425	1469	
B						
1	Zeolite Sand(Zeosurb Germany)/ 30 ltrs/ 25Kgs	sac	16650	16650	17164	
2	Zeolite Sand(ZeoLuc- China)/ 40 ltrs/ 30Kgs	Sac	12150	12150	12525	
3	Manganese Dioxide(MnO2)/India or China/50 Kgs	sac	5940	5940	6123	
4	Calcite(USA)/ 20 Kgs	sac	6300	6300	6494	
5	Anthracite/ 40Kgs/ India or China	sac	5550	5550	5721	
6	Local Gravel(1.5" + 1" + 1/2" + 1/4") /35Kgs	sac	650	650	670	
7	Katlox lite (Germany)/ 28.3 ltrs/30Kgs		20250	20250	20875	
8	Catalytic Carbon/Germany / 30Kgs/Ltrs	sac	54000	54000	55668	
9	Titansorb/ 60Kgs Drum	Drum	162000	162000	167005	

निर्माण सामग्री खरिदका
प्रमुख जिल्ला अधिकारी

Electrical Works

क्र.सं.	वि.सं.	विशेष सामग्रीहरूको विवरण	मु.म.क. -VAT बाहेक (रु.)			रेफिफर
			क्र.सं.	क्र.सं.	क्र.सं.	
			२०८२/०८२	२०८२/०८२	२०८२/०८२	
1		SWITCH SOCKET				
	1	One Gang one way switch	60	60	61	
	2	One Gang two way switch	71	71	73	
	3	One way bell switch	74	74	76	
	4	Two gang one way switch	99	99	102	
	5	Two gang one way switch with one bell push	108	108	111	
	6	Two gang Full two way switch	110	110	113	
	7	Three Gang one way switch	131	131	135	
	8	Four gang one way switch	166	166	171	
	9	Six gang one way switch (3x5)	261	261	269	
	10	Eight gang one way switch	313	313	322	
	11	Dimmer single 300 watt	318	318	327	
	12	Dimmer single 750 watt	473	473	487	
	13	5 Step humming free dimmer	419	419	431	
	14	16Amp 3 Pin Plug Top	125	125	128	
	15	1 switch with dimmer	379	379	390	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	156	156	160	
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	174	174	179	
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	382	382	393	
	19	32A D.P. switch with fuse & indicator Surface Mounting	212	212	218	
	20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	629	629	648	
	21	Blanking plate single	41	41	42	
	22	Telephone socket single	122	122	125	
	23	Telephone socket Double	174	174	179	
	24	Angle / bottom holder	36	36	37	
	25	Ceiling Rose	36	36	37	
	26	Buzzer	100	100	103	
	27	Musical bell	229	229	236	
	28	T.V antenna single Socket	84	84	86	
	29	6A 2/3 Pin unshuttered multi switch socket	132	132	136	
	30	RJ 45 Computer Socket for modem	241	241	248	
	31	Flush Mounting metallic Box for Plate Series switch / socket (76mm x 76mm x 50mm)	36	36	37	
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	65	65	67	
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	101	101	104	
	34	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3"				
1.1	1	10A 1gang 1way Switch	85	85	87	
	2	10A 2gang 1way Switch	168	168	173	
	3	10A 3gang 1way Switch	222	222	228	
	4	10A 4gang 1way Switch	361	361	372	
	5	10A 5gang 1way Switch	382	382	393	
	6	10A 6gang 1way Switch	636	636	655	
	7	10A 1gang 2way Switch	148	148	152	
	8	10A 2gang 2way Switch	286	286	294	
	9	10A 3gang 2way Switch	419	419	431	
	10	10A 4gang 2way Switch	631	631	650	
	11	T V Socket outlet	308	308	317	
	12	Telephone Socket	276	276	284	
	13	13A Universal socket outlet	478	478	492	
	14	13A Socket	281	281	289	
	15	15A switched Socket outlet	456	456	470	
	16	5A Socket	350	350	360	
	17	RJ 45 8way Computer Socket	849	849	875	



क्र.सं.	विवरण	एकई	मु.म.क. -VAT बाहेक (रु.)			टिप्पणी
			मा.व. रु.०६१/०६२	मा.व. रु.०६२/०६३	मा.व. रु.०६३/०६४	
18	TV and Telephone Socket	"	610	610	628	
19	7+2 PIN SOCKET OUTLET	"	955	955	984	
20	3+2 PIN SOCKET OUTLET	"	594	594	612	
21	X5 2+2 - 2 PIN SOCKET OUTLET	"	806	806	830	
22	SCHUKO SOCKET WITH ONE SWITCH	"	520	520	536	
23	Bell Press	"	244	244	251	
24	Blank Plate	"	96	96	98	
25	400W Light Dimmer W/ Switch	"	933	933	961	
26	400W Fan Controller / Multi Step Dimmer	"	945	945	974	
27	5 Step Fan Controller	"	923	923	951	
28	2 Pin Socket W/ Switch	"	467	467	481	
29	13A Twin Socket	"	700	700	721	
1.2	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack					
1	One Gang one way switch	सेट	103	103	106	
2	One Gang two way switch	सेट	115	115	118	
3	One way bell switch	सेट	115	115	118	
4	Two gang one way switch	"	137	137	141	
5	Two gang one way switch with one bell push	"	150	150	154	
6	Two gang Full two way switch	"	163	163	168	
7	Three Gang one way switch	"	172	172	177	
8	Four gang one way switch	"	208	208	214	
9	Six gang one way switch	"	316	316	325	
10	Eight gang one way switch	"	385	385	396	
11	Dimmer single 300 watt	"	501	501	516	
15	1 switch with dimmer	"	514	514	529	
16	6/16 Amp, 2/3 Pin Power sockets with switch & indicator	"	268	268	276	
17	6/13 Amp, Power sockets with switch, indicator	"	271	271	279	
18	20 A D.P. switch with fuse & indicator Surface Mounting	"	365	365	376	
19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	403	403	415	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	488	488	503	
21	Blanking plate single	"	64	64	65	
22	Telephone socket single	"	157	157	161	
23	Telephone socket Double	"	256	256	263	
24	T.V antenna single Socket	"	146	146	150	
25	RJ 45 Computer Socket for modem	"	212	212	218	
26	CAT-6 Computer Socket for modem	"	331	331	341	
2	Modular Type Switch Socket set					
1	1P - 6A/10A 1 way switch	No.	143	143	147	
2	1P - 16A/20A 1 way switch	"	230	230	237	
3	1P - 25A 1 way switch	"	336	336	346	
4	1P - 6A/10A 2 way switch	"	172	172	177	
5	1P - 16A/20A 2 way switch	"	261	261	269	
6	1P - 6A push button	"	190	190	195	
7	1 gang blanking module	"	44	44	45	
8	2 gang blanking module	"	89	89	91	
9	FAN REGULATOR / DIMMER					
10	Step type fan regulator	No.	657	657	677	
11	60 - 500 W dimmer	"	821	821	846	
12	1000 W dimmer	"	1570	1570	1618	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
13	6A - multi socket 5 pin	No.	247	247	254	
14	6/16A twin socket 3 pin (flushed)	"	342	342	352	
15	6/16A twin socket 3 pin (projected)	"	342	342	352	
16	25A 3 pin socket	"	413	413	425	
17	13A 3 pin socket	"	278	278	286	
18	RJ 11 telephone jack	"	164	164	169	

प्रमुख जिल्ला अधिकारी
भक्तपुर



क्र.सं.	विवरण	म.सं.	म.सं. - VAT माहक (रु.)			टिप्पणी
			म.सं.	म.सं.	म.सं.	
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
19	RJ 45 cat 6e computer socket		574	574	591	
20	TV socket		166	166	171	
HOSPITALITY RANGE						
21	250V/110V shaver socket	No.	4486	4486	4624	
22	Indicator (DO NOT DISTURB)	"	185	185	190	
23	LED yellow night lamp	"	577	577	594	
24	LED Blue night lamp	"	577	577	594	
FRONT PLATE (COMPATIBLE TO MARKET BOXES)						
(White)						
25	1 module front plate	No.	74	74	76	
26	2 module front plate	"	79	79	81	
27	3 module front plate	"	87	87	89	
28	4 module front plate	"	92	92	94	
29	6 module front plate	"	167	167	172	
30	8 module front plate(4+4)	"	224	224	230	
31	8 module front plate (Horizontal)	"	179	179	184	
32	12 module front plate	"	268	268	276	
33	18 module front plate	"	361	361	372	
2.2 Modular Type Switch Socket						
Seperate Module for Modular Switch & Socket						
1	1P - 6A/10A 1 way switch	No.	90	90	92	
3	1P - 16A/20A 1 way switch	"	148	148	152	
7	1P - 6A/10A 2 way switch	"	138	138	142	
8	1P - 16A/20A 2 way switch	"	180	180	185	
9	1P - 6A push button	"	138	138	142	
11	1 gang blanking module	"	42	42	43	
12	2 gang blanking module	"	80	80	82	
FAN REGULATOR / DIMMER						
13	Step type fan regulator	No.	721	721	743	
14	60 - 500 W dimmer	"	615	615	634	
SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS						
16	6A - multi socket 5 pin	No.	191	191	196	
17	6/16A twin socket 3 pin (flushed)	"	297	297	306	
18	6/16A twin socket 3 pin (projected)	"	297	297	306	
20	13A 3 pin socket	"	191	191	196	
21	RJ 11 telephone jack	"	148	148	152	
22	RJ 45 cat 6e computer socket	"	244	244	251	
23	TV socket	"	148	148	152	
40	1 module front plate	No.	116	116	119	
41	2 module front plate	"	116	116	119	
42	3 module front plate	"	152	152	156	
43	4 module front plate	"	170	170	175	
44	6 module front plate	"	234	234	241	
45	8 module front plate(4+4)	"	314	314	323	
46	8 module front plate (Horizontal)	"	322	322	331	
47	12 module front plate	"	374	374	385	
	18 module front plate	"	467	467	481	
Flush mounting galvanized Metal box for modular type switch & socket						
1	1 module metal box having L x B x Depth =(78x78x45)mm	रु.	54	54	55	
2	2 module " " =(78x78x45)mm	"	54	54	55	
3	3 gang " " =(78x100x45)mm	"	58	58	59	
4	4 gang " " =(78x140x50)mm	"	70	70	72	
5	5 gang " " =(78x205x50)mm	"	138	138	142	
6	6 gang " " =(78x205x50)mm	"	140	140	144	
7	8 module metal box (4+4) =(78x230x60)mm	"	186	186	191	
8	8 module metal box (Horizontal) =(135x120x60)mm	"	186	186	191	
9	12 module metal box =(135x120x60)mm	"	238	238	245	
10	TV socket metal box	"	54	54	55	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



वि. नं.	सं. वि. नं.	विवरण	एकई	मु. व. क. - VAT बाहेक (रु.)			वै. वि. नं.
				मा. व. २०८१/०८२	मा. व. २०८२/०८३	मा. व. २०८३/०८४	
	11	Telephone socket metal box	-	54	54	55	
		METAL Junction BOX					
	1	4"x4"	खेरा	103	103	106	
	2	4"x6"	-	155	155	159	
	3	6"x8"	-	244	244	251	
	4	8"x10"	-	359	359	370	
	5	8"x12"	-	359	359	370	
		PVC Junction Box					
	1	4"x4"	खेरा	35	35	36	
	2	4"x6"	-	32	32	32	
	3	6"x8"	-	47	47	48	
	4	8"x10"	-	69	69	71	
	5	8"x12"	-	133	133	137	
		Junction box cover	-	148	148	152	
	5	PVC Listy Double Lock (6'length =1 no. (खेरा))					
	1	1/2" breadth	खेरा	32	32	32	
	2	3/4"	-	47	47	48	
	3	1"	-	69	69	71	
	4	1 1/2"	-	133	133	137	
	5	2"	-	148	148	152	
		PVC Conduit Pipe					
	1	1) 1/2" diameter	र. मी	32	32	32	
	2	2) 3/4"	-	47	47	48	
	3	3) 1"	-	69	69	71	
		Listy Pipe Accessories					
	1	1/2"-2" size Saddle	र. मी	8	8	8	
	2	Grips (Denmark)	खेरा	6	6	6	
	3	Steel screws	खेरा	2	2	2	
	4	PVC Tape	खेरा	15	15	15	
	8	Distribution board (DB)					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032, IS8632, Powder coated sheet steel					
	1	4 way SPN DB Double Cover	खेरा	1114	1114	1148	
	2	6 way SPN DB " "	-	1169	1169	1205	
	3	8 way SPN DB " "	-	1458	1458	1503	
	4	12 way SPN DB " "	-	1729	1729	1782	
	5	16 way SPN DB " "	-	1849	1849	1906	
	6	3-4 way TPN DB Double Cover	-	2748	2748	2832	
	7	6 way TPN " " " "	-	3088	3088	3183	
	8	8 way TPN " " " " Vertical	-	5973	5973	6157	
	9	12 way TPN " " " " Vertical	-	7959	7959	8204	
	10	50 Pair Telephone D.B. with crown tag	-	5609	5609	5782	
		PVC Box for MCB					
	1	1-pole PVC box GPS	खेरा	83	83	85	
	2	2-pole PVC " "	-	83	83	85	
	3	3 and 4-pole PVC " "	-	134	134	138	
	10.1	Miniature Circuits Breaker (MCB) ,					
	1	6-32 amp MCB SP (single pole)	खेरा	212	212	218	
	2	6-32 amp MCB DP (Double pole)	-	1061	1061	1093	
	3	6-32 amp MCB TP (Triple pole)	-	1761	1761	1815	
	4	32 amp MCB TPN	-	2546	2546	2624	
	5	40-63 amp MCB DP	-	1697	1697	1749	
	6	40-63 amp MCB TP	-	2716	2716	2799	
	7	40-63 amp MCB TPN	-	3252	3252	3352	
	10.2	Miniature Circuits Breaker (MCB)					
	1	0.5-5 amp MCB SP (single pole)	खेरा	266	266	274	
	2	6-32 amp MCB SP (single pole)	-	170	170	175	
	3	6-32 amp MCB DP (Double pole)	-	637	637	656	
	4	6-32 amp MCB TP (Triple pole)	-	1273	1273	1312	
	5	32 amp MCB TPN	-	1539	1539	1586	

087

मुख्य अधिकारी
जिल्ला कारागार

वि.नं	विवरण	म.म.	मु.म.क. -VAT सहित (रु.)			की.म.व.
			मा.म.	मा.म.	मा.म.	
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
6	40-63 amp MCB DP		1008	1008	1039	
7	40-63 amp MCB TP		1433	1433	1477	
8	40-63 amp MCB TPN		1910	1910	1969	
	Residual Current Circuit Breaker (RCCB)					
11	1 25A to 40A, (30mA, 100,300mA) DP RCCB	मेटा	2834	2834	2921	
	2 63A 30mA DP RCCB	-	3376	3376	3480	
	3 63A 100mA DP RCCB	-	3104	3104	3199	
	4 63A 300mA DP RCCB	-	3156	3156	3253	
	5 25A to 40A, (30mA, 100,300mA) FP RCCB	-	3478	3478	3585	
	6 63A 30mA Four Pole RCCB	-	3817	3817	3934	
	7 63A 100mA Four Pole RCCB	-	3817	3817	3934	
	8 63A 300mA Four Pole RCCB	-	3817	3817	3934	
	Moulded Case Circuit Breaker					
	16AMP- 63AMP TP MCCB 16KA		5835	5835	6015	
	80AMP TP MCCB 16KA		5835	5835	6015	
	100AMP TP MCCB 16KA		6578	6578	6781	
	125AMP TP MCCB 16KA		8487	8487	8749	
	160AMP TP MCCB 16KA		10079	10079	10390	
	16AMP- 63AMP TP MCCB 25KA		6578	6578	6781	
	80AMP TP MCCB 25KA		7256	7256	7480	
	100AMP TP MCCB 25KA		7256	7256	7480	
	125AMP TP MCCB 25KA		11670	11670	12030	
	160AMP TP MCCB 25KA		13792	13792	14218	
	200AMP TP MCCB 25KA(Adjustable)		21748	21748	22420	
	200AMP TP MCCB 36KA(Adjustable)		23870	23870	24607	
	250AMP TP MCCB 36KA(Adjustable)		28114	28114	28982	
	400AMP TP MCCB 50KA(Adjustable)		36601	36601	37731	
	630AMP TP MCCB 50KA(Adjustable)		49862	49862	51402	
	800AMP TP MCCB 50KA(Adjustable)		65882	65882	67917	
12	Manual Changeover Panel Type					
	63 Amp FP	-	11967	11967	12336	
	80 Amp FP	-	13240	13240	13649	
	100 Amp FP	-	18756	18756	19335	
	125 Amp FP	-	19775	19775	20386	
	160 Amp FP	-	25970	25970	26772	
	200 Amp FP	-	26819	26819	27647	
	250 Amp FP	-	28517	28517	29398	
	315 Amp FP	-	36071	36071	37185	
13	Dome light					
i	6" Milky type decorative dome light	मेटा	185	185	190	
ii	6" Brass base decorative dome light	-	758	758	781	
iii	8"Milky type decorative dome light	-	234	234	241	
iv	8" Brass base decorative dome light	-	902	902	929	
v	8" Silver cast Milky base Decorative Dome Light	-	1140	1140	1175	
vi	6) 8" Silver cast Black Base base Decorative Dome Light	-	584	584	602	
vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W/13W/18W including CFL (Surface Mounting Dome light)	-	1249	1249	1287	
viii	Wall bracket/spout light/mirror light bulk head ordinary	-	239	239	246	
ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	-	372	372	383	
x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	-	849	849	875	
xi	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete	-	997	997	1027	
xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	-	1559	1559	1607	
xiii	Dining lamp.	-	1751	1751	1805	
xiv	Chandlers 6-8 lamp Medium	-	15543	15543	16023	



भक्तपुर जिल्ला
सुदूरपश्चिम प्रदेश

क्र.सं.	विवरण	एकक	मु.म.क. -VAT बाहेक (रु.)			टिप्पणी
			मा.व. रु.००/०००	मा.व. रु.००/०००	मा.व. रु.००/०००	
xv	Chandlers 3-5 lamp Medium	-	11087	11087	11429	
xvi	Mirror Light Euro Light Wipro WRF21111	-	478	478	492	
xvii	Picture light Euro Light POO2	-	690	690	711	
xviii	Wall spot Light E27 60W Euro or eqv.	-	372	372	383	
xix	Exit Light safety sign(8.24)	सेट	849	849	875	
	Post top Lanterns					
xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	-	2652	2652	2733	
xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	-	3183	3183	3281	
xxii	Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	-	3580	3580	3690	
xxiii	8" Globe type Post top Lamp complete set	-	1458	1458	1503	
14. xxiv	10" Globe type Post top Lamp complete set	-	2785	2785	2871	
	Roadway light luminaires					
XXV	1 x 36 W FTL street light fixture with acrylic diffuser complete set	-	2716	2716	2799	
XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complete set	-	3984	3984	4107	
XXVII	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	-	1591	1591	1640	
XXVII	1000 watt halogen weather proof flood light with glass cover Complete set	-	3183	3183	3281	
XXIV	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	-	9548	9548	9843	
XXVI	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	-	11723	11723	12085	
xxvii	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	सेट	5411	5411	5578	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2339	2339	2411	
xxix	1X125W HPSV street light fixture with acrylic diffuser	-	5273	5273	5435	
xxx	2X60/100W GLS aviation light fixture all complete set	-	5857	5857	6037	
	CEILING FANS & EXHAUST Fans,					
a	36" size ceiling Fan	सेट	2228	2228	2296	
b	42" size "	-	2334	2334	2406	
c	48" size "	-	2388	2388	2461	
d	56" size "	-	2652	2652	2733	
e	6" Exhaust Fan	-	1539	1539	1586	
f	9" Exhaust Fan	-	1857	1857	1914	
g	16" size wall fan	-	2918	2918	3008	
h	12" size exhaust fan	-	2652	2652	2733	
	BELL INDICATOR					
a	4 way bell indicator with plate	सेट	1293	1293	1332	
b	6 way " " " "	-	2110	2110	2175	
c	8 way " " " "	-	2937	2937	3027	
d	12 way " " " "	-	4527	4527	4666	
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)					
a	Copper plate	से.से.	945	945	974	
b	Copper Strip (25 x 3)mm (Approx 60"=1kg)	से.से.	1114	1114	1148	
c	Copper Strip (20mm breadth x 3mm thick)	से.से.	1114	1114	1148	
d	Copper Strip (12 x 3)mm	से.से.	1114	1114	1148	
e	Lightning rod copper conductor Air termination set	सेट	2812	2812	2898	
17 f	8 SWG bare copper wire	र.मी.	148	148	152	

प्रमुख निर्माण अधिकारी



वि.न	विवरण	मु.म.क. -VAT माहिर (रु.)			वै.म.क.
		मा.व.	मा.व.	मा.व.	
		२०८१/०८२	२०८२/०८३	२०८३/०८४	
g	29 mm Diameter GI Pipe of 1m length	260	260	268	
h	30 Cm x 30 Cm Cast Iron Cover for water flowing into pit	637	637	656	
i	5/16 nuts & bolt with spring washer cadmium maker	15	15	15	
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	202	202	208	
k	Funnel with wire mesh	372	372	383	
l	Charcoal	318	318	327	
m	Salt	12	12	12	
18	STEEL TUBULAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	Na	12419	12802	
b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	Na	16936	17459	
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	Na	12859	13256	
d	7 mtr length Wooden Pole	Na	5146	5305	
e	9 mtr length Wooden Pole	Na	7002	7218	
19	Modular ceiling Luminaries				
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .				
a	1x20 watt FTL (Patti fittings)	रु.	478	492	
b	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	-	798	822	
c	1x20 watt FTL	-	902	929	
d	1x40 watt FTL with attractive & functional decorative battens	-	1051	1083	
e	1x40 watt FTL box fittings	-	1194	1230	
f	2x40 watt FTL box fittings	-	1804	1859	
g	1x40 watt FTL Industrial channel	-	1835	1891	
h	2x40 watt FTL Industrial channel	-	2356	2428	
i	1x40 watt FTL, opalite with opal Arcylic dissuser .	-	1910	1969	
j	2x40 watt FTL, opite with opal Arcylic dissuser WCF51240	-	3183	3281	
k	4x20 watt FTL, opite WCF 93418	-	5572	5744	
l	4x20 watt FTL mirror optic, surface/recessed mounting	-	5572	5744	
m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	-	3681	3774	
n	2x40 watt FTL mirror optic, surface/recessed mounting with electronic choke	-	4456	4593	
o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set	रु.	9664	9962	
p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	रु.	8492	8754	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



क्र.सं.	विवरण	मूल्य (रु.)	वै.म.क. (रु.)	कुल मूल्य (रु.)	टिप्पणी
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete				
	2 x 18 W CFL, recessed/surface mounting mirror Optic Complete Set	2758	2758	2843	
	1 x 11 W CFL mirror Optic surface/recessed mounting complete set	1888	1888	1946	
	2 x 11 W CFL mirror Optic Surface mounting complete set	2334	2334	2406	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect, surface / recessed with louver Complete set	6249	6249	6442	
u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	7029	7029	7246	
v	Recess mounting Direct Indirect LED luminaire	11139	11139	11483	
w	Recess mounting Direct Indirect LED luminaire	14482	14482	14929	
x	Recess Surface mounted LED luminate	13739	13739	14163	
y	High efficiency circular LED Down Lighter	3342	3342	3445	
z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	15038	15038	15502	
a	IP20 and IP 65 non integral flexible LED Strip Light	1114	1114	1148	
b	Circular LED wall/Dome Light suitable for true ceiling	3342	3342	3445	
c	Square LED Wall/Dome light suitable for true ceiling	3342	3342	3445	
d	Recess mounted indirect and direct luminaires	6313	6313	6508	
e	2x36 Watt CFL Surface Mirror Optic	6313	6313	6508	
21	20.1 Down Light Fiam Make				
1.1	FDL004 SMD7W-CW	1337	1337	1378	
1.2	FDL004 SMD9W-WWH (145*90)	1337	1337	1378	
1.3	FDL004 SMD9W-CW	1913	1913	1972	
1.4	FDL004 SMD15W-WWH (175*90)	1913	1913	1972	
1.5	FDL004 SMD15W-CW	2913	2913	3003	
1.6	FDL004 SMD30W-WWH (200MM)	2913	2913	3003	
1.7	FDL004 SMD30W-CW	5244	5244	5406	
1.8	FDL012 COB5W-WWH (90MM)	5244	5244	5406	
1.9	FDL012 COB5W-CW	1340	1340	1381	
2	FDL012 COB10W-WWH (120MM)	1340	1340	1381	
2.1	FDL012 COB10W-CW	2038	2038	2100	
2.2	FDL012 COB15W-WWH (140MM)	2038	2038	2100	
2.3	FDL012 COB15W-CW	5244	5244	5406	
2.4	FDL012 COB25W-WWH (175MM)	5244	5244	5406	
2.5	FDL012 COB25W-CW	6991	6991	7207	
2.6	FDL012 COB30W-WWH (200MM)	6991	6991	7207	
2.7	FDL012 COB30W-CW	8737	8737	9006	
2.8	FDL007 SMD12W-WWH (130*110)	8737	8737	9006	
2.9	FDL007 SMD12W-CW	4310	4310	4443	
3	FDL007 SMD18W-WWH (165*145)	4310	4310	4443	
3.1	FDL007 SMD18W-CW	6291	6291	6485	
3.2	FDL007 SMD24W-WWH (195*175)	6291	6291	6485	
3.3	FDL007 SMD24W-CW	7864	7864	8106	
3.4	FDL001 HP5W FBK-WWH (95*110)	7864	7864	8106	
3.5	FDL001 HP5W FBK-CW	3262	3262	3362	
3.6	FDL001 HP5W FWH-WWH (80*120)	3262	3262	3362	
3.7	FDL001 HP5W FWH-CW	3262	3262	3362	
3.8	FDL005 SMD7W-WWH (123MM)	3262	3262	3362	
3.9	FDL005 SMD7W-CW	1340	1340	1381	
4	FDL005 SMD12W-WWH (165MM)	1340	1340	1381	
4.1	FDL005 SMD12W-CW	1747	1747	1800	
4.2	FDL005 SMD20W-WWH (200MM)	1747	1747	1800	
4.3	FDL005 SMD20W-CW Taiwan chip	3204	3204	3303	
4.4	FM3161 HP 18W-WWH	3204	3204	3303	

विनोद कुमार खड्का
प्रमुख वि.स. अधिकारी

क्र.सं.	वि.सं.	निर्माण सामाग्रीहरूको विवरण	मु.म.क. -VAT बाहेक (रु.)			कैफियत
			आ.व. २०८१/०८२	आ.व. २०८२/०८३	आ.व. २०८३/०८४	
	4.5	FM3161 HP 18W-CW	6991	6991	7207	
	4.6	HD-5010-13-WWH (86*75)	6991	6991	7207	
	4.7	HD-5010-13-CW	2157	2157	2223	
	4.8	HD-5010-14-WWH (115*105)	2157	2157	2223	
	4.9	HD-5010-14-CW	3262	3262	3362	
	5	HD-5010-14-WWH (140*125)	3262	3262	3362	
	5.1	HD-5010-14-CW	4078	4078	4204	
	5.2	HD-5010-18-WWH (215*200)	4078	4078	4204	
	5.3	HD-5010-18-CW	8096	8096	8346	
	5.4	LET1 100 ROUND BLACK OPAL GX53 LED LAMP 3W	8096	8096	8346	
	5.5	LET1 100 SQUARE BLACK OPAL GX53 LED LAMP3W	2525	2525	2603	
	5.6	WHITE OPAL	2525	2525	2603	
	5.7	BLACK OPAL	1857	1857	1914	
	5.8	WHITE OPAL	1857	1857	1914	
	5.9	BLACK OPAL	1857	1857	1914	
	6	WHITE OPAL	1857	1857	1914	
	6.1	BLACK OPAL	2228	2228	2296	
	6.2	WHITE OPAL	2228	2228	2296	
	6.3	BLACK OPAL	2228	2228	2296	
	6.4	WHITE OPAL	2228	2228	2296	
	6.5	BLACK OPAL	2228	2228	2296	
	6.6	BULKHEAD WHITE OPAL	2228	2228	2296	
	6.7	BULKHEAD BLACK OPAL	1857	1857	1914	
	6.8	VE BULKHEAD WHITE OPAL	1857	1857	1914	
	6.9	VE BULKHEAD BLACK OPAL	2600	2600	2680	
	7	HL BULKHEAD WHITE OPAL	1857	1857	1914	
	7.1	HL BULKHEAD BLACK OPAL	1857	1857	1914	
	7.2	WHITE OPAL	1857	1857	1914	
	7.3	BLACK OPAL	2228	2228	2296	
	7.4	VE WHITE OPAL	2228	2228	2296	
	7.5	VE BLACK OPAL	2228	2228	2296	
	7.6	HL WHITE OPAL	2228	2228	2296	
	7.7	HL BLACK OPAL	2228	2228	2296	
	7.8	BLACK OPAL	2228	2228	2296	
	7.9	MINI1L BLACK OPAL	7426	7426	7655	
	8	1L WHITE OPAL	6684	6684	6890	
	8.1	WHITE OPAL E27	6684	6684	6890	
	8.2	BLACK OPAL E27	2971	2971	3062	
	8.3	WHITE OPAL E27	2971	2971	3062	
	8.4	BLACK OPAL E27	2971	2971	3062	
	8.5	WHITE OPAL E27	2971	2971	3062	
	8.6	BLACK OPAL E27	2971	2971	3062	
	8.7	WHITE OPAL E27	2971	2971	3062	
	8.8	BLACK OPAL E27	3342	3342	3445	
	8.9	WHITE OPAL E27	3342	3342	3445	
	9	BLACK OPAL E27	3342	3342	3445	
	9.1	BLACK WITH OPAL DIFFUSER	3342	3342	3445	
	9.2	BLACK W/OPAL DIFFUSER	3713	3713	3827	
	9.3	LANTERN BLACK W/OPAL DIFFUSER	3713	3713	3827	
	9.4	BLACK OPAL GX53 LED LAMP 3W	3342	3342	3445	
	9.5	System Sensor Product	7426	7426	7655	
	1	Photo Electric Smoke Detector	1931	1931	1990	
	2	Rate of Rise Heat Detector	1931	1931	1990	
	3	Fixed temperature Detector	2356	2356	2428	
	4	Base	382	382	393	
	5	Conv. MCP, Red, with LED, 470 Ohm,	1527	1527	1574	
	6	Wall mount Horn+Strobe	4244	4244	4375	
	7	Ceiling mount Horn+Strobe	4244	4244	4375	
		Exit Light				

निर्देशक कार्यालय
प्रमुख जिला अधिकारी



क्र.सं.	विवरण	एकक	मु.म.क. -VAT बाहेक (रु.)			टीकापत्र
			आ.म. २०८१/०८२	आ.म. २०८२/०८३	आ.म. २०८३/०८४	
	1 MODEL SLM 18		12731	12731	13124	
	2 MODEL ELS 28		12731	12731	13124	
	3 MODEL ETL 210H-4LA		12731	12731	13124	
22	LUMINARIES Accessories					
a	500 watt halogen rod	रोड	239	239	246	
b	1000 watt halogen rod	"	286	286	294	
c	70Watt SON Lamp (Sodium Vapour)	"	859	859	885	
d	150 watt sodium vapour bulb	"	1337	1337	1378	
e	250 watt sodium vapour bulb	"	1751	1751	1805	
f	20-40 watt FTL rod	"	82	82	84	
g	20-40 watt FTL Copper chowk.	"	266	266	274	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	424	424	437	
i	Acrylic cover for 4x20 FTL	"	1019	1019	1050	
j	FTL starter	"	20	20	20	
k	8 W to 11W, C.F.L Direct fit	"	239	239	246	
l	13 to 22W, C.F.L Direct fit	"	308	308	317	
m	15-100 watt bulb. (ISI)	रोड	27	27	27	
n	PL-S 9W/86 (CFL)	"	170	170	175	
o	PL-S 11W/86 (CFL)	"	180	180	185	
p	PL-L 36W/86 (CFL)	"	430	430	443	
q	125W HPL-N (Mercury Vapour)	"	382	382	393	
r	250W HPL-N	"	902	902	929	
	Solar LED bulb					
s	12V/2W LED bulb	"	372	372	383	
t	12V/3W LED bulb	"	424	424	437	
u	12V/4W LED bulb	"	478	478	492	
23	23.1 COPPER CONDUCTOR WIRE /CABLE (PER COIL=90 RM) NS marked	"				
	1 1/18 size p.v.c. insulated copper wire/ cable	किलो	976	976	1073	
	2 3/22 " " " "	"	1167	1167	1283	
	3 3/20 " " " "	"	1857	1857	2042	
	4 7/22 " " " "	"	2600	2600	2860	
	5 7/20 " " " "	"	4244	4244	4668	
	6 7/18 " " " "	"	6684	6684	7352	
	7 7/16 " " " "	"	13792	13792	15171	
	8 19/18 " " " "	"	18566	18566	20422	
	9 19/16 " " " "	"	37132	37132	40845	
	10 2 1/20 " " " "	"	1411	1411	1552	
	11 2 1/22 " " " "	"	955	955	1050	
	23.2 Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1 1.0 mm PVC insulated Copper wire	किलो	1061	1061	1167	
	2 1.5 mm PVC insulated Copper wire	"	1697	1697	1866	
	3 2.5 mm PVC insulated Copper wire	"	2494	2494	2743	
	4 4.0 mm PVC insulated Copper wire	"	4031	4031	4434	
	5 6.0 mm PVC insulated Copper wire	"	6365	6365	7001	
	6 10.0mm PVC insulated Copper wire	"	10609	10609	11669	
24	Concentric cable NS marked Eqv.					
	1 4mm size concentric cable	र.से	24	24	26	
	2 6mm size " " "	र.से	27	27	29	
	3 10mm size concentric cable	र.से	40	40	44	
	4 16mm size " " "	र.से	69	69	75	
	5 25mm size " " "	र.से	92	92	101	
	6 RG6 Coaxial cable	र.से	24	24	26	
	7 RG59 Coaxial cable	र.से	27	27	29	
	8 UTP cat -5 networking cable	र.से	27	27	29	
25	Telephone Drop wire/pair cable NS marked Eqv.					
	1 7/26 Telephone drop wire	किलो	1019	1019	1120	
	2 7/22 " " "	किलो	690	690	759	

विनोद कुमार खड्का
समुख निर्देशा अधिकारी

क्र.सं.	विवरण	मूल्य (रु.)			टिप्पणी
		मा.व.	मा.व.	मा.व.	
		२०८२/०८३	२०८३/०८४	२०८४/०८५	
3	2- pair cable wire (2×2×0.45) mm Heavy	14	14	15	
4	3- pair cable wire (3×2×0.45) mm Heavy	21	21	23	
5	5- pair cable wire (5×2×0.45) mm Heavy	33	33	36	
6	10- pair cable wire (10×2×0.45) mm Heavy	64	64	70	
7	15- pair cable wire (15×2×0.45) mm Heavy	94	94	103	
8	20- pair cable wire (20×2×0.45) mm Heavy	123	123	135	
9	1mm drop wire	10	10	11	
10	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	7877	7877	8664	
11	2-6 Line EPABX	18963	18963	20859	
12	3-8 Line EPABX	21154	21154	23269	
13	4-12 Line EPABX	37928	37928	41720	
14	6-16 Line EPABX	51056	51056	56161	
15	8-24 Line EPABX	87524	87524	96276	
16	8-48 Line EPABX	93651	93651	103016	
17	8-72 Line EPABX	100207	100207	110227	
	Other Accessories				
1	6" size Dome light glass	67	67	69	
2	8" size " " "	78	78	80	
3	wall bracket glass	67	67	69	
4	Fan regulator	279	279	287	
26	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board. (Rates of MCCB / MCB & measuring instrument are not included here.)				
a	60/75/100 AMP, 9"×36"×48" size	22056	22056	22737	
b	60/75/100 AMP 12"×36"×48" size	26258	26258	27089	
c	60/75/100 AMP 9"×48"×60" size	36761	36761	37696	
d	60/75/100 AMP 12"×48"×60" size	43763	43763	45115	
e	150/200 AMP 9"×36"×52" size	24507	24507	25264	
f	150/200 AMP 12"×36"×52" size	24507	24507	25264	
g	150/200 AMP 9"×42"×56" size	27291	27291	28134	
h	150/200 AMP 12"×42"×56" size	29024	29024	29920	
i	250/300AMP 12"×48"×60" size	35540	35540	36638	
j	250/300AMP 12"×52"×62" size	39785	39785	41014	
k	400 AMP 12"×52"×66" size	42352	42352	43660	
27	Panel Board measurement instrument				
a	0-500 volt meter	1054	1054	1086	
b	60/100 Amp meter	1008	1008	1039	
c	Panel Indicator	244	244	251	
d	2 Amp glass fuse with holder 12 mm size	138	138	142	
e	AMP meter selector switch	668	668	688	
f	volt meter selector switch	732	732	754	
g	60/100 Amp C.T. coil per set 3 Pcs	1475	1475	1520	
h	150-200AMP C.T. coil. 3 PC / Set	1835	1835	1891	
i	250-300 AMP	2494	2494	2571	
j	400/500/600AMP	3661	3661	3774	
k	Kilo watt hour energy meter single phase	2339	2339	2411	
l	Kilo watt hour energy meter 3 phase direct	10535	10535	10860	
28	Trailing Protected Industrial Plug IP44				

विनोद कुमार खड्का
प्रमुख सिल्ला अधिकारी



क्र.सं.	विवरण	एकक	मु.व.क. -VAT बाहेक (रु.)			टिप्पणी
			आ.व. २०८१/०८२	आ.व. २०८२/०८३	आ.व. २०८३/०८४	
29	a 16A 3P+E 400V Industrial plug	सेट	557	557	574	
	b 32 A 3p +N+E " Plug	सेट	827	827	852	
	c 32 A 3P+N+E water tight Plug IP67	सेट	1591	1591	1640	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	21218	21218	21873	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	14322	14322	14784	
30	CABLE SHOE					
	a 16 sq.mm cable shoe	सेट	66	66	68	
	b 25 sq.mm " "	"	85	85	87	
	c 35 sq.mm " "	"	66	66	68	
	d 50 sq.mm " "	"	77	77	79	
	e 70 sq.mm " "	"	95	95	97	
	f 95 sq.mm " "	"	147	147	151	
	g 150 sq.mm " "	"	221	221	227	
	h 195 sq.mm " "	"	314	314	323	
	i 250 sq.mm " "	"	500	500	515	
31	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1 1.5 mm2	र मी	106	106	116	
	2 2.5 mm2	"	143	143	157	
	3 4.0 mm2	"	197	197	216	
	4 6.0 mm2	"	254	254	270	
	5 10.0 mm2	"	382	382	420	
	6 16.0 mm2	"	509	509	559	
	7 25.0 mm2	"	743	743	817	
	8 35.0 mm2	"	987	987	1085	
	9 50.0 mm2	"	1379	1379	1516	
	b) 3 Core					
	1 1.5 mm2	"	133	133	146	
	2 2.5 mm2	"	185	185	203	
	3 4.0 mm2	"	266	266	292	
	4 6.0 mm2	"	340	340	374	
	5 10.0 mm2	"	509	509	559	
	6 16.0 mm2	"	711	711	782	
	7 25.0 mm2	"	1083	1083	1191	
	8 35.0 mm2	"	1433	1433	1576	
	9 50.0 mm2 Copper Conductor Armoured	"	1963	1963	2159	
	10 70.0 mm2	"	2758	2758	3033	
	11 95.0 mm2	"	3713	3713	4084	
	12 120.0 mm2	"	4668	4668	5134	
	13 150.0 mm2	"	5729	5729	6301	
	c) 3.5 Core					
	1 25.0 mm2	र मी	1295	1295	1424	
	2 35.0 mm2	"	1645	1645	1809	
	3 50.0 mm2	"	2312	2312	2543	
	4 70.0 mm2	"	3183	3183	3501	
	5 95.0 mm2	"	4244	4244	4668	
	6 120.0 mm2	"	5570	5570	6127	
	7 150.0 mm2	"	6578	6578	7235	
	8 185.0 mm2	"	8169	8169	8985	
	9 240.0 mm2	"	10715	10715	11786	
	10 300.0 mm2	"	13580	13580	14938	
	11 400.0 mm2	"	17823	17823	19605	
	d) 4 Core					

विनोद कुमार खड्का
प्रमुख निरीक्षक आधिकारिक



क्र.सं.	विवरण	मु.व.क. -VAT मध्ये (रु.)			टीका
		मा.व. २०८१/०८२	मा.व. २०८२/०८३	मा.व. २०८३/०८४	
1	1.5 mm ²	160	160	176	
2	2.5 mm ²	228	228	250	
3	4.0 mm ²	329	329	361	
4	6.0 mm ²	424	424	466	
5	10.0 mm ²	637	637	700	
6	16.0 mm ²	928	928	1020	
7	25.0 mm ²	1379	1379	1516	
8	35.0 mm ²	1857	1857	2042	
9	50.0 mm ²	2652	2652	2917	
10	70.0 mm ²	3607	3607	3967	
11	95.0 mm ² Copper Conductor Armoured	4880	4880	5368	
12	120.0 mm ²	6153	6153	6768	
13	150.0 mm ²	7638	7638	8401	
14	185.0 mm ²	9336	9336	10269	
15	240.0 mm ²	12731	12731	14004	
16	300.0 mm ²	15277	15277	16804	
17	400.0 mm ²	20688	20688	22756	
32	Copper Conductor Unarmoured Power Cables NS marked or Eqv.				
	a) 1-core				
1	10 sq. mm.	44	44	48	
2	16 sq. mm.	67	67	73	
3	25 sq. mm.	78	78	85	
4	35 sq. mm.	94	94	103	
5	50 sq. mm.	125	125	137	
6	70 sq. mm.	163	163	179	
7	95 sq. mm.	220	220	242	
8	120 sq. mm.	268	268	294	
9	150 sq. mm.	317	317	348	
	b) 2-core				
1	1.5 sq. mm Copper Conductor Unarmoured	74	74	81	
2	2.5 sq. mm	106	106	116	
3	4 sq. mm	148	148	162	
4	6 sq. mm	202	202	222	
5	10 sq. mm	318	318	349	
6	16 sq. mm	440	440	484	
7	25 sq. mm	679	679	746	
8	35 sq. mm	923	923	1015	
9	50 sq. mm	1273	1273	1400	
10	70 sq. mm	1273	1273	1400	
11	95 sq. mm	2388	2388	2626	
12	120 sq. mm	3130	3130	3443	
13	150 sq. mm	3925	3925	4317	
	c) 3-core				
1	1.5 sq. mm. 3-core copper conductor	96	96	105	
2	2.5 sq. mm	138	138	151	
3	4 sq. mm	202	202	222	
4	6 sq. mm	286	286	314	
5	10 sq. mm	451	451	496	
6	16 sq. mm	658	658	723	
7	25 sq. mm	1008	1008	1108	
8	35 sq. mm	1358	1358	1493	
9	50 sq. mm	1910	1910	2101	
10	70 sq. mm	2652	2652	2917	
11	95 sq. mm	3607	3607	3967	
12	120 sq. mm	4562	4562	5018	
13	150 sq. mm	5623	5623	6185	
	d) 3.5 core				
1	25 sq. mm	1241	1241	1365	
2	35 sq. mm Copper Conductor Unarmoured	1591	1591	1750	
3	50 sq. mm	2228	2228	2450	



भक्तपुर जिल्ला
सुदूरपश्चिम प्रदेश

क्र.सं.	वि.सं.	विवरण	मु.स.क. -VAT सहित (रु.)			टिप्पणी
			मा.व. २०८१/०८२	मा.व. २०८२/०८३	मा.व. २०८३/०८४	
4		70 sq.mm	3103	3103	3413	
5		95 sq.mm	4191	4191	4610	
6		120 sq.mm	5517	5517	6068	
7		150 sq.mm	6525	6525	7177	
		e) 4-core Copper Conductor Unarmoured				
1		1.5 sq.mm	116	116	127	
2		2.5 sq.mm	175	175	192	
3		4 sq.mm	260	260	286	
4		6 sq.mm	361	361	397	
5		10 sq.mm	573	573	630	
6		16 sq.mm	870	870	957	
7		25 sq.mm	1358	1358	1493	
8		35 sq.mm	1825	1825	2007	
9		50 sq.mm	2546	2546	2800	
10		70 sq.mm	3555	3555	3910	
11		95 sq.mm	4828	4828	5310	
12		120 sq.mm	6101	6101	6711	
13		150 sq.mm	7586	7586	8344	
14		185 sq.mm	9336	9336	10269	
15		240 Sq. mm	12625	12625	13887	
16		300 Sq. mm	15277	15277	16804	
17		400 Sq. mm	20588	20588	22756	
33		Aluminum conductor Armoured (Power) cable NS marked or eqv.				
		a) 2-core				
1		1.5 sq.mm	96	96	105	
2		2.5 sq.mm	122	122	134	
3		4 sq.mm	138	138	151	
4		6 sq.mm	165	165	181	
5		10 sq.mm	185	185	203	
6		16 sq.mm	222	222	244	
7		25 sq.mm	254	254	279	
8		35 sq.mm	329	329	361	
9		50 sq.mm	409	409	449	
10		70 sq.mm	520	520	572	
		b) 3-core				
1		2.5 sq.mm. Aluminum conductor Armoured	111	111	122	
2		4 sq.mm	138	138	151	
3		6 sq.mm	153	153	168	
4		10 sq.mm	185	185	203	
5		16 sq.mm	212	212	233	
6		25 sq.mm Aluminum conductor Armoured	286	286	314	
7		35 sq.mm	345	345	379	
8		50 sq.mm	440	440	484	
9		70 sq.mm	557	557	612	
10		95 sq.mm	509	509	559	
11		120 sq.mm	859	859	944	
12		150 sq.mm	1034	1034	1137	
13		185 sq.mm	1273	1273	1400	
14		240 sq.mm	1559	1559	1714	
15		300 sq.mm	1910	1910	2101	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



क्र.सं.	विवरण	व.क. -VAT सहित (रु.)			टिप्पणी
		मा.व. २०६२/०६३	मा.व. २०६३/०६४	मा.व. २०६३/०६४	
16	400 sq.mm	2388	2388	2626	
	c) 3.5 core				
1	25 sq.mm	रु. 329	329	361	
2	35 sq.mm	रु. 382	382	420	
3	50 sq.mm	रु. 504	504	554	
4	70 sq.mm	रु. 647	647	711	
5	95 sq.mm	रु. 827	827	909	
6	120 sq.mm Aluminum conductor Armoured	रु. 1008	1008	1108	
7	150 sq.mm	रु. 1209	1209	1329	
8	185 sq.mm	रु. 1464	1464	1610	
9	240 sq.mm	रु. 1825	1825	2007	
10	300 sq.mm	रु. 2281	2281	2509	
11	400 sq.mm	रु. 2864	2864	3150	
	d) 4-core				
1	2.5 sq.mm	रु. 128	128	140	
2	4 sq.mm	रु. 160	160	176	
3	6 sq.mm	रु. 185	185	203	
4	10 sq.mm	रु. 202	202	222	
5	16 sq.mm	रु. 260	260	286	
6	25 sq.mm	रु. 350	350	385	
7	35 sq.mm	रु. 414	414	455	
8	50 sq.mm	रु. 564	564	620	
9	70 sq.mm	रु. 721	721	793	
10	95 sq.mm	रु. 928	928	1020	
11	120 sq.mm	रु. 1114	1114	1225	
12	150 sq.mm	रु. 1411	1411	1552	
13	185 sq.mm	रु. 1676	1676	1843	
14	240sq.mm	रु. 2100	2100	2310	
15	300 sq.mm Aluminum conductor Armoured	रु. 2600	2600	2860	
16	400sq.mm	रु. 3289	3289	3617	
34	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1-core				
1	16 sq.mm	रु. 54	54	59	
2	25 sq.mm	रु. 74	74	81	
3	35 sq.mm	रु. 91	91	100	
4	50 sq.mm	रु. 116	116	127	
5	70 sq.mm	रु. 148	148	162	
6	95 sq.mm	रु. 202	202	222	
7	120 sq.mm	रु. 244	244	268	
8	150 sq.mm	रु. 403	403	443	
9	185 sq.mm	रु. 372	372	409	
10	240 sq.mm	रु. 456	456	501	
11	300 sq.mm	रु. 552	552	607	
	b) 2-core Aluminium conductor unarmoured				
1	2.5 sq.mm	रु. 54	54	59	
2	4 sq.mm	रु. 64	64	70	
3	6 sq.mm	रु. 79	79	86	
4	10 sq.mm	रु. 101	101	111	
5	16 sq.mm	रु. 106	106	116	
6	25 sq.mm	रु. 148	148	162	
7	35 sq.mm	रु. 191	191	210	
8	50 sq.mm	रु. 244	244	268	
9	70 sq.mm	रु. 308	308	338	
10	95 sq.mm 2 core	रु. 414	414	455	
	c) 3-core				
1	2.5 sq.mm	रु. 64	64	70	
2	4 sq.mm	रु. 74	74	81	
3	6 sq.mm	रु. 91	91	100	
4	10 sq.mm	रु. 128	128	140	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी

क्र.सं.	वि.सं.	विवरण	मु.प्र.म. -VAT सहित (रु.)	आ.प्र. २०८१/०८२	आ.प्र. २०८२/०८३	आ.प्र. २०८३/०८४	टिप्पणी
35		General Lightig					
i		1 x 40 W FTL Patti fitting	रु. 260	260	268		
ii		1 x 20 W FTL Patti fitting	रु. 239	239	246		
iii		1 x 40 W FTL Box Fitting	रु. 440	440	453		
iv		1 x 20 W FTL Box fitting	रु. 430	430	443		
v		9/11W Mini mirror light with electronic Blast suitable for PL lamp	रु. 366	366	377		
36		PVC Conduit					
		RK Range					
1		16 mm medium rigid conduit DX 25 316	Mtr. 91	91	93		
2		20 mm medium rigid conduit DX 25 320	" 128	128	131		
3		25 mm medium rigid conduit DX 25 325	" 180	180	185		
4		32 mm medium rigid conduit DX 25 332	" 260	260	268		
5		40 mm medium rigid conduit DX 25 340	" 355	355	365		
6		50 mm medium rigid conduit DX 25 350	" 546	546	562		
7		63 mm medium rigid conduit DX 25 363	" 1029	1029	1060		
8		16 mm heavy rigid conduit DX 25 716	" 170	170	175		
9		20 mm heavy rigid conduit DX 25 720	" 222	222	228		
10		25 mm heavy rigid conduit DX 25 725	" 297	297	306		
11		32 mm heavy rigid conduit DX 25 732	" 446	446	459		
12		40 mm heavy rigid conduit DX 25 740	" 605	605	623		
13		50 mm heavy rigid conduit DX 25 750	" 817	817	842		
14		63 mm heavy rigid conduit DX 25 763	" 1533	1533	1580		
15		16 mm polymer cable gland GW 52 043 with fixing nut and screws	" 202	202	208		
16		20 mm polymer cable gland GW 52 044 with fixing nut and screws	" 254	254	261		
17		25 mm polymer cable gland GW 52 045 with fixing nut and screws	" 387	387	398		
18		32 mm polymer cable gland GW 52 046 with fixing nut and screws	" 642	642	661		
19		40 mm polymer cable gland GW 52 047 with fixing nut and screws	" 769	769	792		
20		50 mm polymer cable gland GW 52 048 with fixing nut and screws	" 992	992	1022		
21		63 mm polymer cable gland GW 52 049 with fixing nut and screws	" 1236	1236	1274		
22		16 mm shockproof polymer saddle collar clip GW 50 605	" 32	32	32		
23		20 mm shockproof polymer saddle collar clip GW 50 606	" 37	37	38		
24		25 mm shockproof polymer saddle collar clip GW 50 607	" 42	42	43		
25		32 mm shockproof polymer saddle collar clip GW 50 608	" 64	64	65		
26		40 mm shockproof polymer saddle collar clip GW 50 630	" 101	101	104		
27		50 mm shockproof polymer saddle collar clip GW 50 631	" 122	122	125		
28		16 mm conduit coupler DX 40 016	" 37	37	38		
29		20 mm conduit coupler DX 40 020	" 47	47	48		
30		25 mm conduit coupler DX 40 025	" 59	59	60		
31		32 mm conduit coupler DX 40 032	" 106	106	109		
32		40 mm conduit coupler DX 40 040	" 143	143	147		
33		50 mm conduit coupler DX 40 050	" 249	249	256		
34		63 mm conduit coupler DX 40 063	" 472	472	486		
35		16 mm tight bend DX 40 116	" 59	59	60		
36		20 mm tight bend DX 40 120	" 84	84	86		
37		25 mm tight bend DX 40 125	" 133	133	137		
38		32 mm tight bend DX 40 132	" 244	244	251		
39		40 mm tight bend DX 40 140	" 345	345	355		
40		50 mm tight bend DX 40 150	" 621	621	640		
41		63 mm tight bend DX 40 163	" 2430	2430	2505		
42		4 way junction box DX 45 004	" 690	690	711		
43		7 way junction box DX 45 007	" 827	827	852		



क्र.सं.	विवरण	एकाई	मु.व.क. -VAT सहित (रु.)			टिप्पणी
			मा.व. रु.०८१/०८२	मा.व. रु.०८२/०८३	मा.व. रु.०८३/०८४	
44	10 way junction box DX 45 010	"	1051	1051	1083	
45	Closing cap for junction box DX 47 000	"	122	122	125	
46	16 mm inspectionable T bend DX 40216	"	122	122	125	
47	20 mm inspectionable T bend DX 40220	"	153	153	157	
48	25 mm inspectionable T bend DX 40225	"	202	202	208	
49	32 mm inspectionable T bend DX 40232	"	244	244	251	
50	16 mm inspectionable bend DX 40 316	"	101	101	104	
51	20 mm inspectionable bend DX 40 320	"	122	122	125	
52	25 mm inspectionable bend DX 40 325	"	160	160	164	
53	32 mm inspectionable bend DX 40 332	"	191	191	196	
37	Cable Tray with Cover and Accessories					
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Fl.	844	844	870	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	1002	1002	1032	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1209	1209	1246	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1358	1358	1399	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1586	1586	1635	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1761	1761	1815	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2201	2201	2269	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2588	2588	2667	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3183	3183	3281	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3379	3379	3483	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	1014	1014	1045	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1214	1214	1251	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1337	1337	1378	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1512	1512	1558	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1713	1713	1765	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1915	1915	1974	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2344	2344	2416	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2737	2737	2821	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3560	3560	3670	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3861	3861	3980	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4722	4722	4867	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1352	1352	1393	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2186	2186	2253	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2864	2864	2952	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3968	3968	4090	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4981	4981	5134	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5612	5612	5785	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1539	1539	1586	

142

वि.सं. १०८१/०८२
प्रमुख कार्यालय
भक्तपुर जिल्ला कार्यालय

क्र.सं.	विवरण	म.सं.	म.सं. - VAT कोड (र.)			ईकाइयत
			म.सं. २०८१/०८२	म.सं. २०८२/०८३	म.सं. २०८३/०८४	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165		2339	2339	2411	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168		2971	2971	3062	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171		4276	4276	4408	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175		5166	5166	5325	
38	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller					
	CONTROL FIRE/BURG	सेट	40017	40017	41253	
	Smoke & Heat Detector					
	Wireless Smoke and Heat Detector	सेट	10861	10861	11196	
	Door Contact					
	Wireless Door Contact with transmitter	सेट	2758	2758	2843	
	Motion Detector					
	Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4303	4303	4435	
	Panic Switch					
	Wireless Panic Transmitter	सेट	5069	5069	5225	
	Key					
	Wireless Key to Arm and Disarm the System	सेट	4923	4923	5075	
	Window Contact					
	Wired door Contact with transmitter slim	सेट	2896	2896	2985	
	Earth Quake Detector					
	Quake Alarm	सेट	3709	3709	3823	
	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	4244	4244	4375	
	Upto 1 HP single phase motor	सेट	5835	5835	6015	
	Upto 5 HP three phase motor	सेट	9548	9548	9843	
39	Electrical Equipments					
	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm x 600 mm G.I. Plate					
	Funneling Mechanism with cover (mild steel)	No.	2914	2914	3004	
	3.2 mm thick 600mm x 600 mm Copper Plate	सेट	637	637	656	
	Copper wire (10 SWG)	No.	9803	9803	10105	
	Service wire (AI)	Mtr.	160	160	164	
	2.5 mm ²	Mtr.	19	19	19	
	4.0 mm ²	"	23	23	23	
	6.0 mm ²	"	29	29	29	
	Lightening Arrestor for 3 Phase					
	0.5 KV	Set	1273	1273	1312	
	11 KV	Set	4456	4456	4593	
	Cross Arms V Channel	No.	3183	3183	3281	
	Stay set with accessories					
	G.I. wire	No.	1217	1217	1254	
	G.I. Plate	"	1221	1221	1258	
	Gay Insulator	"	58	58	59	
	Elbow		106	106	109	
	Rod, Nut	No.	458	458	472	
	Grip	"	50	50	51	
	Overhead Insulators (0.4KV)					
	Saddle Insulator					
	D-Iron	No.	32	32	32	
	Nut Bolt (3" with 8 mm Ø)	"	98	98	98	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	15	15	15	
	Overhead Insulators with fixing accessories (11KV)	"	24	24	24	
	Pin Insulator					
	Disc Insulator	No.	191	191	196	
	Cross Arms V Channel	"	1019	1019	1050	
	Squirrel ACSR conductor 20mm ²	"	2801	2801	2887	

विनोद कुमार खड्का
प्रमुख जिल्ला अधिकारी



क्र.सं.	विवरण	इकाई	मु.व.क. -VAT कटौत (र.)			टीफिवात
			वा.व. २०८१/०८२	वा.व. २०८२/०८३	वा.व. २०८३/०८४	
viii	wcasel ACSR conductor 30 mm ²	Rm.	18	18	18	
ix	Rabbit ACSR conductor 50 mm ²	"	26	26	26	
x	Dog ACSR conductor 100 mm ²	"	42	42	43	
xi	Supply of aluminium ABC cable	"	84	84	86	
	25mm square 4 core ABC cable					
	50 mm square 4 core ABC cable	Rm.	160	160	164	
	95 mm square 4 core ABC cable	"	266	266	274	
xii	Alternator 3 Phase Brush less with compounded Excitation. (KEL)	"	520	520	536	
40 C	AMF with ATS panel					
i	5KVA AMF with ATS panel	set	23340	23340	24061	
ii	7.5KVA AMF with ATS panel	"	29705	29705	30622	
iii	10KVA AMF with ATS panel	"	37132	37132	38279	
iv	15KVA AMF with ATS panel	"	47741	47741	49216	
v	20KVA AMF with ATS panel	"	68959	68959	71089	
vi	25KVA AMF with ATS panel	"	79568	79568	82028	
vii	30KVA AMF with ATS panel	"	95481	95481	98431	
41	MCB/ISOLATOR					
	B CURVE MCB SP 6A-32A					
	B CURVE MCB SP 40A	pole	246	246	253	
	B CURVE MCB SP 50A-63A	pole	289	289	297	
	C CURVE MCB SP 0.5-4A	pole	289	289	297	
	C CURVE MCB SP 6-32A	pole	289	289	297	
	C CURVE MCB SP 40A	pole	246	246	253	
	C CURVE MCB SP 50-63A	pole	459	459	473	
	C CURVE MCB SPN 0.5-4A	pole	459	459	473	
	C CURVE MCB SPN 6-32A	pole	493	493	508	
	C CURVE MCB SPN 40A	pole	528	528	544	
	C CURVE MCB SPN 50-63A	pole	578	578	595	
	C CURVE MCB DP 0.5-4A	pole	578	578	595	
	C CURVE MCB DP 6-32A	pole	636	636	655	
	C CURVE MCB DP 40A	pole	581	581	598	
	C CURVE MCB DP 50-63A	pole	636	636	655	
	C CURVE MCB TP 0.5-4A	pole	636	636	655	
	C CURVE MCB TP 6-32A	pole	953	953	982	
	C CURVE MCB TP 40A	pole	872	872	898	
	C CURVE MCB TP 50-63A	pole	953	953	982	
	C CURVE MCB TPN 0.5-4A	pole	953	953	982	
	C CURVE MCB TPN 6-32A	pole	1242	1242	1280	
	C CURVE MCB TPN 40A	pole	1136	1136	1171	
	C CURVE MCB TPN 50-63A	pole	1242	1242	1280	
	C CURVE MCB FP 0.5-4A	pole	1242	1242	1280	
	C CURVE MCB FP 6-32A	pole	1329	1329	1370	
	C CURVE MCB FP 40A	pole	1215	1215	1252	
	C CURVE MCB FP 50-63A	pole	1329	1329	1370	
	ISOLATOR DP 40A	pole	1329	1329	1370	
	ISOLATOR DP 63A	pole	568	568	585	
	ISOLATOR DP 80-100A	pole	568	568	585	
	ISOLATOR DP 125A	pole	593	593	611	
	ISOLATOR FP 40A	pole	629	629	648	
	ISOLATOR FP 63A	pole	929	929	957	
	ISOLATOR FP 80-100A	pole	929	929	957	
	ISOLATOR FP 125A	pole	1028	1028	1059	
	RCCB DP 25A 30mA	pole	1028	1028	1059	
	RCCB DP 40A 30mA	pole	3653	3653	3765	
	RCCB DP 63A 30mA	pole	3653	3653	3765	
	RCCB DP 25A 100mA	pole	3653	3653	3765	
	RCCB DP 40A 100mA	pole	3445	3445	3551	
	RCCB DP 63A 100mA	pole	3445	3445	3551	
	RCCB DP 25A 300mA	pole	3445	3445	3551	
	RCCB DP 40A 300mA	pole	3445	3445	3551	
	RCCB DP 63A 300mA	pole	3445	3445	3551	

विचारणीय
प्रमुख अधिकारी

वि.नं	वि.नं	विमांग सामग्रीहरूको विवरण	मु.म.क. -VAT माफिक (रु.)			ईतिहास
			माल.नं.	माल.नं.	माल.नं.	
			२०८३/०८३	२०८३/०८३	२०८३/०८४	
		RCCB FP 25A 30mA	3445	3445	3551	
		RCCB FP 40A 30mA	4280	4280	4412	
		RCCB FP 63A 30mA	4280	4280	4412	
		RCCB FP 25A 100mA	4280	4280	4412	
		RCCB FP 40A 100mA	4124	4124	4251	
		RCCB FP 63A 100mA	4124	4124	4251	
		RCCB FP 25A 300mA	4124	4124	4251	
		RCCB FP 40A 300mA	4124	4124	4251	
		RCCB FP 63A 300mA	4124	4124	4251	







विनोद कुमार खड्का
 प्रमुख जिल्ला अधिकारी